



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 03/05/2019

#### **1 Identification**

### Product identifier

- Trade name: Vibra-TITE® Structural Adhesives

- Synonyms: 233 No-Mix Structural Acrylic - Rubber Toughened

- Part number: VT233
- Application of the substance / the mixture Adhesives

#### - Details of the supplier of the safety data sheet

Manufacturer/Supplier: ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

#### - Information department: Product safety department

- *Emergency telephone number:* United States: 1-800-424-9300 International: +1-703-527-3887

#### 2 Hazard(s) identification

#### - Classification of the substance or mixture

GHS08 Health hazard



H360 May damage fertility or the unborn child.

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). - Hazard pictograms



- Signal word Danger

- *Hazard-determining components of labeling:* Methacrylic acid tetrahydrofurfuryl methacrylate tetrahydro-2-furylmethanol 2-ethylhexyl methacrylate Bisphenol-A epoxy resin

#### - Hazard statements

H314 Causes severe skin burns and eye damage.

- H317 May cause an allergic skin reaction.
- H360 May damage fertility or the unborn child.
- H335 May cause respiratory irritation.

#### - Precautionary statements

P201Obtain special instructions before use.P260Do not breathe dusts or mists.

#### Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019


#### Trade name: Vibra-TITE® Structural Adhesives

(Contd. of page 1)

Reviewed on 03/05/2019

		(Conto, or page 1)
P261	Avoid breathing dust/fume/gas/mist/vapors/spray	
P264	Wash face, hands and any exposed skin thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P280	Wear protective gloves.	
P280	Wear eye protection / face protection.	
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	l easy to do.
	Continue rinsing.	
P310	Immediately call a poison center/doctor.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P321	Specific treatment (see on this label).	
P312	Call a poison center/doctor if you feel unwell.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P363	Wash contaminated clothing before reuse.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	

# - Classification system:





- HMIS-ratings (scale 0 - 4)

Health 3 Health = \*3 1 Fire = 1 REACTIVITY O Reactivity = 0

- Other hazards

#### Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- vPvB: Not applicable.

# **3** Composition/information on ingredients

## - Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 2455-24-5	tetrahydrofurfuryl methacrylate	50 - 59%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	-
CAS: 79-41-4	Methacrylic acid	9.25%
	Acute Tox. 3, H311; Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335; Flam. Liq. 4, H227	
CAS: 688-84-6	2-ethylhexyl methacrylate	5 – 9%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Flam. Liq. 4, H227	-
CAS: 25068-38-6	Bisphenol-A epoxy resin	≤ 1%
	Skin Sens. 1, H317; STOT SE 3, H335	_
CAS: 97-99-4	tetrahydro-2-furylmethanol	≤ 1%
	Repr. 1B, H360; Acute Tox. 4, H302; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	-

# - Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

#### - After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

#### - Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

### Safety Data Sheet acc. to OSHA HCS

#### Trade name: Vibra-TITE® Structural Adhesives

Reviewed on 03/05/2019

(Contd. of page 2)

- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

#### - Extinguishing media

#### Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. CO2, sand, extinguishing powder. Do not use water.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
  - Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

#### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Dispose of the collected material according to regulations.

 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

#### - Handling:

#### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters
  - Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

CAS:	CAS: 79-41-4 Methacrylic acid		
REL	Long-term value: 70 mg/m³, 20 ppm Skin		
TLV	Long-term value: 70 mg/m <sup>3</sup> , 20 ppm		
CAS: 97-99-4 tetrahydro-2-furylmethanol			
WEE	WEEL Long-term value: 0.5 ppm		
	A difference of the second		

- Additional information: The lists that were valid during the creation were used as basis.

Printing date 03/06/2019

#### Trade name: Vibra-TITE® Structural Adhesives

(Contd. of page 3)

Reviewed on 03/05/2019

#### - Exposure controls

# Personal protective equipment:

**General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

#### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - **Eye protection:** 

Safety glasses



Tightly sealed goggles

- Body protection: Protective work clothing

# \* 9 Physical and chemical properties

formation on basis physical and she	mical properties
formation on basic physical and che - General Information	nncal properties
- Appearance:	
- Form:	Liquid
- Color:	Light brown
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
<ul> <li>Melting point/Melting range:</li> </ul>	Undetermined.
<ul> <li>Boiling point/Boiling range:</li> </ul>	≥ 59 – ≤ 62 °C (≥ 138.2 – ≤ 143.6 °F)
- Flash point:	97 °C (206.6 °F)
- Flammability (solid, gaseous):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	~ 1.09751 g/cm³ (~ 9.15872 lbs/gal)
<ul> <li>Relative density</li> </ul>	Not determined.
- Vapor density	Not determined.
<ul> <li>Evaporation rate</li> </ul>	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.

# Trade name: Vibra-TITE® Structural Adhesives

Reviewed on 03/05/2019

Reactivity No further relevant information available.         · Chemical stability         · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.         · Possibility of hazardous reactions No dangerous reactions known.         · Conditions to avoid No further relevant information available.         · Incompatible materials: No further relevant information available.         · Hazardous decomposition products: No dangerous decomposition products known.         / Incompatible materials: No further relevant information available.         · Hazardous decomposition products: No dangerous decomposition products known.         / Information on toxicological effects         · Acute toxicity:         · LD/LC50 values that are relevant for classification:         ATE (Acute Toxicity Estimate)         Oral         LD50 14.400 mg/kg (mouse)         Dermal         LD50 15.171 mg/kg         Inhalative LC50/4 h 119 mg/l         CAS: 79-41-4 Methacrylic acid         Oral         LD50 1.322 mg/kg (mouse)         Dermal         LD50 1.322 mg/kg (mouse)         Dermal         LD50 1.4.400 mg/kg (rabbit)         Inhalative LC50/4 h 11 mg/l         CAS: 97-99-4 tetrahydro-2-furylmethanol         Oral         LD50 1.600 mg/kg (rabbit)         inhalative LC50/4 h 11 mg/l (ATE)         CAS: 97-99-4 tetrahydro-2-furylmethanol         Oral         LD50 1.600 mg/kg (rabbit)         inhalative LC50/4 h 11 mg/l (ATE)         CAS: 97-99-4 tetrahydro-2-furylmethanol         Oral         LD50 1.600 mg/kg (rabbit)         inhalative LC50/4 h 11 mg/l (ATE)         CAS: 97-99-4 tetrahydro-2-furylmethanol         Oral         LD50 1.600 mg/kg (rabbit)         inhalative LC50/4 h 11 mg/l (ATE)         CAS: 97-99-4 tetrahydro-2-furylmethanol         Correlyce dustic effect on skin and mucous membranes.              on the skin: Caustic effect on skin and mucous membranes.              on the skin: Caustic effect on skin and mucous membranes.              on the skin: Caustic effect on skin a		(Contd.	. of page	
- Dynamic at 20 °C (68 °F): 75.000 mPas     Not determined.     Solvent content:     Organic solvents: 0.3 %     · 2.26 g/l / - 0.02 bigal     Solids content: 0.25 %/     · - 2.8 g/l / - 0.02 bigal     Solids content: 0.3 %     Other information No further relevant information available.     Other information No further relevant information available.     Chemical stability     · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.     - Possibility of hazardous reactions No dangerous reactions known.     Conditions to avoid No further relevant information available.     - Chemical stability     · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.     - Possibility of hazardous reactions No dangerous reactions known.     Conditions to avoid No further relevant information available.     - Incompatible materials: No turther relevant information available.     - Hazardous decomposition products: No dangerous decomposition products known.     Information on toxicological effects     - Acute toxicity:     - LDLC50 values that are relevant for classification:     - Acute toxicity:     - LDLC50 values that are relevant for classification:     - Acute toxicity:     - LDLC50 values that are relevant for classification:     - Acute toxicity:     - LDLC50 values that are relevant for classification:     - Chemical Deb 5, 171 mg/kg     Inhalative LC50/4 h 11 mg/l CAS: 79-94-1 etanbytio-2-furyImethanol     Oral LD50 1.332 mg/kg (mouse)     Dermal LD50 5 000 mg/kg (rabbit)     - Primary irritant effect:     - on the skin: Caustic effect     - on the skin: Caustic effect     - on the skin: Caustic effect on skin and mucous membranes.     - on the skin: Caustic effect on skin and mucous membranes.     - on the skin: Caustic effect on skin and mucous membranes.     - on the skin: Caustic effect on skin and mucous membranes.     - on the skin: Caustic effect     - Sensitization; Sensitization possible through skin contac	- Partition coefficient (n-octanol/w	vater): Not determined.		
Organic solvents: 0.3 %     VOC content: 0.25 %	- Dynamic at 20 °C (68 °F):	•		
Other information No further relevant information available.     Other information if used according to specifications.     Chemical stability     Thermail decomposition / conditions to be avoided: No decomposition if used according to specifications.     Conditions to avoid No turther relevant information available.     Conditions to avoid No turther relevant information available.     Incompatible materials: No further relevant for classification:     Intormation on toxicological effects     - Acute toxicity:         - LD/LC50 values that are relevant for classification:     ATE (Acute Toxicity Estimate)     Oral LD50    1,320 mg/kg (mouse)     Dermal LD50     500 mg/kg (rabbit)     Inhalative LC50/4 h 119 mg/l     CAS: 79-94-1 tetrahytica 2-duryImmethanol     Cordi UD50     1,320 mg/kg (mouse)     Dermal LD50     1,300 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/kg     Nouse)     Primary irritant effect:         - on the skin: Caustic effect on skin and mucous membranes.         - on the skin: Caustic effect on skin and mucous membranes.         - on the skin: Caustic effect on skin and mucous membranes.         - on the skin: Caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.         - Carcinogenic categories         - IARC (International Agency for Research on Cancer)     CAS: 99-84-84 oumme         - Actional actiology Program)     CAS: 99-84 oumme         - OSHA-Ca (Occupational Safety & Health Administration)	- Organic solvents:	0.25 %		
Reactivity No further relevant information available.         Chemical stability         Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.         Possibility of hazardous reactions No dangerous reactions known.         Conditions to avoid No further relevant information available.         Hazardous decomposition products: No dangerous reactions for products known.         Toxicological information         Information on toxicological effects         - Acute toxicity:         - LD/LC50 values that are relevant for classification:         ATE (Acute Toxicity Estimate)         Oral LD50 14.400 mg/kg (mouse)         Dermal LD50 5.171 mg/kg         Inhatative LC50/4 h 119 mg/l         CAs: 79-41-4 Methacrytic acid         Oral LD50 500 mg/kg (rabbit)         Inhatative LC50/4 h 119 mg/l         CAs: 79-41-4 Methacrytic acid         Oral LD50 500 mg/kg (rabbit)         Inhalative LC50/4 h 119 mg/l         CAs: 79-41-4 Methacrytic acid         Oral LD50 500 mg/kg (rabbit)         Inhatative LC50/4 h 119 mg/l         CAs: 79-41-4 Methacrytic acid         Oral LD50 500 mg/kg (rabbit)         Inhatative LC50/4 h 119 mg/l (ATE)         CAs: 79-41-4 Methacrytic acid         on the eye: Strong casuatic effect.         · On the eye: Strong casuatic effect.         · Sensitization: Sensitization possible through skin contact.         · Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparations:         Correspies         · IARC (International Agency for Research on Cancer)         · AIRA (International Agency for Research on Cancer)         CAS: 98-82-8 cumene         · OSHA-Ca (Occupational Safety & Health Administration)				
Chemical stability     Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.     Possibility of hazardous reactions No dangerous reactions known.     Conditions to avoid No turther relevant information available.     Hazardous decomposition products: No dangerous decomposition products known.     Torkicological information     Information on toxicological effects         Acute toxicity:         Lo/LC50 values that are relevant for classification:     Atter toxicity Estimate)     Oral LD50 14.400 mg/kg (mouse)     Dermal LD50 5,171 mg/kg     Inhalative LC50/4 h 119 mg/l CAS: 79-41-4 Methacrylic acid Oral LD50 1,332 mg/kg (mouse)     Dermal LD50 500 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 79-41 4 tethacrylic acid Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 79-41 4 tethacrylic acid     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 79-41 4 tethacrylic acid     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 97-94 4 tethadyro-2-turylmethanol     Oral LD50 1,000 mg/kg (rabbit)     Inhalative LC50/4 h 11 mg/l (ATE)     CAS: 98-82 A tethadyro-2-turylmet	0 Stability and reactivity			
Information on toxicological effects     Acute toxicity:     ILD/LC50 values that are relevant for classification:     ATE (Acute Toxicity Estimate)     Oral     LD50     I,4.400 mg/kg (mouse)     Dermal     LD50     J,11 mg/kg     Inhalative     LC50/4 h     119 mg/l      CAS: 79-41-4 Methacrylic acid     Oral     LD50     J,322 mg/kg (mouse)     Dermal     Sumator entermator effect:     Sensitization: Sensitization possible through skin contact.     · Additional toxicological information:     The product shows the following dangers according to internally approved calculation meth	<ul> <li>Chemical stability         <ul> <li>Thermal decomposition / col</li> <li>Possibility of hazardous reactions i</li> <li>Conditions to avoid No further relevan</li> <li>Incompatible materials: No further rel</li> </ul> </li> </ul>	<b>nditions to be avoided:</b> No decomposition if used according to specifications. No dangerous reactions known. It information available. Ievant information available.		
Information on toxicological effects     Acute toxicity:     ILD/LC50 values that are relevant for classification:     ATE (Acute Toxicity Estimate)     Oral     LD50     I,4.400 mg/kg (mouse)     Dermal     LD50     J,11 mg/kg     Inhalative     LC50/4 h     119 mg/l      CAS: 79-41-4 Methacrylic acid     Oral     LD50     J,322 mg/kg (mouse)     Dermal     Sumator entermator effect:     Sensitization: Sensitization possible through skin contact.     · Additional toxicological information:     The product shows the following dangers according to internally approved calculation meth	1 Toxicological information			
ATE (Acute Toxicity Estimate)         Oral       LD50       14,400 mg/kg (mouse)         Dermal       LD50       5,171 mg/kg         Inhalative       LC50/4 h       119 mg/l         CAS: 79-41-4       Methacrylic acid          Oral       LD50       1,332 mg/kg (mouse)         Dermal       LD50       500 mg/kg (rabbit)         Inhalative       LC50/4 h       11 mg/l (ATE)         CAS: 77-94-4 tetrahydro-2-furylmethanol           Oral       LD50       1,600 mg/kg (rat)          CAS: 97-99-4 tetrahydro-2-furylmethanol           Oral       LD50       1,600 mg/kg (rat)          - Primary irritant effect:       - on the skin: Caustic effect on skin and mucous membranes.       - on the skin: Caustic offect.         - Sensitization: Sensitization possible through skin contact.       - Additional toxicological information:       The product shows the following dangers according to internally approved calculation methods for preparations:         Corrosive       Irritant       Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.         - Carcinogenic categories       - IARC (International Agency for Research on Cancer)       3         CAS: 14807-96-6       Soapstone	- Acute toxicity:			
Oral       LD50       14,400 mg/kg (mouse)         Dermal       LD50       5,171 mg/kg         Inhalative       LC50/4 h       119 mg/l         CAS: 79-41-4       Methacrylic acid		vant for classification:		
Dermal Inhalative       LD50       5,171 mg/kg         Inhalative       LC50/4 h       119 mg/l         CAS: 79-41-4 Methacrytic acid				
Inhalative       LC50/4 h       119 mg/l         CAS: 79-41-4       Methacrylic acid         Oral       LD50       1,332 mg/kg (mouse)         Dermal       LD50       500 mg/kg (rabbit)         Inhalative       LC50/4 h       11 mg/l (ATE)         CAS: 97-99-4 tetrahydro-2-furylmethanol          Oral       LD50       1,600 mg/kg (rat)         Oral       LD50       1,600 mg/kg (rat)         - Primary irritant effect:       • on the skin: Caustic effect on skin and mucous membranes.         - on the skin: Caustic effect on skin and mucous membranes.       • on the eye: Strong caustic effect.         - Sensitization possible through skin contact.       - Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparations:         Corrosive       Irritant         Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.         - Carcinogenic categories       - IARC (International Agency for Research on Cancer)         CAS: 128-37-0       Butylated hydroxytoluene       3         CAS: 128-37-0       Butylated hydroxytoluene       3         CAS: 128-37-0       Butylated hydroxytoluene       3         CAS: 98-82-8       cumene       <		e)		
CAS: 79-41-4 Methacrylic acid         Oral       LD50       1,332 mg/kg (mouse)         Dermal       LD50       500 mg/kg (rabbit)         Inhalative       LC50/4 h [11 mg/l (ATE)         CAS: 97-99-4 tetrahydro-2-furylmethanol       Oral         Oral       LD50       1,600 mg/kg (rat)         - Primary irritant effect:       - on the skin: Caustic effect on skin and mucous membranes.         - on the skin: Caustic effect.       - Sonsitization possible through skin contact.         - Additional toxicological information:       The product shows the following dangers according to internally approved calculation methods for preparations:         Corrosive       I'ritant         Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.         - Carcinogenic categories       -         I'RRC (International Agency for Research on Cancer)       GAS: 14807-96-6         CAS: 14807-96-6       Soapstone       3         CAS: 128-37-0       Butylated hydroxytoluene       3         CAS: 98-82-8       cumene       2         - NTP (National Toxicology Program)       CAS: 98-82-8       cumene         - OSHA-Ca (Occupational Safety & Health Administration)       -				
Oral       LD50       1,332 mg/kg (mouse)         Dermal       LD50       500 mg/kg (rabbit)         Inhalative       LC50/4 h       11 mg/l (ATE)         CAS: 97-99-4 tetra+ydro-2-furylmethanol	Inhalative LC50/4 h 119 mg/l			
Dermal       LD50       500 mg/kg (rabit)         Inhalative       LC50/4 h       11 mg/l (ATE)         CAS: 97-99-4 tetra-hydro-2-furyImethanol         Oral       LD50       1,600 mg/kg (rat)         Oral       LD50         Infigure effect:         on the skin: Caustic effect on skin and mucous membranes.         on the eye:       Strong caustic effect.         Sensitization: Sensitization possible through skin contact.         - Additional toxicological information:       The product shows the following dangers according to internally approved calculation methods for preparations:         Corrosive       Irritiant         Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.         - Carcinogenic categories       -         - IARC (International Agency for Research on Cancer)         CAS: 14807-96-6         Sapstone         A Equipment         CAS: 14807-96-6         Sapstone         ATP (National Toxicology Program)         CAS: 98-82-8         Cumene         - NTP (National Toxicology Program)         CAS: 98-82-8 <td cols<="" td=""><td>CAS: 79-41-4 Methacrylic acid</td><td></td><td></td></td>	<td>CAS: 79-41-4 Methacrylic acid</td> <td></td> <td></td>	CAS: 79-41-4 Methacrylic acid		
Inhalative       LC50/4 h       11 mg/l (ATE)         CAS: 97-99-4 tetrahydro-2-furylmethanol	Oral LD50 1,332 mg/kg (mouse)			
CAS: 97-99-4 tetrahydro-2-furylmethanol         Oral       LD50       1,600 mg/kg (rat)         - Primary irritant effect:       - on the skin: Caustic effect on skin and mucous membranes.       - on the eye: Strong caustic effect.         - Sensitization: Sensitization possible through skin contact.       - Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparations:         Corrosive       Irritant         Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.         - Carcinogenic categories       -         - IARC (International Agency for Research on Cancer)       3         CAS: 14807-96-6       Soapstone       3         CAS: 128-37-0       Butylated hydroxytoluene       3         CAS: 98-82-8       cumene       2         - NTP (National Toxicology Program)       2         CAS: 98-82-8       cumene       2         - OSHA-Ca (Occupational Safety & Health Administration)       3	Dermal LD50 500 mg/kg (rabbit)			
Oral       LD50       1,600 mg/kg (rat)         - Primary irritant effect:       - on the skin: Caustic effect on skin and mucous membranes.       - on the eye: Strong caustic effect.         - On the eye: Strong caustic effect.       - Sensitization: Sensitization possible through skin contact.         - Additional toxicological information:         The product shows the following dangers according to internally approved calculation methods for preparations:         Corrosive         Irritant         Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.         - Carcinogenic categories         - IARC (International Agency for Research on Cancer)         CAS: 14807-96-6       Soapstone         CAS: 128-37-0       Butylated hydroxytoluene         CAS: 98-82-8       cumene         - NTP (National Toxicology Program)         CAS: 98-82-8       cumene         - OSHA-Ca (Occupational Safety & Health Administration)	Inhalative LC50/4 h 11 mg/l (ATE)			
<ul> <li>Primary irritant effect:         <ul> <li>on the skin: Caustic effect on skin and mucous membranes.</li> <li>on the eye: Strong caustic effect.</li> <li>Sensitization: Sensitization possible through skin contact.</li> </ul> </li> <li>Additional toxicological information:         <ul> <li>The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive Irritant</li> <li>Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.</li> <li>Carcinogenic categories                 <ul> <li>IARC (International Agency for Research on Cancer)</li> </ul> </li> <li>CAS: 14807-96-6 Soapstone</li></ul></li></ul>	CAS: 97-99-4 tetrahydro-2-furylmethano	l		
<ul> <li>on the skin: Caustic effect on skin and mucous membranes.</li> <li>on the eye: Strong caustic effect.</li> <li>Sensitization: Sensitization possible through skin contact.</li> <li>Additional toxicological information:</li> <li>The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive Irritant</li> <li>Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.</li> <li>Carcinogenic categories</li> <li>IARC (International Agency for Research on Cancer)</li> <li>CAS: 14807-96-6 Soapstone</li> <li>CAS: 128-37-0 Butylated hydroxytoluene</li> <li>CAS: 98-82-8 cumene</li> <li>OSHA-Ca (Occupational Safety &amp; Health Administration)</li> </ul>	Oral LD50 1,600 mg/kg (rat)			
Carcinogenic categories     IARC (International Agency for Research on Cancer) CAS: 14807-96-6 Soapstone CAS: 128-37-0 Butylated hydroxytoluene CAS: 98-82-8 cumene      NTP (National Toxicology Program) CAS: 98-82-8 cumene      OSHA-Ca (Occupational Safety & Health Administration)	<ul> <li>- on the skin: Caustic effect o</li> <li>- on the eye: Strong caustic e</li> <li>- Sensitization: Sensitization pos</li> <li>- Additional toxicological information</li> <li>The product shows the following danger Corrosive</li> <li>Irritant</li> </ul>	ffect. sible through skin contact. <b>ation:</b> ers according to internally approved calculation methods for preparations:	1.	
- IARC (International Agency for Research on Cancer)         CAS: 14807-96-6       Soapstone       3         CAS: 128-37-0       Butylated hydroxytoluene       3         CAS: 98-82-8       cumene       2         - NTP (National Toxicology Program)       2         CAS: 98-82-8       cumene       2         - OSHA-Ca (Occupational Safety & Health Administration)       3	• •			
CAS: 14807-96-6Soapstone3CAS: 128-37-0Butylated hydroxytoluene3CAS: 98-82-8cumene2• NTP (National Toxicology Program)CAS: 98-82-8cumene- OSHA-Ca (Occupational Safety & Health Administration)	0 0	cv for Research on Cancer)		
CAS: 128-37-0       Butylated hydroxytoluene       3         CAS: 98-82-8       cumene       2         • NTP (National Toxicology Program)         CAS: 98-82-8       cumene         • OSHA-Ca (Occupational Safety & Health Administration)       3	· •		3	
CAS: 98-82-8       cumene       2         - NTP (National Toxicology Program)       2         CAS: 98-82-8       cumene         - OSHA-Ca (Occupational Safety & Health Administration)       2		16	3	
- NTP (National Toxicology Program) CAS: 98-82-8 cumene - OSHA-Ca (Occupational Safety & Health Administration)			2	
CAS: 98-82-8 cumene OSHA-Ca (Occupational Safety & Health Administration)	- NTP (National Toxicology	(Program)		
- OSHA-Ca (Occupational Safety & Health Administration)		· · · · y · u · · ·		
		Safaty & Haalth Administration		
	· · ·	salely & health Administration)		
	none of the ingreatents is listed.			
	- Toxioity			

- Toxicity

- Aquatic toxicity: No further relevant information available. - Persistence and degradability No further relevant information available.

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019

# Trade name: Vibra-TITE® Structural Adhesives

(Contd. of page 5)

Reviewed on 03/05/2019

	(Contd. of page
- Behavior in environmental systems:	weat information available
<ul> <li>Bioaccumulative potential No further rele</li> <li>Mobility in soil No further relevant information</li> </ul>	
- Additional ecological information:	JII available.
- General notes:	
Water hazard class 1 (Self-assessment): slight	ly hazardous for water
Do not allow undiluted product or large quantiti Must not reach bodies of water or drainage dito	es of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment	
- <b>PBT:</b> Not applicable.	
- vPvB: Not applicable.	
- Other adverse effects No further relevant inform 3 Disposal considerations	mation available.
•	
<ul> <li>Waste treatment methods</li> <li>Recommendation: Must not be disposed of</li> </ul>	f together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:	
- <i>Recommendation:</i> Disposal must be made 4 Transport information	according to official regulations.
•	
- UN-Number - DOT, ADN, IMDG, IATA	not regulated
- UN proper shipping name	
- DOT, ADN, IMDG, IATA - Transport hazard class(es)	not regulated
<ul> <li>DOT, ADN, IMDG, IATA</li> <li>Class</li> </ul>	not regulated
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>	not regulated
<ul> <li>Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
- Special precautions for user	Not applicable.
- Transport in bulk according to Annex II of	
and the IBC Code	Not applicable.
- UN "Model Regulation":	not regulated
5 Regulatory information	
	ons/legislation specific for the substance or mixture
- Sara	
- Section 355 (extremely hazardou	us substances):
None of the ingredients is listed.	
<ul> <li>Section 313 (Specific toxic chen</li> </ul>	nical listings):
CAS: 80-15-9 dimethylbenzyl hydroperoxide	
CAS: 98-82-8 cumene	
<ul> <li>TSCA (Toxic Substances Control A)</li> </ul>	ct):
All ingredients are listed.	
<ul> <li>Hazardous Air Pollutants</li> </ul>	
CAS: 98-82-8 cumene	
- Proposition 65	
- Chemicals known to cause cand	er:
CAS: 98-82-8 cumene	
Observiseds hereine to serves were	oductive toxicity for females:
- Chemicals known to cause repr	
None of the ingredients is listed.	
-	oductive toxicity for males:

(Contd. of page 6)

Reviewed on 03/05/2019

### Safety Data Sheet acc. to OSHA HCS

#### Trade name: Vibra-TITE® Structural Adhesives

- Chen	nicals known to cause developmental toxicity:	
None of the ingred	dients is listed.	
- Carcino	genic categories	
- EPA	(Environmental Protection Agency)	
CAS: 98-82-8 cur	nene D,	CBD
- TLV (	(Threshold Limit Value established by ACGIH)	
CAS: 14807-96-6	Soapstone	A4
CAS: 128-37-0	Butylated hydroxytoluene	A4
- NIOS	GH-Ca (National Institute for Occupational Safety and Health)	
None of the ingred	dients is listed.	
<ul> <li>Chemical safet</li> </ul>	ty assessment: A Chemical Safety Assessment has not been carried out.	
6 Other informa	ation	
	s based on our present knowledge. However, this shall not constitute a guarantee for any specific product features a legally valid contractual relationship.	and
<ul> <li>Contact: Safety,</li> <li>Date of prep</li> <li>Abbreviatio</li> <li>ADR: Accord europ</li> <li>IMDG: Internationa</li> <li>DOT: US Department</li> </ul>	suing SDS: ND Industries, Inc Safety, Health and Environmental Affaires , Health and Environmental Affaires paration / last revision 03/06/2019 / 7 ons and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Ro al Maritime Code for Dangerous Goods ent of Transportation I Air Transport Association	oad)

#### 16 Oth

- Depa
- Con
  - L
  - /

А IN D Transpo

- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health TLV: Threshold Limit Value

- LU: Ihreshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids Category 4 Acute Tox. 4: Acute toxicity Category 4 Acute Tox. 3: Acute toxicity Category 3 Skin Corr. 1A: Skin corrosion/irritation Category 1A Skin Irrit. 2: Skin corrosion/irritation Category 2 Eye Dam. 1: Serious eye damage/eye irritation Category 1 Eye Irrit 24: Serious eye damage/eye irritation Category 1

- Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A Skin Sens. 1: Skin sensitisation Category 1 Repr. 1B: Reproductive toxicity Category 1B STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- \* Data compared to the previous version altered.

#### Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.