

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 01/03/2018

**1 Identification**

**- Product identifier**

- **Trade name:** Vibra-TITE® UV Adhesives
- **Synonyms:** 255 Light Cure Adhesive
- **Part number:** VT255
- **Application of the substance / the mixture** Adhesives

**- Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**  
ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com
- **Information department:** Product safety department
- **Emergency telephone number:**  
United States: 1-800-424-9300  
International: +1-703-527-3887

**\* 2 Hazard(s) identification**

**- Classification of the substance or mixture**



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Flam. Liq. 4 H227 Combustible liquid.

**- Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**- Hazard pictograms**



GHS07 GHS08

- **Signal word** Warning

**- Hazard-determining components of labeling:**

Urethane acrylate oligomer  
Phosphine oxide  
Epoxy Diacrylate  
Propoxylated neopentyl glycol diacrylate esters  
(1-methyl-1,2-ethanediy)bis[oxy(methyl-2,1-ethanediy)] diacrylate  
Acrylic polymer

**- Hazard statements**

H227 Combustible liquid.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.

**- Precautionary statements**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from flames and hot surfaces. – No smoking.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 01/03/2018

Trade name: Vibra-TITE® UV Adhesives

(Contd. of page 1)

P264	Wash face, hands and any exposed skin thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use for extinction: CO <sub>2</sub> , powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Classification system:****- NFPA ratings (scale 0 - 4)**

1	Health = 2
2	Fire = 1
0	Reactivity = 0

**- HMIS-ratings (scale 0 - 4)**

HEALTH 2	Health = 2
FIRE 1	Fire = 1
REACTIVITY 0	Reactivity = 0

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

	Urethane acrylate oligomer Skin Sens. 1B, H317; Eye Irrit. 2B, H320	40 – 49%
	Epoxy Diacrylate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317	10 – 19%
CAS: 84170-74-1	Propoxylated neopentyl glycol diacrylate esters Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335; Eye Irrit. 2B, H320	5 – 9%
CAS: 2399-48-6	Tetrahydrofurfuryl acrylate Skin Irrit. 2, H315; Eye Irrit. 2A, H319	5 – 9%
CAS: 616-45-5	Additive Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	5 – 9%
CAS: 42978-66-5	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate Skin Sens. 1, H317; STOT SE 3, H335; Eye Irrit. 2B, H320	1 – 4%
CAS: 15625-89-5	Acrylic polymer Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	1 – 4%
CAS: 75980-60-8	Phosphine oxide Repr. 2, H361; Skin Sens. 1, H317	1 – 4%
CAS: 7473-98-5	Photoinitiator Acute Tox. 4, H302	1 – 4%

### 4 First-aid measures

**- Description of first aid measures****- After inhalation:**

Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 01/03/2018

Trade name: Vibra-TITE® UV Adhesives

(Contd. of page 2)

- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
  - **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
  - **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
  - **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## \* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Wear protective clothing.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
  - **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
  - **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
    - **Requirements to be met by storerooms and receptacles:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

CAS: 15625-89-5 Acrylic polymer

WEEL	Long-term value: 1 mg/m <sup>3</sup> Skin
------	--

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 01/03/2018

Trade name: Vibra-TITE® UV Adhesives

(Contd. of page 3)

**- Exposure controls****- Personal protective equipment:****- General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

**- Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**- Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**- Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye protection:**

Tightly sealed goggles

**- Body protection:** Protective work clothing

## 9 Physical and chemical properties

**- Information on basic physical and chemical properties****- General Information****- Appearance:****- Form:**

Liquid

**- Color:**

Clear

**- Odor:**

Characteristic

**- Odor threshold:**

Not determined.

**- pH-value:**

Not determined.

**- Change in condition****- Melting point/Melting range:**

Undetermined.

**- Boiling point/Boiling range:**

≥ 93 °C (≥ 199.4 °F)

**- Flash point:**

93 °C (199.4 °F)

**- Flammability (solid, gaseous):**

Not applicable.

**- Ignition temperature:**

240 °C (464 °F)

**- Decomposition temperature:**

Not determined.

**- Auto igniting:**

Product is not selfigniting.

**- Danger of explosion:**

Not determined.

**- Explosion limits:****- Lower:**

Not determined.

**- Upper:**

Not determined.

**- Vapor pressure:**

Not determined.

**- Density at 20 °C (68 °F):**~ 1.11035 g/cm<sup>3</sup> (~ 9.26587 lbs/gal)**- Relative density**

Not determined.

**- Vapor density**

Not determined.

**- Evaporation rate**

Not determined.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 01/03/2018

Trade name: Vibra-TITE® UV Adhesives

(Contd. of page 4)

<b>- Solubility in / Miscibility with</b>	
- <b>Water:</b>	Not miscible or difficult to mix.
<b>- Partition coefficient (n-octanol/water):</b> Not determined.	
<b>- Viscosity:</b>	
- <b>Dynamic:</b>	Not determined.
- <b>Kinematic:</b>	Not determined.
<b>- Solvent content:</b>	
- <b>Organic solvents:</b>	3.0 %
- <b>VOC content:</b>	3.00 % ~ 33.3 g/l / ~ 0.28 lb/gal
- <b>Solids content:</b>	11.0 %
- <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \*11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**

### - LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral LD50 3,422 mg/kg (rat)

#### CAS: 616-45-5 Additive

Oral LD50 328 mg/kg (rat)

#### CAS: 42978-66-5 (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate

Oral LD50 5,000 mg/kg (rat)

#### CAS: 75980-60-8 Phosphine oxide

Oral LD50 &gt; 5,000 mg/kg (rat)

#### CAS: 7473-98-5 Photoinitiator

Oral LD50 1,694 mg/kg (rat)

### - Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

### - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

### - Carcinogenic categories

#### - IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### - NTP (National Toxicology Program)

None of the ingredients is listed.

#### - OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 01/03/2018

Trade name: Vibra-TITE® UV Adhesives

(Contd. of page 5)


- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
  - **Remark:** Harmful to fish
- **Additional ecological information:**
  - **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
  - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

<ul style="list-style-type: none"> <li>- <b>UN-Number</b></li> <li>- <b>DOT</b></li> <li>- <b>ADN, IMDG, IATA</b></li> </ul>	<p style="margin-left: 20px;">NA3082 not regulated</p>
<ul style="list-style-type: none"> <li>- <b>UN proper shipping name</b></li> <li>- <b>DOT</b></li> <li>- <b>ADN, IMDG, IATA</b></li> </ul>	<p style="margin-left: 20px;">Environmentally hazardous substance, liquid, n.o.s. (Tetrahydrofurfuryl acrylate, Tripropylene glycol diacrylate) not regulated</p>
<ul style="list-style-type: none"> <li>- <b>Transport hazard class(es)</b></li> <li>- <b>DOT</b></li> </ul> <div style="display: flex; align-items: center; margin-top: 10px;">  </div> <ul style="list-style-type: none"> <li>- <b>Class</b></li> <li>- <b>Label</b></li> <li>- <b>ADN/R Class:</b></li> </ul>	<p style="margin-left: 20px;">9 Miscellaneous dangerous substances and articles 9 not regulated</p>
<ul style="list-style-type: none"> <li>- <b>Packing group</b></li> <li>- <b>DOT</b></li> <li>- <b>IMDG, IATA</b></li> </ul>	<p style="margin-left: 20px;">III not regulated</p>
<ul style="list-style-type: none"> <li>- <b>Environmental hazards:</b></li> <li>- <b>Marine pollutant:</b></li> </ul>	<p style="margin-left: 20px;">Not applicable. Yes (DOT)</p>
<ul style="list-style-type: none"> <li>- <b>Special precautions for user</b></li> </ul>	<p style="margin-left: 20px;">Not applicable.</p>
<ul style="list-style-type: none"> <li>- <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b></li> </ul>	<p style="margin-left: 20px;">Not applicable.</p>
<ul style="list-style-type: none"> <li>- <b>Transport/Additional information:</b></li> <li>- <b>DOT</b></li> <li>- <b>Quantity limitations</b></li> <li>- <b>Remarks:</b></li> </ul>	<p style="margin-left: 20px;">On passenger aircraft/rail: No limit On cargo aircraft only: No limit Special marking with the symbol (fish and tree).</p>
<ul style="list-style-type: none"> <li>- <b>UN "Model Regulation":</b></li> </ul>	<p style="margin-left: 20px;">not regulated</p>

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 01/03/2018

Trade name: Vibra-TITE® UV Adhesives

(Contd. of page 6)

## 15 Regulatory information

### - Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Sara

##### - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

##### - Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

##### - TSCA (Toxic Substances Control Act):

Propoxylated neopentyl glycol diacrylate esters

Tetrahydrofurfuryl acrylate

Additive

(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate

Acrylic polymer

Phosphine oxide

Photoinitiator

##### - TSCA new (21st Century Act): (Substances not listed)

Urethane acrylate oligomer

Epoxy Diacrylate

CAS: 84170-74-1 Propoxylated neopentyl glycol diacrylate esters

##### - Hazardous Air Pollutants

None of the ingredients is listed.

##### - Proposition 65

##### - Chemicals known to cause cancer:

None of the ingredients is listed.

##### - Chemicals known to cause reproductive toxicity for females:

CAS: 15625-89-5 Acrylic polymer

##### - Chemicals known to cause reproductive toxicity for males:

CAS: 15625-89-5 Acrylic polymer

##### - Chemicals known to cause developmental toxicity:

CAS: 15625-89-5 Acrylic polymer

##### - Carcinogenic categories

##### - EPA (Environmental Protection Agency)

None of the ingredients is listed.

##### - TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

##### - NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs

- **Contact:** Safety, Health and Environmental Affairs

- **Date of preparation / last revision** 03/06/2019 / 5

#### - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

(Contd. on page 8)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/06/2019

Reviewed on 01/03/2018

**Trade name:** Vibra-TITE® UV Adhesives

(Contd. of page 7)

OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Repr. 2: Reproductive toxicity – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- \* **Data compared to the previous version altered.**

- **Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

©ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,  
©Vibra-TITE is a registered trademark of ND Industries, Inc.