

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

**1 Identification**

**- Product identifier**

- **Trade name:** Vibra-TITE® Retaining Compound
- **Synonyms:** 566 Gap Filling Retaining Compound - For Worn Parts
- **Part number:** VT566
- **Application of the substance / the mixture**  
Assembly adhesive  
Retanning agents

**- Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**  
ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com
- **Information department:** Product safety department
- **Emergency telephone number:**  
United States: 1-800-424-9300  
International: +1-703-527-3887

**\* 2 Hazard(s) identification**

**- Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.  
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

**- Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**- Hazard pictograms**



GHS05 GHS07 GHS08

**- Signal word** Danger

**- Hazard-determining components of labeling:**

methacrylic acid, monoester with propane-1,2-diol  
acrylic acid  
dimethylbenzyl hydroperoxide  
Methacryloxypropyltrimethoxysilane

**- Hazard statements**

H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.

**- Precautionary statements**

P201 Obtain special instructions before use.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

**Trade name:** Vibra-TITE® Retaining Compound

(Contd. of page 1)

P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P261	Do not breathe dusts or mists.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash face, hands and any exposed skin thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Classification system:****- NFPA ratings (scale 0 - 4)**

3	1	0	Health = 3
			Fire = 1
			Reactivity = 0

**- HMIS-ratings (scale 0 - 4)**

HEALTH 3	Health = *3
FIRE 1	Fire = 1
REACTIVITY 0	Reactivity = 0

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**\* 3 Composition/information on ingredients****- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

	Aliphatic urethane methacrylate	30 – 39%
	Skin Irrit. 2, H315; Eye Irrit. 2B, H320	
CAS: 27813-02-1	methacrylic acid, monoester with propane-1,2-diol	30 – 39%
	Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 3290-92-4	propylidynetrimethyl trimethacrylate	10 – 19%
	Flam. Liq. 4, H227; Eye Irrit. 2B, H320	
CAS: 39382-25-7	2-Butenedioic acid (2E)-, polymer with $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -hydroxypoly[oxy(methyl-1,2-ethanediyl)]]	5 – 9%
	Eye Irrit. 2A, H319	
CAS: 79-10-7	acrylic acid	5 – 9%
	Flam. Liq. 3, H226; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	1 – 4%
	Self-react. F, H242; Org. Perox. E, H242; Acute Tox. 3, H311; STOT RE 2, H373; Asp. Tox. 1, H304; Eye Dam. 1, H318; Acute Tox. 4, H302; STOT SE 3, H335; Flam. Liq. 4, H227	
CAS: 26936-30-1	Methacryloxypropyltrimethoxysilane	≤ 1%
	Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 98-82-8	cumene	≤ 1%
	Flam. Liq. 3, H226; Carc. 2, H351; Asp. Tox. 1, H304; Acute Tox. 4, H302; STOT SE 3, H335	

**4 First-aid measures****- Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 2)

- **After inhalation:**  
In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
  - **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
  - **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
  - **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
  - **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
  - **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
    - **Requirements to be met by storerooms and receptacles:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

CAS: 3290-92-4 propylidynetrimehyl trimethacrylate

WEEL	Long-term value: 1 mg/m <sup>3</sup> Skin
------	----------------------------------------------

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 3)

<b>CAS: 79-10-7 acrylic acid</b>	
REL	Long-term value: 6 mg/m <sup>3</sup> , 2 ppm Skin
TLV	Long-term value: 5.9 mg/m <sup>3</sup> , 2 ppm Skin
<b>CAS: 80-15-9 dimethylbenzyl hydroperoxide</b>	
WEEL	Long-term value: 6 mg/m <sup>3</sup> , 1 ppm Skin
<b>CAS: 98-82-8 cumene</b>	
PEL	Long-term value: 245 mg/m <sup>3</sup> , 50 ppm Skin
REL	Long-term value: 245 mg/m <sup>3</sup> , 50 ppm Skin
TLV	Long-term value: (246) NIC-0.5 mg/m <sup>3</sup> , (50) NIC-0.1 ppm NIC-A3

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

##### - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

##### - Breathing equipment:

Not required.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

##### - Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Nitrile rubber, NBR

##### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### - Eye protection:



Tightly sealed goggles

##### - Body protection: Protective work clothing

## 9 Physical and chemical properties

### - Information on basic physical and chemical properties

#### - General Information

##### - Appearance:

- **Form:** Pasty  
- **Color:** Grey  
- **Odor:** Weak, characteristic  
- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

#### - Change in condition

- **Melting point/Melting range:** Undetermined.  
- **Boiling point/Boiling range:** ≥ 141 °C (≥ 285.8 °F)

- **Flash point:** 94 °C (201.2 °F)

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 4)

- <b>Flammability (solid, gaseous):</b>	Not applicable.
- <b>Ignition temperature:</b>	374 °C (705.2 °F)
- <b>Decomposition temperature:</b>	Not determined.
- <b>Auto igniting:</b>	Product is not selfigniting.
- <b>Danger of explosion:</b>	Product does not present an explosion hazard.
- <b>Explosion limits:</b>	
- <b>Lower:</b>	Not determined.
- <b>Upper:</b>	Not determined.
- <b>Vapor pressure at 20 °C (68 °F):</b>	≤ 0.1 hPa (≤ 0.1 mm Hg)
- <b>Density:</b>	Not determined.
- <b>Relative density</b>	Not determined.
- <b>Vapor density</b>	Not determined.
- <b>Evaporation rate</b>	Not determined.
- <b>Solubility in / Miscibility with</b>	
- <b>Water:</b>	Not miscible or difficult to mix.
- <b>Partition coefficient (n-octanol/water):</b>	Not determined.
- <b>Viscosity:</b>	
- <b>Dynamic at 20 °C (68 °F):</b>	10,000 mPas
- <b>Kinematic:</b>	Not determined.
- <b>Solvent content:</b>	
- <b>Organic solvents:</b>	0.4 %
- <b>Water:</b>	1.2 %
- <b>VOC content:</b>	0.44 % 4.4 g/l / 0.04 lb/gal
- <b>Solids content:</b>	9.1 %
- <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \*11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**

### - LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral	LD50	3,771 mg/kg
Dermal	LD50	4,564 mg/kg
Inhalative	LC50/4 h	176 mg/l

#### CAS: 79-10-7 acrylic acid

Oral	LD50	250 mg/kg (rat)
Dermal	LD50	280 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE)

#### CAS: 80-15-9 dimethylbenzyl hydroperoxide

Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)

#### CAS: 26936-30-1 Methacryloxypropyltrimethoxysilane

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 5)

Dermal	LD50	> 2,000 mg/kg (rat)
<b>CAS: 98-82-8 cumene</b>		
Oral	LD50	1,400 mg/kg (rat)
Dermal	LD50	12,300 mg/kg (rabbit)
Inhalative	LC50/4 h	24.7 mg/l (mouse)

**- Primary irritant effect:**

- **on the skin:** Caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** Sensitization possible through skin contact.

**- Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**- Carcinogenic categories**

**- IARC (International Agency for Research on Cancer)**

CAS: 79-10-7	acrylic acid	3
CAS: 98-82-8	cumene	2B

**- NTP (National Toxicology Program)**

CAS: 98-82-8	cumene	R
CAS: 130-15-4	1,4-naphthoquinone	R

**- OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

**- Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

**- Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

**- Additional ecological information:**

**- General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

**- Waste treatment methods**

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**- Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

<b>- UN-Number</b>	
- DOT, ADN, IMDG, IATA	not regulated
<b>- UN proper shipping name</b>	
- DOT, ADN, IMDG, IATA	not regulated
<b>- Transport hazard class(es)</b>	
- DOT, ADN, IMDG, IATA	
- Class	not regulated
<b>- Packing group</b>	
- DOT, IMDG, IATA	not regulated

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 6)

- <b>Environmental hazards:</b>	
- <b>Marine pollutant:</b>	No
- <b>Special precautions for user</b>	Not applicable.
- <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
- <b>UN "Model Regulation":</b>	not regulated

## \*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

CAS: 79-10-7 acrylic acid  
 CAS: 80-15-9 dimethylbenzyl hydroperoxide  
 CAS: 98-82-8 cumene

- **TSCA (Toxic Substances Control Act):**

Aliphatic urethane methacrylate  
 methacrylic acid, monoester with propane-1,2-diol  
 propylidynetrimethyl trimethacrylate  
 2-Butenedioic acid (2E)-, polymer with  $\alpha, \alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -hydroxypoly[oxy(methyl-1,2-ethanediyl)]]  
 acrylic acid  
 dimethylbenzyl hydroperoxide  
 2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate  
 Methacryloxypropyltrimethoxysilane  
 Saccharin  
 propane-1,2-diol  
 N,N-Diethyl-P-Toluidine  
 cumene  
 N,N-dimethyl-o-toluidine  
 2-Phenyl-2-propanol  
 N-isopropylhydroxylamine  
 tetrasodium ethylenediaminetetraacetate  
 Colorant  
 1,4-naphthoquinone  
 Colorant  
 2-Propanone, oxime  
 Deionized water

- **Hazardous Air Pollutants**

CAS: 79-10-7 acrylic acid  
 CAS: 98-82-8 cumene  
 CAS: 130-15-4 1,4-naphthoquinone

- **Proposition 65**

- **Chemicals known to cause cancer:**

CAS: 98-82-8 cumene

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

CAS: 26936-30-1 Methacryloxypropyltrimethoxysilane

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

CAS: 98-82-8 cumene

D, CBD

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/06/2019

Reviewed on 02/28/2019

**Trade name:** Vibra-TITE® Retaining Compound

(Contd. of page 7)

<b>- TLV (Threshold Limit Value established by ACGIH)</b>	
CAS: 79-10-7 acrylic acid	A4
<b>- NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
None of the ingredients is listed.	
<b>- Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**- Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs

**- Contact:** Safety, Health and Environmental Affairs

**- Date of preparation / last revision** 03/06/2019 / 15

**- Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 4: Flammable liquids – Category 4

Self-react. F: Self-reactive substances and mixtures – Type E/F

Org. Perox. E: Organic peroxides – Type E/F

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

**- \* Data compared to the previous version altered.**

**- Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,

®Vibra-TITE is a registered trademark of ND Industries, Inc.