

Kit Components

Product code	Description
VT905	Vibra-TITE® Epoxy 2 Part Quick Cure Epoxy

Components:

VT905A	Vibra-TITE® Epoxy 905 2 Part Quick Cure Epoxy - Part A
VT905B	Vibra-TITE® Epoxy 905 2 Part Quick Cure Epoxy - Part B

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/24/2019

1 Identification**- Product identifier****- Trade name:** Vibra-TITE® Epoxy**- Synonyms:** 905 2 Part Quick Cure Epoxy - Part A**- Part number:** VT905A**- CAS Number:**
25068-38-6**- NLP Number:**
500-033-5**- Index number:**
603-074-00-8**- Application of the substance / the mixture** Adhesives**- Details of the supplier of the safety data sheet****- Manufacturer/Supplier:**ND Industries, Inc
1000 North Crooks Road
Clawson, MI 48017
USA
Telephone: +1-248-288-0000
Email: info@ndindustries.com
Website: www.ndindustries.com**- Information department:** Product Safety Department**- Emergency telephone number:**United States: 1-800-424-9300
International: +1-703-527-3887**2 Hazard(s) identification****- Classification of the substance or mixture**

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- Label elements**- GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).**- Hazard pictograms**

GHS07

- Signal word Warning**- Hazard-determining components of labeling:**

Bisphenol-A epoxy resin

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- Precautionary statements

P261

Avoid breathing dust/fume/gas/mist/vapors/spray

P264

Wash face, hands and any exposed skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P272

Contaminated work clothing must not be allowed out of the workplace.

P280

Wear protective gloves.

P280

Wear eye protection / face protection.

P302+P352

If on skin: Wash with plenty of water.

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/24/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 1)

P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:**- NFPA ratings (scale 0 - 4)**

2	0	0
Health = 2	Fire = 0	Reactivity = 0

- HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- Other hazards**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients**- Chemical characterization: Substances****- CAS No. Description**

25068-38-6 Bisphenol-A epoxy resin

- Identification number(s)

- **NLP Number:** 500-033-5
- **Index number:** 603-074-00-8

4 First-aid measures**- Description of first aid measures****- After inhalation:**

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.**- After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**- After swallowing:** If symptoms persist consult doctor.**- Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures**- Extinguishing media****- Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.**- Advice for firefighters****- Protective equipment:**

Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures**- Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation
Wear protective clothing.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/24/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- Handling:

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

- Conditions for safe storage, including any incompatibilities**- Storage:**

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.

- Exposure controls**- Personal protective equipment:****- General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

- Eye protection:

Tightly sealed goggles

- Body protection: Protective work clothing

* 9 Physical and chemical properties

- Information on basic physical and chemical properties**- General Information****- Appearance:**

- **Form:** Highly viscous
- **Color:** Clear
- **Odor:** Characteristic
- **Odor threshold:** Not determined.

- pH-value: Not applicable.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/24/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 3)

- Change in condition	
- Melting point/Melting range:	Undetermined.
- Boiling point/Boiling range:	260 °C (500 °F)
- Flash point:	251 °C (483.8 °F)
- Flammability (solid, gaseous):	Product is not flammable.
- Decomposition temperature:	Not determined.
- Auto igniting:	Not determined.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not applicable.
- Density at 20 °C (68 °F):	1.17 g/cm ³ (9.76365 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not applicable.
- Evaporation rate	Not applicable.
- Solubility in / Miscibility with	
- Water:	Insoluble.
- Partition coefficient (n-octanol/water):	Not determined.
- Viscosity:	
- Dynamic:	Not applicable.
- Kinematic:	Not applicable.
- VOC content:	0.00 %
- Solids content:	100.0 %
- Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**
 - **Primary irritant effect:**
 - **on the skin:** Irritant to skin and mucous membranes.
 - **on the eye:** Irritating effect.
 - **Sensitization:** Sensitization possible through skin contact.
 - **Additional toxicological information:**
 - **Carcinogenic categories**

- IARC (International Agency for Research on Cancer)

Substance is not listed.

- NTP (National Toxicology Program)

Substance is not listed.

- OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/24/2019

Trade name: Vibra-TITE® Epoxy


(Contd. of page 4)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
 - **Remark:** Toxic for fish
- **Additional ecological information:**
 - **General notes:**
 - Water hazard class 2 (Assessment by list): hazardous for water
 - Do not allow product to reach ground water, water course or sewage system.
 - Danger to drinking water if even small quantities leak into the ground.
 - Also poisonous for fish and plankton in water bodies.
 - Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

<ul style="list-style-type: none"> - UN-Number - DOT - IMDG, IATA 	<p style="margin: 0;">not regulated</p> <p style="margin: 0;">UN3082</p>
<ul style="list-style-type: none"> - UN proper shipping name - DOT - IMDG - IATA 	<p style="margin: 0;">not regulated</p> <p style="margin: 0;">ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIQUID EPOXY RESIN), MARINE POLLUTANT</p> <p style="margin: 0;">ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIQUID EPOXY RESIN)</p>
<ul style="list-style-type: none"> - Transport hazard class(es) - DOT - Class 	<p style="margin: 0;">not regulated</p>
<ul style="list-style-type: none"> - IMDG, IATA <div style="text-align: center; margin: 10px 0;">  </div> <ul style="list-style-type: none"> - Class - Label 	<p style="margin: 0;">9 Miscellaneous dangerous substances and articles</p> <p style="margin: 0;">9</p>
<ul style="list-style-type: none"> - Packing group - DOT - IMDG, IATA 	<p style="margin: 0;">not regulated</p> <p style="margin: 0;">III</p>
<ul style="list-style-type: none"> - Environmental hazards: - Marine pollutant: - Special marking (IATA): 	<p style="margin: 0;">Product contains environmentally hazardous substances: LIQUID EPOXY RESIN</p> <p style="margin: 0;">Yes</p> <p style="margin: 0;">Symbol (fish and tree)</p> <p style="margin: 0;">Symbol (fish and tree)</p>
<ul style="list-style-type: none"> - Special precautions for user - Danger code (Kemler): - EMS Number: - Stowage Category 	<p style="margin: 0;">Warning: Miscellaneous dangerous substances and articles</p> <p style="margin: 0;">90</p> <p style="margin: 0;">F-A,S-F</p> <p style="margin: 0;">A</p>
<ul style="list-style-type: none"> - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p style="margin: 0;">Not applicable.</p>

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/24/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 5)

- Transport/Additional information:	
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
- UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIQUID EPOXY RESIN), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture	
- Sara	
- Section 355 (extremely hazardous substances):	
Substance is not listed.	
- Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
- TSCA (Toxic Substances Control Act):	
ACTIVE	
- Hazardous Air Pollutants	
Substance is not listed.	
- Proposition 65	
- Chemicals known to cause cancer:	
Substance is not listed.	
- Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
- Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
- Chemicals known to cause developmental toxicity:	
Substance is not listed.	
- Carcinogenic categories	
- EPA (Environmental Protection Agency)	
Substance is not listed.	
- TLV (Threshold Limit Value established by ACGIH)	
Substance is not listed.	
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affairs

- Contact: Safety, Health and Environmental Affairs

- Date of preparation / last revision 04/30/2019 / 24

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/24/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 6)

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- * **Data compared to the previous version altered.**

- **Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

©ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,

©Vibra-TITE is a registered trademark of ND Industries, Inc.

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/04/2019

1 Identification**- Product identifier**

- **Trade name:** Vibra-TITE® Epoxy
- **Synonyms:** 905 2 Part Quick Cure Epoxy - Part B
- **Part number:** VT905B
- **Application of the substance / the mixture** Adhesives

- Details of the supplier of the safety data sheet**- Manufacturer/Supplier:**

ND Industries, Inc
1000 North Crooks Road
Clawson, MI 48017
USA
Telephone: +1-248-288-0000
Email: info@ndindustries.com
Website: www.ndindustries.com

- Information department: Product Safety Department**- Emergency telephone number:**

United States: 1-800-424-9300
International: +1-703-527-3887

2 Hazard(s) identification**- Classification of the substance or mixture**

GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements**- GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**- Hazard pictograms**

GHS05 GHS07

- Signal word Danger**- Hazard-determining components of labeling:**

Mercaptan-terminated polymer
Aminophenol
Bis (dimethylaminomethyl) phenol

- Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

- Precautionary statements

P260 Do not breathe dusts or mists.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P264 Wash face, hands and any exposed skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P280 Wear protective gloves.
P280 Wear eye protection / face protection.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P302+P352 If on skin: Wash with plenty of water.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/04/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 1)

P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:**- NFPA ratings (scale 0 - 4)**

3	1	0
Health = 3	Fire = 1	Reactivity = 0

- HMIS-ratings (scale 0 - 4)

HEALTH	3	Health = *3
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- Other hazards**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

CAS: 72244-98-5	Mercaptan-terminated polymer Skin Sens. 1B, H317	90 – 100%
CAS: 90-72-2	Aminophenol Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312	5 – 9%
CAS: 71074-89-0	Bis (dimethylaminomethyl) phenol Skin Corr. 1B, H314; Eye Dam. 1, H318	1 – 4%

4 First-aid measures

- Description of first aid measures**- After inhalation:**

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.

- Information for doctor:

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- Extinguishing media**- Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
CO₂, sand, extinguishing powder. Do not use water.
Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Water

- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters**- Protective equipment:**

Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Wear protective clothing.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/04/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities

- Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

- Eye protection:



Tightly sealed goggles

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/04/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 3)

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties	
- General Information	
- Appearance:	
- Form:	Viscous
- Color:	Clear
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
- Melting point/Melting range:	Undetermined.
- Boiling point/Boiling range:	≥ 150 °C (≥ 302 °F)
- Flash point:	149 °C (300.2 °F)
- Flammability (solid, gaseous):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	~ 1.132 g/cm ³ (~ 9.44654 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/water):	Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.
- Solvent content:	
- VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
- Solids content:	0.0 %
- Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**

- LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Oral	LD50 2,398 mg/kg (rat)
Dermal	LD50 23,529 mg/kg (rat)

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/04/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 4)

CAS: 72244-98-5 Mercaptan-terminated polymer		
Oral	LD50	2,600 mg/kg (rat)
CAS: 90-72-2 Aminophenol		
Oral	LD50	1,200 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat)

- Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- Carcinogenic categories**- IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information**- Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- Ecotoxicological effects:

- **Remark:** Very toxic for fish

- Additional ecological information:**- General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations**- Waste treatment methods**

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information**- UN-Number**

- **DOT, IMDG, IATA**

UN1760

- UN proper shipping name

- **DOT**

- **IMDG**

- **IATA**

Corrosive liquids, n.o.s. (2,4,6-tris(dimethylaminomethyl)phenol)
CORROSIVE LIQUID, N.O.S. (2,4,6-tris(dimethylaminomethyl)
phenol, Mercaptan-terminated polymer), MARINE POLLUTANT
CORROSIVE LIQUID, N.O.S. (2,4,6-tris(dimethylaminomethyl)
phenol)

(Contd. on page 6)

Safety Data Sheet






acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/04/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 5)

- Transport hazard class(es)	
- DOT	
 	
- Class	8 Corrosive substances
- Label	8
<hr/>	
- IMDG	
 	
- Class	8 Corrosive substances
- Label	8
<hr/>	
- IATA	
	
- Class	8 Corrosive substances
- Label	8
<hr/>	
- Packing group	
- DOT, IMDG, IATA	III
<hr/>	
- Environmental hazards:	Product contains environmentally hazardous substances: Mercaptan-terminated polymer
- Marine pollutant:	No Yes (DOT) Symbol (fish and tree)
<hr/>	
- Special precautions for user	Warning: Corrosive substances
- Danger code (Kemler):	80
- EMS Number:	F-A,S-B
- Segregation groups	Alkalis
- Stowage Category	A
- Stowage Code	SW2 Clear of living quarters.
<hr/>	
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
<hr/>	
- Transport/Additional information:	
- DOT	
- Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
- Remarks:	Special marking with the symbol (fish and tree).
<hr/>	
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<hr/>	
- UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL), 8, III, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2019

Reviewed on 04/04/2019

Trade name: Vibra-TITE® Epoxy

(Contd. of page 6)

- Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
- TSCA (Toxic Substances Control Act):	
Mercaptan-terminated polymer	ACTIVE
Aminophenol	ACTIVE
Bis (dimethylaminomethyl) phenol	*
- Hazardous Air Pollutants	
None of the ingredients is listed.	
- Proposition 65	
- Chemicals known to cause cancer:	
None of the ingredients is listed.	
- Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
- Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
- Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
- Carcinogenic categories	
- EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
- TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

*16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affairs

- Contact: Safety, Health and Environmental Affairs

- Date of preparation / last revision 04/30/2019 / 19

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,

®Vibra-TITE is a registered trademark of ND Industries, Inc.