01/27/2021	Kit Components
Product code	Description
VT910G	Vibra-TITE® Epoxy 910 2 Part, 5 Minute Epoxy - Green
Components:	
VT910ABLT	Vibra-TITE® Epoxy VT910 - 2 Part 5 Min. Epoxy - Part A Blue
VT910BY	Vibra-TITE® Epoxy 910 2 Part, 5 Minute Epoxy - Part B - Yellow





Printing date 01/27/2021 Reviewed on 06/23/2020

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Epoxy

- Synonyms: VT910 - 2 Part 5 Min. Epoxy - Part A Blue

- Part number: VT910ABLT, NB187P073A

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms



GHS07

- Signal word Warning

- Hazard-determining components of labeling:

Bisphenol-A epoxy resin

Epoxy Resin

Pigment

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/27/2021 Reviewed on 06/23/2020

Trade name: Vibra-TITE® Epoxy

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous c	- Dangerous components:		
CAS: 25068-38-6	Bisphenol-A epoxy resin	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	80 – 89%
CAS: 14228-73-0 I	Epoxy Resin	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2B, H320	5 – 9%
CAS: 13463-67-7 t	titanium dioxide	Carc. 2, H351	≤ 1%
	Pigment	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	≤ 1%

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Printing date 01/27/2021 Reviewed on 06/23/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber. NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties		
- General Information		
- Appearance:		
- Form:	Pasty	
- Color:	Blue	
- Odor:	uncharacteristic	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
- Change in condition		
 Melting point/Melting range: 	Undetermined.	
Boiling point/Boiling range:	≥ 260 °C (≥ 500 °F)	
- Flash point:	111 °C (231.8 °F)	
- Flammability (solid, gaseous):	Not applicable.	
 Decomposition temperature: 	Not determined.	
- Auto igniting:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	

Printing date 01/27/2021 Reviewed on 06/23/2020

Trade name: Vibra-TITE® Epoxy

			_
Contd	. OT	nage	- 3

	(Conta	. o. pag
- Explosion limits:		
- Lower:	Not determined.	
- Upper:	Not determined.	
- Vapor pressure:	Not determined.	
- Density:	Not determined.	
- Relative density	Not determined.	
- Vapor density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
- Water:	Not miscible or difficult to mix.	
- Partition coefficient (n-octano	ol/water): Not determined.	
- Viscosity:		
- Dynamic:	Not determined.	
- Kinematic:	Not determined.	
- Solvent content:		
- VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
- Solids content:	6.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.
 - Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LI	- LD/LC50 values that are relevant for classification:				
ATE (Acute Toxicity Estimate)					
Oral LD50 > 40,000 mg/kg (rat)					
Dermal	LD50	> 40,000 mg/kg (rabbit)			
CAS: 1422	28-73-0 Ep	poxy Resin			
Oral	Oral LD50 > 2,000 mg/kg (rat)				
Dermal	LD50	> 2,000 mg/kg (rabbit)			
CAS: 1340	63-67-7 tit	anium dioxide			
Oral	Oral LD50 > 20,000 mg/kg (rat)				
Dermal	LD50	> 10,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	> 6.82 mg/l (rat)			
		itant offact			

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 13463-67-7 titanium dioxide	2B
- NTP (National Toxicology Program)	
None of the ingredients is listed.	

(Contd. on page 5)

Printing date 01/27/2021 Reviewed on 06/23/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 4)

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

4 Transport information	
- UN-Number	
- DOT, IMDG, IATA	UN3082
- UN proper shipping name	
- DOT	Environmentally hazardous substance, liquid, n.o.s. (bisphenol-
- IMDG	A-(epichlorhydrin); epoxy resin)
- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin), MARINE POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin)
- Transport hazard class(es)	
- DOT, IMDG, IATA	
- Class	9 Miscellaneous dangerous substances and articles
- Label	9
- Packing group	
- DOT, IMDG, IATA	III
- Environmental hazards:	Product contains environmentally hazardous substances: bisphenol A-(epichlorhydrin); epoxy resin
- Marine pollutant:	Yes (DOT) Symbol (fish and tree)
- Special marking (IATA):	Symbol (fish and tree)
- Special precautions for user	Warning: Miscellaneous dangerous substances and articles
 Hazard identification number (Kemler code): 	90
- EMS Number:	F-A,S-F

Printing date 01/27/2021 Reviewed on 06/23/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 5)

- Stowage Category	A
- Transport in bulk according to Annex II of MA and the IBC Code	NRPOL73/78 Not applicable.
- Transport/Additional information:	
- DOT	
- Quantity limitations	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
- Remarks:	Special marking with the symbol (fish and tree).
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (ÉQ)	Code: E1
, , , ,	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A-(EPICHLORHYDRIN); EPOXY RESIN), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

- Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
 - EPA (Environmental Protection Agency)

None of the ingredients is listed.

- TLV (Threshold Limit Value established by ACGIH)

CAS: 13463-67-7 | titanium dioxide

A4

- NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 13463-67-7 titanium dioxide

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



Printing date 01/27/2021 Reviewed on 06/23/2020

Trade name: Vibra-TITE® Epoxy

- NFPA ratings (scale 0 - 4)

(Contd. of page 6)



- Date of preparation / last revision 01/27/2021 / 18

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.





Printing date 01/27/2021 Reviewed on 06/19/2020

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Epoxy

- Synonyms: 910 2 Part, 5 Minute Epoxy - Part B - Yellow

- Part number: VT910BY, NB187P073B

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

Mercaptan-terminated polymer

Curing agent

bisphenol A

2,2'-iminodiethylamine

- Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

- Precautionary statements

P201 Obtain special instructions before use.

Printing date 01/27/2021 Reviewed on 06/19/2020

Trade name: Vibra-TITE® Epoxy

	(Contd. of page 1)
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dusts or mists.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

P501

Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous	components:	
CAS: 72244-98-5	Mercaptan-terminated polymer	70 – 79%
	Skin Sens. 1B, H317	
CAS: 103-83-3	Curing agent	10 – 19%
	Flam. Liq. 3, H226; Acute Tox. 3, H301; Acute Tox. 3, H331; Skin Corr. 1B, H314; Acute Tox. 4, H312	
CAS: 111-40-0	2,2'-iminodiethylamine	1 – 4%
	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	
CAS: 80-05-7	bisphenol A	1 – 4%
	Repr. 1B, H360; Eye Dam. 1, H318; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 13463-67-7	titanium dioxide	≤ 1%
	Carc. 2, H351	

4 First-aid measures

- Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Safety Data Sheet

Printing date 01/27/2021 Reviewed on 06/19/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

CAS: 111-40-0 2,2'-iminodiethylamine

REL Long-term value: 4 mg/m³, 1 ppm

Skin

TLV Long-term value: 4.2 mg/m³, 1 ppm

Skin

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Printing date 01/27/2021 Reviewed on 06/19/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 3)

Nitrile rubber, NBR

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

Physical and chemical properties				
Information on basic physical and ch - General Information	iemicai properties			
- Appearance:				
- Form:	Pasty			
- Color:	Light yellow			
- Odor:	Characteristic			
- Odor threshold:	Not determined.			
- pH-value:	Not determined.			
- Change in condition				
 Melting point/Melting range: 	Undetermined.			
 Boiling point/Boiling range: 	≥ 182 °C (≥ 359.6 °F)			
- Flash point:	100 °C (212 °F)			
- Flammability (solid, gaseous):	Not applicable.			
- Decomposition temperature:	Not determined.			
- Auto igniting:	Product is not selfigniting.			
- Danger of explosion:	Product does not present an explosion hazard.			
- Explosion limits:				
- Lower:	Not determined.			
- Upper:	Not determined.			
- Vapor pressure at 20 °C (68 °F):	≤ 2.8 hPa (≤ 2.1 mm Hg)			
- Density at 20 °C (68 °F):	~ 1.01 g/cm³ (~ 8.42845 lbs/gal)			
- Relative density	Not determined.			
- Vapor density	Not determined.			
- Evaporation rate	Not determined.			
- Solubility in / Miscibility with				
- Water:	Not miscible or difficult to mix.			
- Partition coefficient (n-octanol/water): Not determined.				
- Viscosity:				
- Dynamic at 20 °C (68 °F):	600,000 mPas			
- Kinematic:	Not determined.			
- Solvent content:				
- VOC content:	0.00 %			
	0.0 g/l / 0.00 lb/gal			
- Solids content:	8.1 %			
Other information	No further relevant information available.			

10 Stability and reactivity

- Reactivity No further relevant information available.
 - Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

Printing date 01/27/2021 Reviewed on 06/19/2020

Trade name: Vibra-TITE® Epoxy

- Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LI	- LD/LC50 values that are relevant for classification:				
ATE (Acut	ATE (Acute Toxicity Estimate)				
Oral	LD50	1,399 mg/kg (rat)			
Dermal	LD50	10,590 mg/kg (rabbit)			
Inhalative	LC50/4 h	20.6 mg/l (rat)			
CAS: 722	CAS: 72244-98-5 Mercaptan-terminated polymer				
Oral	LD50	2,600 mg/kg (rat)			
CAS: 103-	CAS: 103-83-3 Curing agent				
Oral	LD50	265 mg/kg (rat)			
Dermal	LD50	1,660 mg/kg (rabbit)			
Inhalative	LC50/4 h	2.06 mg/l (rat)			
CAS: 111-	CAS: 111-40-0 2,2'-iminodiethylamine				
Oral	LD50	1,080 mg/kg (rat)			
Dermal	LD50	1,090 mg/kg (rabbit)			
CAS: 80-0	CAS: 80-05-7 bisphenol A				
Oral	LD50	3,250 mg/kg (rat)			
Dermal	LD50	3,000 mg/kg (rabbit)			
CAS: 1346	CAS: 13463-67-7 titanium dioxide				
Oral	LD50	> 20,000 mg/kg (rat)			
Dermal	LD50	> 10,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	> 6.82 mg/l (rat)			

- Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)					
CAS: 13463-67-7 titanium dioxide	2B				
- NTP (National Toxicology Program)					
None of the ingredients is listed.					
- OSHA-Ca (Occupational Safety & Health Administration)					
None of the ingredients is listed.					

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Harmful to fish
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Printing date 01/27/2021 Reviewed on 06/19/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 5)

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number - DOT, IMDG, IATA	UN1760	
UN proper shipping name - DOT	Corrosive liquids, n.o.s. (Benzyldimethylamine, Diethylenetriamine)	
- IMDG, IATA	CORROSIVE LIQUID, N.O.S. (BENZYLDIMETHYLAMINE, DIETHYLENETRIAMINE)	
Transport hazard class(es)		
- DOT		
- Class - Label	8 Corrosive substances 8	
- IMDG, IATA	0	
- Class	8 Corrosive substances	
- Label	8	
Packing group - DOT, IMDG, IATA	II	
Environmental hazards: - Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
 Hazard identification number (Kemler code): EMS Number: 	80 F-A,S-B	
- Segregation groups	Alkalis	
- Stowage Category	В	
- Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
- DOT		
- Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L	
- IMDG	- · ·	
- Limited quantities (LQ)- Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (BENZYLDIMETHYLAMINE, DIETHYLENETRIAMINE), 8, II	

Printing date 01/27/2021 Reviewed on 06/19/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
CAS: 80-05-7 bisphenol A	
- TSCA (Toxic Substances Control Act):	
Mercaptan-terminated polymer	ACTIVE
Curing agent	ACTIVE
Amorphous Silica	ACTIVE
2,2'-iminodiethylamine	ACTIVE
bisphenol A	ACTIVE
titanium dioxide	ACTIVE
Pigment	*
Silicon dioxide, amorphous	ACTIVE
Alumina Trihydrate	ACTIVE
- Hazardous Air Pollutants	·
None of the ingredients is listed.	

- Proposition 65

Chemicals known to cause cancer:

Pigment

- Chemicals known to cause reproductive toxicity for females:

CAS: 80-05-7 bisphenol A

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
 - EPA (Environmental Protection Agency)

None of the ingredients is listed.

- TLV (Threshold Limit Value established by ACGIH)

CAS: 13463-67-7 | titanium dioxide

A4

- NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 13463-67-7 | titanium dioxide

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/27/2021 / 31
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

Printing date 01/27/2021 Reviewed on 06/19/2020

Trade name: Vibra-TITE® Epoxy

(Contd. of page 7)

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINGS: European Inst of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1B Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 2 Repr. 1B: Reproductive toxicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.