11/20/2020	Kit Components
Product code	Description
955	Vibra-TITE® Epoxy 955 High Flex Epoxy
Components:	
955A	Vibra-TITE Epoxy 955 High Flex Epoxy - Resin - Part A
955B	Vibra-TITE® Epoxy 955 High Flex Epoxy - Hardener - Part B





Safety Data Sheet

acc. to OSHA HCS

Printing date 11/20/2020

Reviewed on 09/11/2020

1 Identification

- Product identifier

- Trade name: Vibra-TITE Epoxy
 - Synonyms: 955 High Flex Epoxy Resin Part A
 - Part number: 955A
 - CAS Number:
 - 25068-38-6
 - NLP Number: 500-033-5 - Index number:
 - 603-074-00-8

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department - Emergency telephone number: United States: 1-800-424-9300

International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements

- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



- Signal word Warning
- Hazard-determining components of labeling:
- Bisphenol-A epoxy resin

- Hazard statements

H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

- Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves.
- P280 Wear eye protection / face protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth.
- P302+P352 If on skin: Wash with plenty of water.

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2020

Trade name: Vibra-TITE Epoxy

Reviewed on 09/11/2020

(Contd. of page 1)	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
Continue rinsing.	

- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Substances

- CAS No. Description

25068-38-6 Bisphenol-A epoxy resin

Identification number(s)

- NLP Number: 500-033-5

- Index number: 603-074-00-8

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing. Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Ensure adequate ventilation. Dispose of the collected material according to regulations. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. 	
7 Handling and storage	

- Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2020

Trade name: Vibra-TITE Epoxy

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

- Components with limit values that require monitoring at the workplace: Not required. - Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Body protection: Protective work clothing

9 Physical and chemical properties - Information on basic physical and chemical properties - General Information

 General Information 	
 Appearance: 	
- Form:	Viscous
- Color:	Clear
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
 Melting point/Melting range: 	Undetermined.
 Boiling point/Boiling range: 	260 °C (500 °F)
- Flash point:	251 °C (483.8 °F)
- Flammability (solid, gaseous):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto igniting:	Not determined.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.

Reviewed on 09/11/2020

(Contd. of page 3)

Printing date 11/20/2020

Trade name: Vibra-TITE Epoxy

- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	1.17 g/cm³ (9.76365 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/w	vater): Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.
- VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
- Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

Substance is not listed.

- NTP (National Toxicology Program)

Substance is not listed.

- OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
 - Remark: Toxic for fish
- Additional ecological information:

- General notes:

Water hazard class 2 (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

Trade name: Vibra-TITE Epoxy

- Results of PBT and vPvB assessment - PBT: Not applicable. - vPvB: Not applicable. - Other adverse effects No further relevant information available. 13 Disposal considerations - Waste treatment methods - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. - Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information - UN-Number - DOT, IMDG, IATA UN3082 - UN proper shipping name - DOT Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorhydrin); epoxy resin) - IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin), MARINE POLLUTANT - IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin) - Transport hazard class(es) - DOT, IMDG, IATA - Class 9 Miscellaneous dangerous substances and articles - Label 9 - Packing group - DOT, IMDG, IATA Ш - Environmental hazards: - Marine pollutant: Yes (DOT) Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - Special precautions for user Warning: Miscellaneous dangerous substances and articles - Hazard identification number (Kemler code): 90 - EMS Number: F-A,S-F - Stowage Category А - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: - DOT Quantity limitations On passenger aircraft/rail: No limit On cargo aircraft only: No limit - Remarks: Special marking with the symbol (fish and tree). - IMDG - Limited quantities (LQ) 5L - Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml - UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A-(EPICHLORHYDRIN); EPOXY

RESIN), 9, III

(Contd. on page 6)

(Contd. of page 4)

Reviewed on 09/11/2020

5

Trade name: Vibra-TITE Epoxy

Reviewed on 09/11/2020

(Contd. of page 5)

15 Regulatory information - Safety, health and environmental regulations/legislation specific for the substance or mixture - Sara - Section 355 (extremely hazardous substances): Substance is not listed. - Section 313 (Specific toxic chemical listings): Substance is not listed. - TSCA (Toxic Substances Control Act): ACTIVE - Hazardous Air Pollutants Substance is not listed. - Proposition 65 - Chemicals known to cause cancer: Substance is not listed - Chemicals known to cause reproductive toxicity for females: Substance is not listed. - Chemicals known to cause reproductive toxicity for males: Substance is not listed. - Chemicals known to cause developmental toxicity: Substance is not listed. Carcinogenic categories - EPA (Environmental Protection Agency) Substance is not listed. - TLV (Threshold Limit Value established by ACGIH) Substance is not listed. - NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed. - Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. - Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)

Skin Irrit. 2: Skin corrosion/irritation - Category 2



- Date of preparation / last revision 11/20/2020 / 7 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4

Safety Data Sheet acc. to OSHA HCS

Printing date 11/20/2020

Trade name: Vibra-TITE Epoxy

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc. (Contd. of page 6)

Reviewed on 09/11/2020





Safety Data Sheet

acc. to OSHA HCS

Printing date 11/20/2020

Reviewed on 09/21/2020

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Epoxy

- Synonyms: 955 High Flex Epoxy Hardener Part B
- Part number: 955B
- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet


Manufacturer/Supplier: ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- *Emergency telephone number:* United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



Acute Tox. 3 H331 Toxic if inhaled.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). - Hazard pictograms



- Signal word Danger

- Hazard-determining components of labeling:

- ethanamine, 2,2'-oxybis[N,N-dimethyl-
- Hazard statements
- H331 Toxic if inhaled.

- Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P311 Call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Other hazards

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 3033-62-3 ethanamine, 2,2'-oxybis[N,N-dimethyl-	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330	≤ 1%
--	--	------

Trade name: Vibra-TITE® Epoxy

(Contd. of page 1)

Reviewed on 09/21/2020

4 First-aid measures

- Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling No special measures required.

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.

- Further information about storage conditions: None.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 3033-62-3 ethanamine, 2,2'-oxybis[N,N-dimethyl-

REL Minimize exp.;NIAX Catalyst ESN;Pocket Guide App.C

- TLV Short-term value: 0.98 mg/m³, 0.15 ppm
 - Long-term value: 0.33 mg/m³, 0.05 ppm Skin

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Trade name: Vibra-TITE® Epoxy

Reviewed on 09/21/2020

(Contd. of page 2)

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

- Body protection: Protective work clothing

9 Physical and chemical properties	
- Information on basic physical and ch - General Information - Appearance:	nemical properties
- Form:	Liquid
- Color:	Yellow
- Odor:	Strong
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
- Melting point/Melting range:	Undetermined.
 Boiling point/Boiling range: 	Undetermined.
- Flash point:	> 93.3 °C (> 199.9 °F)
- Flammability (solid, gaseous):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	~ 1.15 g/cm³ (~ 9.59675 lbs/gal)
 Relative density 	Not determined.
 Vapor density 	Not determined.
- Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	iter): Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.
- Solvent content:	
- VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
- Solids content:	0.0 %
- Other information	No further relevant information available.
10 Stability and reactivity	

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.

- Hazardous decomposition products: No dangerous decomposition products known.

Trade name: Vibra-TITE® Epoxy

Reviewed on 09/21/2020

Toxico	logical information	(Contd. of pa
	ition on toxicological effects te toxicity:	
	D/LC50 values that are relevant for classification:	
	ute Toxicity Estimate)	
Oral	LD50 20,000 mg/kg	
Dermal	LD50 10,000 mg/kg	
	e LC50/4 h 10 mg/l	
	33-62-3 ethanamine, 2,2'-oxybis[N,N-dimethyl-	
Oral	LD50 100 mg/kg (ATE)	
Dermal	LD50 50 mg/kg (ATE)	
	E LC50/4 h 0.05 mg/l (ATE)	
	Primary irritant effect:	
r	- on the skin: No irritant effect.	
	- on the eye: No irritating effect.	
- S	Sensitization: No sensitizing effects known.	
	litional toxicological information:	
- C	Carcinogenic categories	
	- IARC (International Agency for Research on Cancer)	
None of t	the inaredients is listed.	
	5	
None of t	- NTP (National Toxicology Program) the ingredients is listed.	
	- OSHA-Ca (Occupational Safety & Health Administration)	
None of t	the ingredients is listed.	
Ecolog	jical information	
Persiste Behavio - Bioa - Mob Addition - Gene Wate Do no Dang Results - PBT - vPvE Other ag	 atic toxicity: No further relevant information available. accumulative potential No further relevant information available. accumulative potential No further relevant information available. bility in soil No further relevant information available. and ecological information: ber hazard class 2 (Self-assessment): hazardous for water ot allow product to reach ground water, water course or sewage system. ber to drinking water if even small quantities leak into the ground. c of PBT and vPvB assessment c Not applicable. B: Not applicable. dverse effects No further relevant information available. 	
Dispos	al considerations	
-	treatment methods	

- Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT, IMDG, IATA	UN2810
- UN proper shipping name - DOT	Toxic, liquids, organic, n.o.s. (ethanamine, 2,2'-oxybis[N,N- dimethyl-)
- IMDG, IATA	TOXIC LIQUID, ORGANIC, N.O.S. (ethanamine, 2,2'- oxybis[N,N-dimethyl-)

Trade name: Vibra-TITE® Epoxy

Reviewed on 09/21/2020

	(Contd. of pag
- Transport hazard class(es)	
- DOT	
- Class	6.1 Toxic substances
- Label	6.1
- IMDG, IATA	
- Class	6.1 Toxic substances
- Label	6.1
- Packing group	
- DOT, ÎMDG, IATA	III
- Environmental hazards:	Not applicable.
- Special precautions for user	Warning: Toxic substances
 Hazard identification number (Kemler code): EMS Number: 	60 5 A C A
- Ems Number: - Stowage Category	F-A,S-A A
- Stowage Code	SW2 Clear of living quarters.
- Transport in bulk according to Annex II of MARPOL73/	/78
and the IBC Code	Not applicable.
- Transport/Additional information:	
- DOT	
- Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
- UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (ETHANAMINE, 2,2'- OXYBIS[N,N-DIMETHYL-), 6.1, III
Regulatory information	
- Safety, health and environmental regulations/legislatio - Sara	on specific for the substance or mixture
- Section 355 (extremely hazardous substance	es):
None of the ingredients is listed.	,
- Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.	
- TSCA (Toxic Substances Control Act):	
ethanamine, 2,2'-oxybis[N,N-dimethyl-	ACTIV
- Hazardous Air Pollutants	
None of the ingredients is listed.	
- Proposition 65	
- Chemicals known to cause cancer:	
None of the ingredients is listed.	
- Chemicals known to cause reproductive tox	icity for females:
None of the ingredients is listed.	

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Trade name: Vibra-TITE® Epoxy

- Chemicals known to cause developmental toxicity:

(Contd. of page 5)

Reviewed on 09/21/2020

	predients is listed.
Correl	
- Carci	nogenic categories
- El	PA (Environmental Protection Agency)
None of the ing	predients is listed.
- TL	V (Threshold Limit Value established by ACGIH)
None of the ing	predients is listed.
- NI	OSH-Ca (National Institute for Occupational Safety and Health)
None of the ing	predients is listed.
- Chemical sa	fety assessment: A Chemical Safety Assessment has not been carried out.
16 Other infor	mation
	n is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and ish a legally valid contractual relationship.
	ety, Health and Environmental Affaires
	n System: ings (scale 0 - 4)
- HMIS-rat	ings (scale 0 - 4) Health = 1 Fire = 1
- HMIS-rat	ings (scale 0 - 4) Health = 1 Fire = 1
- HMIS-rat	ings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0
- HMIS-rat HEALTH FIRE REACTIVITY - NFPA rat	ings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 ings (scale 0 - 4) Health = 0 Fire = 1

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- CAS: Chemical Abstracts Service (division of the A VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REI : Becommended Exposure Limit

- REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity Category 3 Acute Tox. 2: Acute toxicity Category 2
- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.