

Vibra-TITE®

FASTENAL® PRODUCT REFERENCE CATALOG






ND INDUSTRIES

Since 1955, ND Industries has provided top quality fastening and assembly related products and services to a wide variety of industries including automotive, electronics, aerospace, appliance, and many more. ND's commitment to improvement has led to a continuous investment in the best equipment, facilities, and people. ND's line of high quality products, personalized customer solutions and on-time-delivery make it easy to see why so many companies turn to ND Industries as their full service supplier.

VIBRA-TITE

Vibra-Tite, the bottle product division of ND Industries, is one of the world's market leaders in anaerobic, cyanoacrylate, epoxy and ultra-violet technologies. Quickly becoming one of the most highly respected names in the industry, Vibra-Tite manufactures a wide range of materials, many of which compete directly with name brand products, but at a COST SAVING OF UP TO 40%. In-house R&D, lab testing, chemical blending and bottling facilities, make Vibra-Tite the clear choice for all your manufacturing needs.



One of eight ND Industries pre-applied processing plants located across the USA.




Chemists analyzing materials at ND's 7,600 sq. ft. Research and Development facility.



ND's chemical blending operation annually manufactures over one million pounds of a wide variety of adhesives, anaerobics, microcaps, epoxies, urethanes, and acrylics.



"Vibra-Tite is a real-value proposition. Our objective is to offer the highest quality products at the best value."
- John Hamaty, President, Vibra-Tite Division



Our Vibra-Tite customer service representatives are available to answer your questions at 1-800-521-2663.

TABLE OF CONTENTS

Threadlockers	4
Vibra-Tite VC-3 Threadmate	5
Thread Sealants	5
Liquid Gasketing	5
Retaining Compounds	6
Epoxies	6
Anti-Seize.....	7
Cyanoacrylates.....	7 - 9
Lightcure / UV Structurals	10
RTV Silicone Gasketing	10
Accelerators, Activators, Primers	11
Structural Adhesives	12
Urethanes	12
DriveGrip	12
Pro Line	12, 13
Bullet Tubes.....	14
VC-3 Threadmate.....	15
Lunch & Learn Training Programs	16
Vibra-Tite Race Car.....	17
ND Pre-Applied Products	18
ND Pre-Applied Competitor Cross Reference	19

THREADLOCKERS

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
111	222™	Low Strength - Removable	2 mL	Bullet	11102		0610931
			10 mL	Bottle	11110	22221	0120857
			50 mL	Bottle	11150	22231	0120858
			250 mL	Bottle	11125	22241	0120859
			1 L	Jug	11100		0120860*
121	242®	Medium Strength - Removable	2 mL	Bullet	12102		0606434
			10 mL	Bottle	12110	24221	0606408
			50 mL	Bottle	12150	24231	0606404
			250 mL	Bottle	12125	24241	0120866
			1 L	Jug	12100	24243	0120867*
			100 pc	Fishbowl	12199		0611039
122	243™	Medium Strength - Oil Tolerant	2 mL	Bullet	12202		0610932
			10 mL	Bottle	12210	24077	0610933
			50 mL	Bottle	12250	24078	0610934
			250 mL	Bottle	12225	24079	0610935
			1 L	Jug	12200	21433	0610936*
125		Medium Strength Gel - Removable	8 mL	Tube	12508		0691591
			35 mL	Pump	12535		0609253
131	262™	Permanent Strength	2 mL	Bullet	13102		0606435
			10 mL	Bottle	13110	26221	0606409
			50 mL	Bottle	13150	26231	0606405
			250 mL	Bottle	13125	26241	0120893
			1 L	Jug	13100	26243	0120894*
			100 pc	Fishbowl	13199		0611040
135		Permanent Strength Gel	8 mL	Tube	13508		0691593
			35 mL	Pump	13535		0609252
137	272™	High Temp/High Strength	50 mL	Bottle	13750	27240	0120861
			250 mL	Bottle	13725	27270	0120862
			1 L	Jug	13700	27285	0120863*
140	271™	High Strength	2 mL	Bullet	14002		0610937
			10 mL	Bottle	14010	27121	0120868
			50 mL	Bottle	14050	27131	0606406
			250 mL	Bottle	14025	27141	0120870
			1 L	Jug	14000	27143	0610938*
146	277™	Large Diameter/High Strength	2 mL	Bullet	14602		0691590
			10 mL	Bottle	14610	21434	0610939
			50 mL	Bottle	14650	27731	0610940
			250 mL	Bottle	14625	27741	0610941
			1 L	Jug	14600	27743	0120871*
150	290™	High Strength	2 mL	Bullet	15002		0610942
			10 mL	Bottle	15010	29021	0120872
			50 mL	Bottle	15050	29031	0120873
			250 mL	Bottle	15025	29041	0120874
			1 L	Jug	15000	29043	0120875*

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite and 242 are registered trademarks and 222, 243, 262, 271, 272, 277, and 290 are trademarks of Henkel Corp., USA.

VIBRA-TITE VC-3 THREADMATE

Vibra-Tite Formula	Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
213		Vibra-Tite VC-3 Threadmate	5 mL	Tube	21305		0691663*
			30 cc	Bottle	21330		63140
			250 cc	Can	21325		0611019*

THREAD SEALANTS

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
420	592™/565™	High Temp/High Strength Pipe Sealant	50 mL	Tube	42050	56531/59231	0120901
			250 mL	Tube	42025	56541/59241	0610945
			16 oz	Jar w/Brush	42016		0610944*
			1 L	Jug	42000	56543/59243	0610946*
427	577™	High Strength	50 mL	Tube	42750	21456	0691595
440	545™	Pneumatic/Hydraulic Sealant	50 mL	Bottle	44050	54531	0120900
			250 mL	Bottle	44025	54541	0610947
			1 L	Jug	44000		0610948*
444	569™	Hydraulic Sealant - High Pressure	50 mL	Bottle	44450	56931	0120895
			250 mL	Bottle	44425	56941	0120896
			1 L	Jug	44400	56943	0610949*
446	554™	Refrigerant Sealant - High Pressure	50 mL	Bottle	44650		0610950
			250 mL	Bottle	44625	55441	0610951
			1 L	Jug	44600		0610952*
460	567™	High Temp/Stainless Steel Pipe Sealant	6 mL	Tube	46006	56707	0610953
			50 mL	Tube	46050	56747	0606407
			250 mL	Tube	46025	56765	0120898
			16 oz	Jar w/Brush	46016	33241	0692923*
			1 L	Jug	46000	56790	0120899*

LIQUID GASKETING

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
709	509™	Flexible Gasket Maker	50 mL	Tube	70950		0692928*
730	518™	Solvent Resistant	50 mL	Tube	73050	51831	0606732
			250 mL	Tube	73025		0610958
732	515™	Flexible Gasket Maker	50 mL	Tube	73250	51531	0606731
			250 mL	Tube	73225		0610959

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite is a registered trademark and 592, 565, 577, 545, 569, 554, 567, 518, and 515 are trademarks of Henkel Corp., USA.

RETAINING COMPOUNDS

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
530	675™/609™	General Purpose	2 mL	Bullet	53002		0610954
			10 mL	Bottle	53010	60921	0120876
			50 mL	Bottle	53050	60931	0120877
			250 mL	Bottle	53025	60941/67541	0120878
			1 L	Jug	53000	60943	0120879*
538	638™	High Strength	50 mL	Bottle	53850	21448	0691596
			250 mL	Bottle	53825	21449	0691597
			1 L	Jug	53800		0691598*
541	680™	High Strength - Slip Fit	10 mL	Bottle	54110	68015	0120887
			50 mL	Bottle	54150	68035	0120888
			250 mL	Bottle	54125	68060	0120889
			1 L	Jug	54100	68090	0120890*
542	635™	High Strength - Large Gap	10 mL	Bottle	54210		0610955
			50 mL	Bottle	54250	63531	0606728
			250 mL	Bottle	54225	63541	0606729
			1 L	Jug	54200		0606730*
548	648™	Rapid Curing	250 mL	Bottle	54825	21445	0692926*
			1 L	Jug	54800		0692925*
560	640™	High Strength - Large Gap	10 mL	Bottle	56010		0610956
			50 mL	Bottle	56050	64031	0120884
			250 mL	Bottle	56025	64041	0120885
			1 L	Jug	56000		0120886*
567	620™	High Temperature - Large Gap	10 mL	Bottle	56710	62015	0120880
			50 mL	Bottle	56750	62040	0120881
			250 mL	Bottle	56725	62070	0120882
			1 L	Jug	56700	62085	0610957*

EPOXIES

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
905		Quick Cure 2 Part Epoxy	50 mL	Dual Cart	90550		692929*
910	Hysol E-00NS	2 Part Epoxy - White or Black	50 mL	Dual Cart	91050		0611041*
913		2 Part Epoxy - Clear	50 mL	Dual Cart	91350		0692931*
			400 mL	Dual Cart	91340		0692930*
916	Hysol E-69HP	2 Part Epoxy - Grey	400 mL	Dual Cart	91640		0692932*
920		High Peel / High Shear 2 Part Epoxy	400 mL	Dual Cart	92040		0692933*

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite is a registered trademark and 675, 609, 638, 680, 635, 640, and 620 are trademarks of Henkel Corp., USA.

ANTI-SEIZE COMPOUNDS

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
9070	Silver	Aluminum - Copper Anti-Seize	2 mL	Bullet	90702		0691599
			4 oz	Jar w/Brush	90704	80209	0606741
			8 oz	Jar w/Brush	90708	76732	0606742
			16 oz	Jar w/Brush	90706	76764	0606743
			5 gal	Plastic Pail	90705	76775	0691600*
9071	C5-A®	Copper Anti-Seize	2 mL	Bullet	90712		0691601
			4 oz	Jar w/Brush	90714	51144	0691603
			8 oz	Jar w/Brush	90718	51147	0606737
			16 oz	Jar w/Brush	90716	51007	0606740
			5 gal	Plastic Pail	90715		0691604*
9072	Nickel	Nickel Anti-Seize	2 mL	Bullet	90722		0691605
			4 oz	Jar w/Brush	90724		0691606
			8 oz	Jar w/Brush	90728	77124	0606738
			16 oz	Jar w/Brush	90726	77164	0606739
			1 gal	Plastic Pail	90720		0617012*
			5 gal	Plastic Pail	90725	77175	0691607*
908		Food Grade Anti-Seize	16 oz	Jar w/Brush	90816		0692945*

CYANOACRYLATES

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
300		General Purpose	2 mL	Bullet	30002		0610963
			1 oz	Tube	30028		0610964
			1 lb	Bottle	30054		0610965
301	401™	Surface Insensitive - General	2 mL	Bullet	30102		99363759
			15 mL	Bottle	30114		0691634
			20 gm	Bottle	30120	40140	0606733
			1 lb	Bottle	30154	40161	0607355
			4 lb	Pail	30104		0691635*
303	403™	Low Odor & Low Bloom - Gap Filling	20 gm	Bottle	30320		0691650
			1 lb	Bottle	30354		0691651
304	404™	General Purpose - O-Ring Bonder	2 mL	Bullet	30402		0691610
			1/3 oz	Bottle	30410		0691611
			1 oz	Bottle	30428		0691612
			1 lb	Bottle	30454		0691613
305		Surface Insensitive - General Purpose	2 mL	Bullet	30502		99363758
			20 gm	Bottle	30520		0691632
			1 lb	Bottle	30554		0691633

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite and C5-A are registered trademarks and 401, 403, and 404 are trademarks of Henkel Corp., USA.

CYANOACRYLATES

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
306	406™	Surface Insensitive - Wicking	2 mL	Bullet	30602		0610976
			20 gm	Bottle	30620	40640	0610977
			1 lb	Bottle	30654	40661	0610978
307		Surface Insensitive - Wicking	2 mL	Bullet	30702		99363757
			20 gm	Bottle	30720		0691630
			1 lb	Bottle	30754		0691631
308	408™	Low Odor & Low Bloom - Wicking	2 mL	Bullet	30802		0691646
			20 gm	Bottle	30820		0691647
			1 lb	Bottle	30854		0691648
309	409™	General Purpose Gel	3 gm	Tube	30903		0610973
			20 gm	Tube	30920	40945	0120847
			200 gm	Tube	30922		0691621*
310	410™	Rubber Toughened - Gap Filling	2 mL	Bullet	31002		0610988
			20 gm	Bottle	31020	41045	0610989
			1 lb	Bottle	31054	41061	0610990
311	411™	Rubber Toughened - Gap Filling	2 mL	Bullet	31102		0610994
			20 gm	Bottle	31120	38240	0610995
			1 oz	Bottle	31128		0691645
			1 lb	Bottle	31154	38261	0610996
314	414™	Plastic Bonder	2 mL	Bullet	31402		0610962
			1 oz	Bottle	31428	41450	0120853
			1 lb	Bottle	31454	41461	0120854
316	416™	Gap Filling Plastic Bonder	2 mL	Bullet	31602		0610969
			1 oz	Bottle	31628	41650	0120851
			1 lb	Bottle	31654	41661	0120852
317		Low Odor & Low Bloom - Toughened	20 gm	Bottle	31720		0691652
			1 lb	Bottle	31754		0691653
318		Low Odor & Low Bloom - Toughened	20 gm	Bottle	31820		0691654
			1 lb	Bottle	31854		0691655
320	420™	Wicking Type Plastic Bonder	2 mL	Bullet	32002		0610960
			1 oz	Bottle	32028	42050	0120845
			1 lb	Bottle	32054	42061	0120846
321		Fast Wicking Grade	1 oz	Bottle	32128		0691608
			1 lb	Bottle	32154		0691609
322	422™	Gap Filling Plastic Bonder	2 mL	Bullet	32202		0610970
			1 oz	Bottle	32228	42250	0610971
			1 lb	Bottle	32254	42261	0610972
330	430™	Metal & Rubber Bonder	2 mL	Bullet	33002		99363763
			1 oz	Bottle	33028	43050	0610974
			1 lb	Bottle	33054	43061	0610975
331		Surface Insensitive - Gap Filling	2 mL	Bullet	33102		99363761
			.5 oz	Bottle	33114		0691640
			20 gm	Bottle	33120		0610985
			1 lb	Bottle	33154		0610986

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite is a registered trademark and 406, 408, 409, 410, 411, 414, 416, 420, 422, and 430 are trademarks of Henkel Corp., USA.

CYANOACRYLATES

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
333	435™	Surface Insensitive - General Purpose	2 mL	Bullet	33302		0610980
			20 gm	Bottle	33320		0610981
			1 lb	Bottle	33354		0610982
335		Rubber Toughened - General Purpose	2 mL	Bullet	33502		99363762
			20 gm	Bottle	33520		0691642
			1 oz	Bottle	33528		0691643
			1 lb	Bottle	33554		0691644
344	444™	Wire Tacking	2 mL	Bullet	34402		0610966
			1 oz	Bottle	34428		0610967
			1 lb	Bottle	34454	12294	0610968
347	4471™	Surface Insensitive - General Purpose	2 mL	Bullet	34702		99363760
			.5 oz	Bottle	34714		0691636
			20 gm	Bottle	34720		0691637
			1 oz	Bottle	34728		0691638
			1 lb	Bottle	34754		0691639
354	454™	Surface Insensitive - Porous	3 gm	Tube	35403	45404	0607356
			20 gm	Tube	35420	45440	0606736
356		Surface Insensitive - Gel	20 gm	Tube	35620		0691641
360	460™	Low Odor & Low Bloom - General Purpose	2 mL	Bullet	36002		0691649
			20 gm	Bottle	36020		0610983
			1 lb	Bottle	36054		0610984
362	498™	Thermal Cycling	2 mL	Bullet	36202		0610991
			20 gm	Bottle	36220		0691614
			1 lb	Bottle	36254	49861	0691615
370		Rubber Bonder - Wicking	20 gm	Bottle	37020		0691622
			1 lb	Bottle	37054		0691623
371		Rubber Bonder	20 gm	Bottle	37120		0691624
			1 lb	Bottle	37154		0691625
372		Rubber Bonder	20 gm	Bottle	37220		0691626
			1 lb	Bottle	37254		0691627
373		Rubber Bonder - Gap Filling	20 gm	Bottle	37320		0691628
			1 lb	Bottle	37354		0691629
381	382™	Gap Filling - Wire Tacking	1 oz	Bottle	38128		0692921
			1 lb	Bottle	38154		0692922
388	380™	Rubber Toughened - Close Fitting	2 mL	Bullet	38802		0610987
			1 oz	Bottle	38828	38050	0120855
			1 lb	Bottle	38854	38061	0120856
395	495™	General Purpose	2 mL	Bullet	39502		0610961
			1 oz	Bottle	39528	49550	0120849
			1 lb	Bottle	39554	46561	0120850

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite is a registered trademark and 435, 444, 4471, 454, 460, 498, 382, 380, and 495 are trademarks of Henkel Corp., USA.

LIGHT CURE / UV STRUCTURAL

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
220		Light Cure Adhesive - Glass Bonder	50 mL	Bottle	22050		0611028
			250 mL	Bottle	22025		0611029
			1 L	Bottle	22000		0611030*
230	352™	UV Structural - Impact Resistant	50 mL	Bottle	23050	35241	0611031
			1 L	Bottle	23000	35286	0611032*

RTV SILICONE GASKETING

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
992	5920™	Copper RTV Silicone Gasket Maker	80 mL	Tube	99280		0692939
			300 mL	Cartridge	99230	82046	0617088
			4.5 gal	Pail	99291		0617089
993	5900™	Heavy Body Black Silicone Gasket Maker	80 mL	Tube	99380		0692940
			300 mL	Cartridge	99330	20166	0617090
			4.5 gal	Pail	99391		0617091
995	595™	Clear RTV Silicone Gasket Maker	1.5 oz	Tube	99507	80242	0617092
			80 mL	Tube	99580		0692934
			300 mL	Cartridge	99530	59575	0617093
			4.5 gal	Pail	99591		0617094
996	596™	Red RTV Silicone Gasket Maker	80 mL	Tube	99680		0692941
			300 mL	Cartridge	99630	59675	0617095
			4.5 gal	Pail	99691		0617096
997	587™	Blue RTV Silicone Gasket Maker	80 mL	Tube	99780		0692942
			300 mL	Cartridge	99730	58775	0617097
			4.5 gal	Pail	99791		0617098
998	598™	Black RTV Silicone Gasket Maker	80 mL	Tube	99880		0692943
			300 mL	Cartridge	99830	59875	0617099
			4.5 gal	Pail	99891		0617100
999	5999™	Grey RTV Silicone Gasket Maker	80 mL	Tube	99980		0692944
			300 mL	Cartridge	99930	18581	0617101
			4.5 gal	Pail	99991		0617102

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite is a registered trademark and 352, 330, 392, 7113, 712, 7380 7387, 7649, and 7471 are trademarks of Henkel Corp., USA.

ACCELERATORS, ACTIVATORS, PRIMERS

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
600	7380™	Excel Structural Activator	1 oz	Bottle	60028		0610997
			250 mL	Bottle	60025		0610998*
			1 L	Bottle	60000		0610999*
611	7649™	Excel Primer N	2 oz	Bottle	61102		0611002
			8 oz	Bottle	61108		0611003
			1 gal	Can	61100	19266	0611001*
612	7471™	Excel Primer T	2 oz	Bottle	61202		0611005
			8 oz	Bottle	61208		0611006
			1 gal	Can	61200	19268	0611004*
621	7113™	Excel Accelerator	2 oz	Bottle	62102		0611008
			4 oz	Bottle	62104		0611009*
			8 oz	Bottle	62108		0611010*
			1 gal	Can	62100	19606	0611007*
623		Excel Accelerator - General	2 oz	Bottle	62302		0611012
			4 oz	Bottle	62304		0611013*
			8 oz	Bottle	62308		0611014*
			1 gal	Can	62300		0611011*
624	712™	Excel Accelerator - Impact Resistant	2 oz	Bottle	62402		0611016
			4 oz	Bottle	62404		0611017*
			8 oz	Bottle	62408		0611018*
			1 gal	Can	62400	18390	0611015*
625	770™	Excel Polyolefin Primer	1 gal	Can	62500		0692927*
638	7387™	Excel Structural Activator	1 gal	Can	63800		0611000*

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Loctite is a registered trademarks and 587, 595, 596, 598, 5900, 5920, and 5999 are trademarks of Henkel Corp. USA.

STRUCTURAL ADHESIVES

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
225	325™	No-Mix Structural Adhesive	50 mL	Bottle	22550	32530	0692917*
226		No-Mix Structural Adhesive	1 L	Bottle	22600	32585	0592918*
233	330™	No-Mix Structural Acrylic	1 L	Bottle	23300	33081	0611036*
240	392™	No-Mix Structural Acrylic	50 mL	Bottle	24050	39250	0611033
			250 mL	Bottle	24025		0611034*
			1 L	Bottle	24000	39280	0611035*

URETHANES

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
989		Urethane - Vibra-Tite Brand	4 oz	Bottle	98904		0691659*
			1 L	Bottle	98900		0691662*
989		Urethane - Dam Good Glue Brand	2 oz	Bottle	98902DGG		0691657
			2 oz	Bottle - Carded	98902BCDGG		0691658
			8 oz	Bottle	98908DGG		0691660
			16 oz	Bottle	98916DGG		0691661*

DRIVEGRIP

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
470		DriveGrip Anti Cam-Out Fluid	15 mL	Tube	47002		0609255

BLISTER-CARDED PRO LINE PRODUCTS

Vibra-Tite Formula	Competes with Loctite® Formula	Description	Size	Container	Vibra-Tite P/N	Competes with Loctite® P/N	Fastenal P/N
125		Medium Strength Gel	8 mL	Tube	12508BC		0691592
135		High Strength Gel	8 mL	Tube	13508BC		0691594
470		DriveGrip - Anti Cam-Out	15 mL	Tube	47002BC		0616269
9072	Silver	Anti-Seize Nickel Graphite	8 mL	Tube	90729BC		0616270
301	401™	Multi-Purpose Instant Superglue	15 mL	Bottle	30114BC		0616268
213		VC-3 Threadmate	5 mL	Tube	21305BC		0691664

* All Vibra-Tite products are Fastenal Vending Certified, except where noted by asterisk in Fastenal Part Number column.

Vibra-TITE[®] Pro Line



**WORK PACK Contains
All Six Products**
Fastenal P/N 0614243



Fastenal P/N 0691664



Fastenal P/N 0691594



Fastenal P/N 0691592



Fastenal P/N 0616268



Fastenal P/N 0616269



Fastenal P/N 0616270

VC-3 Threadmate Non-Traditional Threadlocker

- Adjustable, Removable, Reusable
- Prevents fasteners from loosening due to shock and vibration.
- Locks and seals threaded fasteners of virtually any size.
- Works with metal, wood, plastic, and more.
- Temp Range: -65°F to +165°F

NET 0.17 FL OZ (5 mL)



Threadlocker Gel Permanent Strength (Red)

- Permanently locks fasteners up to 1" in diameter.
- No drip. No waste.
- Torque Break: 200 in/lbs
- Torque Prevail: 100 in/lbs
- Temp Range: -65°F to 300°F

NET 0.26 FL OZ (8 mL)



Threadlocker Gel Medium Strength (Blue)

- Removable, for 1/4" to 3/4" diameter fasteners.
- No drip. No waste.
- Torque Break: 120 in/lbs
- Torque Prevail: 45 in/lbs
- Temp Range: -65°F to 300°F

NET 0.26 FL OZ (8 mL)



Instant SuperGlue Multi-Purpose

- Quick Fixturing, Fast Setting.
- High Strength.
- Pinpoint Precision Tip.
- Surface Insensitive.
- For Metal, Plastic, Rubber, Ceramic, Cork, Paper, Wood, Leather, Fabrics, Vinyl, & more.
- Sporting, Household, Automotive, Marine, Crafts.

NET 0.5 FL OZ (15 mL)



DriveGrip Anti Cam-Out Fluid

- Assembly aid to help prevent fastener slippage.
- Minimizes drilled-out screws, easy-outs, and retapping.
- Increases grip between fastener head and tool by up to 700%.
- Virtually eliminates tool wear and deforming of fasteners.

NET 0.5 FL OZ (15 mL)



Anti-Seize Compound Nickel-Graphite

- Formulated to reduce excessive wear on threads, gears, chains, sprockets, and rollers.
- Prevents excessive wear, seizing, galling, and cold welding.
- Excellent resistance to harsh chemicals.
- Works in temperatures from -300°F to 2,000°F.

NET 0.26 FL OZ (8 mL)




BULLET TUBES

Popular Vibra-Tite® products conveniently sized for small projects.
Get up to 15 applications from each resealable 2 mL tube.

(Actual Size)

THREADLOCKERS
RETAINING COMPOUND
ANTI-SEIZE COMPOUND
SUPER GLUES



Anaerobic Threadlocking & Retaining			
Vibra-Tite® Part #	Competes w/ Loctite® Formula	Fastenal Part #	Description
11102	222	0610931	Threadlocker Low Strength
12102	242	0606434	Threadlocker Medium Strength
12202	243	0610932	Threadlocker Oil Tolerant
13102	262	0606435	Threadlocker Permanent Strength
14002	271	0610937	Threadlocker High Strength
14602	277	0691590	Threadlocker Large Diameter / High Strength
15002	290	0610942	Threadlocker Wicking Grade / Medium Strength
53002	609	0610954	Retaining Compound General Purpose

Anti-Seize Compounds			
Vibra-Tite® Part #	Competes w/ Loctite® Formula	Fastenal Part #	Description
90702	Silver	0691599	Anti-Seize Aluminium
90712	C5-A	0691601	Anti-Seize Copper
90722	Nickel	0691605	Anti-Seize Nickel

Super Glues (Cyanoacrylates)			
Vibra-Tite® Part #	Competes w/ Loctite® Formula	Fastenal Part #	Description
30002	-	0610963	General Purpose
30102	401	0610979	Surface Insensitive General Purpose
30402	404	0691610	O-Ring Bonder
30602	406	0610976	Surface Insensitive Wicking Grade
30802	408	0691646	Low Odor and Low Bloom - Wicking
31002	410	0610988	Toughened Gap Filling
31102	411	0610994	Gap Filling Wire Tacking
31402	414	0610962	General Purpose Plastic Bonder
31602	416	0610969	Gap Filling Plastic Bonder
32002	420	0610960	Wicking Type Plastic Bonder
32202	422	0610970	Gap Filling Plastic Bonder
33302	435	0610980	Surface Insensitive
34402	444	0610966	General Purpose Wire Tacking
36002	460	0691649	Low Odor and Low Bloom
36202	498	0610991	General Purpose Thermal Cycling
38802	380	0610987	Toughened Close Fitting Parts
39502	495	0610961	General Purpose

Vibra-Tite is a registered trademark of ND Industries, Inc. | Loctite is a registered trademark of Henkel Corp.



NOW OFFERED IN FASTENAL HUB STOCK AS 4 BOTTLES PER PACKAGE!

Fastenal Stores can now place VC-3 bottle orders at 40% prior minimum quantity

FASTENAL STORES BENEFIT


Hub Stock Minimum Order Quantity for 30 mL Bottles of VC-3

- WAS 10 units per package
- NOW ONLY 4 units per package!

LOWER INVENTORY COST for stores!
ORDER Fastenal SKU 63140

VC-3 IS DIFFERENT FROM ANAEROBIC THREAD LOCKERS

Reliable Lock — VC-3 holds fastener assemblies in place, even during extreme shock and vibration.




Adjustable, Removable, Reusable — Fastener assemblies coated with VC-3 can be easily adjusted, removed, and reused.

Versatile — VC-3 works on ferrous and non ferrous metals, wood, and Nylon, PE, and PP plastic.

MANY INDUSTRIAL USES

VC-3 is used in many manufacturing industries, including aerospace, automotive, military, electronics, space exploration, marine, construction, and appliance.



VC-3 dries within minutes of being applied and is then ready for use or storage.



VC-3 SIZE	FASTENAL SKU
5 mL Tube	0691663
30 mL Bottle	63140
250 mL Can	0611019

Vibra-TITE®

www.vibra-tite.com

Phone: 1-800-521-2663 • Fax: 386-860-4521



Fastenal Vendor ID #130330

VC-3 and Vibra-Tite are registered trademarks of ND Industries, Inc., U.S.A.



LUNCH & LEARN



ND Industries understands that your time is valuable. With that in mind, we've developed a concise Lunch & Learn training program that provides key information about the fastening and sealing industry and available product and service solutions.



ND PRE-APPLIED PRODUCT TRAINING WILL COVER:

- Company overview / services
- Quality and customer relationships
- Introduction to fastener adhesives
- Joint design and clamp load
- Why use adhesives and sealants
- Ways to prevent clamp load loss
- Product types and selection



VIBRA-TITE BOTTLED PRODUCT TRAINING WILL COVER:

- Threadlocking, threadsealing, gasketing, retaining, and more
- How each material works
- Advantages and disadvantages
- Choosing the right formulation
- Cost savings
- Hands-on demonstrations



TO SIGN UP, VISIT WWW.NDINDUSTRIES.COM/LUNCH-LEARN

Vibra-TITE®

COMPETITIVE PERFORMANCE RESULTS.
UNBEATABLE COST SAVINGS.



ND Industries & Vibra-Tite are the official sponsors of L&L Racing Engines.

Vibra-Tite offers a wide range of materials to cover all your manufacturing needs, including:

- Threadlockers
- Retaining Compounds
- Epoxies
- Thread Sealants
- Liquid Gasket Makers
- Urethanes
- Anti-Seize Lubricants
- Light Cures
- RTV Silicones
- Hot Melts
- Super Glues
- MMAs
- And More



SAVE OVER 40% OFF COMPARABLE NAME BRANDS.

- Over 55 years of adhesive formulating experience.
- American company headquartered in Troy, MI.
- Capability to manufacture a wide range of chemistries including custom formulas for unique applications.
- Materials supplied in bulk or bottled.



www.vibra-tite.com

Phone: 800-521-2663 or 386-860-4522

Vibra-Tite is a Division of ND Industries, Inc.

Innovative Pre-Applied Adhesives & Sealants for Fasteners & Assemblies

THREADLOCKING



ND PATCH

Nylon powder fused to fastener threads for locking, sealing, and adjusting.



ND PATCH HI-TEMP

High temp nylon powder fused to fastener threads for locking, sealing, and adjusting.



ND PATCH 360°

Provides additional sealing vs a standard 180° patch configuration.



VIBRA-TITE VC-3

Synthetic resin that absorbs vibration and is adjustable, removable and reusable.



ND PELL-IT

Nylon plug, inserted in fastener threads for locking, sealing, and adjusting.



ND STRIP

Nylon bar inserted into fastener threads for locking, sealing, and adjusting.



EPOXY-LOCK

Pre-Applied fastener locking and sealing chemical compound.



ND MICROSPHERES

Micro-encapsulated adhesive applied to fastener threads, for locking and sealing.



EXPAND-A-LOCK

Unique microcap adhesive that expands on installation filling gaps & voids in threads.

SEALING TECHNOLOGIES



ST-3

Thread sealant for straight or tapered threads with excellent chemical resistance.



ND PLASTISOL

Underhead seal that fills in threads and retains integrity, even when nicked or cut.



PLASTISOL OPEN-MOLD

Alternative to injection molding and other forms of fabrication. Custom designed shapes for sealing and gasketing.



SEALTEK 1120

Resilient, soft and flexible gasket with excellent automotive chemical resistance.



BI-SEAL 0630

Wax based material which seals sheet metal holes on installation of the coated fastener.



MASTICS & EXPANDABLES

Materials to prevent metal-to-metal contact, vibration, & noise-related problems.

LUBRICATING AND MASKING



ANTI-SEIZE 917N & 957

Pre-applied lubricant to prevent galling of metals at high temperatures.



ND LM-1293

Torque tension control lubricant that prevents undesirable substances from adhering.



SPECIALTY COATINGS

Range of materials designed for lubrication, corrosion resistance, temperature protection, torque tension modification and more.



EZ-DRIVE

Synthetic resin designed to reduce installation torques on threadforming fasteners.



THREAD ARMOR

Advanced anti-galling and lubricating thread coating designed primarily for stainless steel.

ASSEMBLY AIDS



ND PELL-IT SOFT TOUCH TIP

Nylon or Brass tip on fastener for secure "grip" without damaging mating parts.



ND STAY-PUT

Temporary fastener retention device, useful for modular assemblies.





ND COLOR CODE

Paint, dye or ink that is applied to a fastener to aid in assembly & inspection.



PRE-APPLIED COMPETITOR CROSS-REFERENCE CHART



ND INDUSTRIES PROCESS	COMPETES WITH
Anti-Seize 917	Loctite® Pre-applied Anti-Seize, Nylok® Ny Plate®
Epoxy-Lock	3M™ Scotch-Grip™, Loctite® Dri-Loc®, Precote® 80
ND LM-1293	Nylok® Nycote®
ND Microspheres 293 / 593SA	ThreeBond 2446
ND Microspheres 593 Red	ThreeBond 2481
ND Microspheres 593S	3M™ Scotch-Grip™ 2353 & 4844, ThreeBond 2430
ND Microspheres 593SB	ThreeBond 2440 & 2440B
ND Microspheres 1193S	3M™ Scotch-Grip™ 2451 & 2510, ThreeBond 2440
ND Microspheres TA300	Precote® 30, ThreeBond 2471 & 2415
ND Microspheres TA800	Precote® 80
ND Microspheres TA850	Precote® 85, ThreeBond 2403 & 2411
ND Microspheres AA0695	Loctite® Dri-Loc® 200
ND Microspheres AA0696	Loctite® Dri-Loc® 200
ND Microspheres AA0795	Loctite® Dri-Loc® 201
ND Microspheres AA0796	Loctite® Dri-Loc® 201
ND Microspheres AA0895	Loctite® Dri-Loc® 202
ND Microspheres AA0896	Loctite® Dri-Loc® 202, ThreeBond 2457
ND Microspheres AA0995	Loctite® Dri-Loc® 203
ND Microspheres AA0996	Loctite® Dri-Loc® 203
ND Microspheres AA1095	Loctite® Dri-Loc® 204
ND Microspheres AA1096	Loctite® Dri-Loc® 204, ThreeBond 2475
ND Microspheres AA1195	Loctite® Dri-Loc® STS
ND Microspheres AA1196	Loctite® Dri-Loc® STS
ND Microspheres AA1295	Loctite® Dri-Loc® 211
ND Microspheres AA1296	Loctite® Dri-Loc® 211
ND Microspheres AA1395	Loctite® Dri-Loc® 218
ND Microspheres AA1396	Loctite® Dri-Loc® 218
ND Patch	Nylok® Blue Patch
ND Patch Hi-Temp	Nylok® Ny Temp®
ND Pell-It	Nylok® Blue® Pellet
ND Strip	Nylok® Torq-Strip®
NDEM223	L&L Products L1041
NDM97	L&L Products L1030, Forest City FC-XE-16, Chemseco 3002
Plastisol	Nylok® Ny Plas®
Sealtek 1120	Nylok® Ny Seal®, Anochrome Group® Rimlex®
ND ST-3-W	3M™ Scotch-Grip™ 4291
ND ST-3-L3	3M™ Scotch-Grip™ 4291
ND ST-3-L4	Precote® 5
ND ST-3-L5	Loctite® Vibra-Seal® 503
ND ST-3-L5A	Loctite® Vibra-Seal® 503HV
ND ST-3-L6	Loctite® Vibra-Seal® 516
ND ST-3-L7	Loctite® Vibra-Seal® 517
ND ST-3-L8	Loctite® Vibra-Seal® 503 mod
ND ST-3-L8A	Loctite® Vibra-Seal® 503 HVmod
ND ST-3-L10	Loctite® Vibra-Seal® 517 mod
ND ST-3-L11	Loctite® Dri-Seal® 506
ND ST-3-L13	Loctite® Dri-Seal® 513
Stay-Put	Nylok® Ny Stay®

ND, ND Industries, Epoxy-Lock, ND LM-1293, ND Microspheres and ST-3 are registered trademarks of ND Industries, Inc. 3M and Scotch-Grip are trademarks of Minnesota Mining and Manufacturing Company. Loctite, Dri-Loc, Dri-Seal and Vibra-Seal are registered trademarks of Henkel Corp. USA. Precote is a registered trademark of Omnitechnik Mikroverpackungsges.mbh. Nycote, Ny Temp, Ny Plate, Torq-Strip, Ny Plas, Ny Seal and Ny Stay are registered trademarks of Nylok



Vibra-TITE®

Vibra-Tite Customer Service

Toll Free Phone: (800) 521-2663 • Phone: (386) 860-4522 • Fax: (386) 860-4521

Visit our website at www.vibra-tite.com • email: sales@vibra-tite.com



ND Industries, Inc.
Corporate Office
1000 North Crooks Road
Clawson, Michigan 48017 USA

Phone: 248-288-0000
Fax: 248-288-0022
www.ndindustries.com

ND Pre-Applied Processing Centers

Oakland, New Jersey	Northbrook, Illinois	Kaohsiung, Taiwan
Charlotte, North Carolina	Rockford, Illinois	Kunshan City, China
Clawson, Michigan	Arlington, Texas	Istanbul, Turkey
Twinsburg, Ohio	Santa Fe Springs, California	