

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/11/2021

Reviewed on 06/23/2020

## 1 Identification

### - Product identifier

- **Trade name:** Vibra-TITE® Specialty Products
- **Synonyms:** Viz-Torque 202 - White
- **Part number:** VT2025
- **Application of the substance / the mixture** Assembly adhesive

### - Details of the supplier of the safety data sheet

#### - **Manufacturer/Supplier:**

ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com

#### - **Information department:** Product Safety Department

#### - **Emergency telephone number:**

United States: 1-800-424-9300  
International: +1-703-527-3887

## \* 2 Hazard(s) identification

### - Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

### - Label elements

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

#### - Hazard pictograms



GHS02 GHS07 GHS08

#### - **Signal word** Danger

#### - **Hazard-determining components of labeling:**

isopropanol  
titanium dioxide

#### - **Hazard statements**

H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H336 May cause drowsiness or dizziness.

#### - **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2021

Reviewed on 06/23/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 1)

P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear eye protection / face protection.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

CAS	Component	Hazard	Concentration
	Acrylic polymer	Combustible Dust	20 – 29%
CAS: 1332-58-7	Kaolin		20 – 29%
CAS: 616-38-6	dimethyl carbonate	Flam. Liq. 2, H225	20 – 29%
CAS: 67-63-0	isopropanol	Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H336	20 – 29%
CAS: 13463-67-7	titanium dioxide	Carc. 2, H351	1 – 4%

### 4 First-aid measures

**- Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

**- Extinguishing media****- Suitable extinguishing agents:**

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**- For safety reasons unsuitable extinguishing agents:** Water**- Special hazards arising from the substance or mixture** No further relevant information available.**- Advice for firefighters****- Protective equipment:**

- Wear self-contained respiratory protective device.
- Wear fully protective suit.

### 6 Accidental release measures

**- Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

**- Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**- Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

**- Reference to other sections**

See Section 7 for information on safe handling.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2021

Reviewed on 06/23/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

### - Handling:

#### - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

#### - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

### - Conditions for safe storage, including any incompatibilities

#### - Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

### - Specific end use(s) No further relevant information available.

## \* 8 Exposure controls/personal protection

### - Additional information about design of technical systems: No further data; see item 7.

### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

#### CAS: 1332-58-7 Kaolin

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>  
\*total dust \*\*respirable fraction

REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup>  
\*total dust \*\*respirable fraction

TLV Long-term value: 2\* mg/m<sup>3</sup>  
E; as respirable fraction

#### CAS: 67-63-0 isopropanol

PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

REL Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm  
Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

TLV Short-term value: 984 mg/m<sup>3</sup>, 400 ppm  
Long-term value: 492 mg/m<sup>3</sup>, 200 ppm  
BEI

### - Ingredients with biological limit values:

#### CAS: 67-63-0 isopropanol

BEI 40 mg/L  
Medium: urine  
Time: end of shift at end of workweek  
Parameter: Acetone (background, nonspecific)

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

##### - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

##### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

##### - Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2021

Reviewed on 06/23/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 3)

**- Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Body protection:** Protective work clothing

## 9 Physical and chemical properties

**- Information on basic physical and chemical properties****- General Information****- Appearance:****- Form:**

Liquid

**- Color:**

White

**- Odor:**

Alcohol-like

**- Odor threshold:**

Not determined.

**- pH-value:**

Not determined.

**- Change in condition****- Melting point/Melting range:**

Undetermined.

**- Boiling point/Boiling range:**

≥ 82 °C (≥ 179.6 °F)

**- Flash point:**

13 °C (55.4 °F)

**- Flammability (solid, gaseous):**

Not applicable.

**- Ignition temperature:**

425 °C (797 °F)

**- Decomposition temperature:**

Not determined.

**- Auto igniting:**

Product is not selfigniting.

**- Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

**- Explosion limits:****- Lower:**

2 Vol %

**- Upper:**

12 Vol %

**- Vapor pressure at 20 °C (68 °F):**

≤ 56 hPa (≤ 42 mm Hg)

**- Density at 20 °C (68 °F):**~ 1.37226 g/cm<sup>3</sup> (~ 11.45151 lbs/gal)**- Relative density**

Not determined.

**- Vapor density**

Not determined.

**- Evaporation rate**

Not determined.

**- Solubility in / Miscibility with****- Water:**

Not miscible or difficult to mix.

**- Partition coefficient (n-octanol/water):** Not determined.**- Viscosity:****- Dynamic:**

Not determined.

**- Kinematic:**

Not determined.

**- Solvent content:****- Organic solvents:**

21.1 %

**- VOC content:**

21.13 %

~ 289.9 g/l / ~ 2.42 lb/gal

**- Solids content:**

28.1 %

**- Other information**

No further relevant information available.

## 10 Stability and reactivity

**- Reactivity** No further relevant information available.**- Chemical stability****- Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**- Possibility of hazardous reactions** No dangerous reactions known.**- Conditions to avoid** No further relevant information available.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2021

Reviewed on 06/23/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 4)

- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

### - Information on toxicological effects

#### - Acute toxicity:

#### - LD/LC50 values that are relevant for classification:

##### CAS: 616-38-6 dimethyl carbonate

Oral	LD50	13,000 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)

##### CAS: 67-63-0 isopropanol

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

##### CAS: 13463-67-7 titanium dioxide

Oral	LD50	> 20,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 6.82 mg/l (rat)

#### - Primary irritant effect:

- **on the skin:** No irritant effect.

- **on the eye:** Irritating effect.

- **Sensitization:** No sensitizing effects known.

#### - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

#### - Carcinogenic categories

##### - IARC (International Agency for Research on Cancer)

CAS: 67-63-0	isopropanol	3
CAS: 13463-67-7	titanium dioxide	2B

##### - NTP (National Toxicology Program)

None of the ingredients is listed.

##### - OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

### - Toxicity

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

#### - Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

#### - Additional ecological information:

##### - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### - Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

### - Waste treatment methods

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

### - Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

# Safety Data Sheet



acc. to OSHA HCS

Printing date 05/11/2021

Reviewed on 06/23/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 5)

14 Transport information	
- <b>UN-Number</b> - <b>DOT, IMDG, IATA</b>	UN1139
- <b>UN proper shipping name</b> - <b>DOT</b> - <b>IMDG, IATA</b>	Coating solution COATING SOLUTION
- <b>Transport hazard class(es)</b> - <b>DOT</b>	
	
- <b>Class</b> - <b>Label</b>	3 Flammable liquids 3
- <b>IMDG, IATA</b>	
	
- <b>Class</b> - <b>Label</b>	3 Flammable liquids 3
- <b>Packing group</b> - <b>DOT, IMDG, IATA</b>	II
- <b>Environmental hazards:</b>	Not applicable.
- <b>Special precautions for user</b> - <b>Hazard identification number (Kemler code):</b> - <b>EMS Number:</b> - <b>Stowage Category</b>	Warning: Flammable liquids 33 F-E, S-E B
- <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
- <b>Transport/Additional information:</b> - <b>DOT</b> - <b>Quantity limitations</b>	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
- <b>IMDG</b> - <b>Limited quantities (LQ)</b> - <b>Excepted quantities (EQ)</b>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- <b>UN "Model Regulation":</b>	UN 1139 COATING SOLUTION, 3, II

15 Regulatory information	
- <b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b> No further relevant information available.	
- <b>Sara</b>	
- <b>Section 355 (extremely hazardous substances):</b>	
None of the ingredients is listed.	
- <b>Section 313 (Specific toxic chemical listings):</b>	
CAS: 67-63-0 isopropanol	
- <b>TSCA (Toxic Substances Control Act):</b>	
All components have the value ACTIVE.	
- <b>Hazardous Air Pollutants</b>	
None of the ingredients is listed.	

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/11/2021

Reviewed on 06/23/2020

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 6)

**- Proposition 65****- Chemicals known to cause cancer:**

None of the ingredients is listed.

**- Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**- Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**- Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**- Carcinogenic categories****- EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**- TLV (Threshold Limit Value)**

CAS: 1332-58-7	Kaolin	A4
CAS: 67-63-0	isopropanol	A4
CAS: 13463-67-7	titanium dioxide	A4

**- NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 13463-67-7 titanium dioxide

**- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**- Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affaires**- Contact:** Safety, Health and Environmental Affaires**- Classification System:****- HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

**- NFPA ratings (scale 0 - 4)**

2	3	0	Health = 2
			Fire = 3
			Reactivity = 0

**- Date of preparation / last revision** 05/11/2021 / 22**- Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 BEI: Biological Exposure Limit  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
 Carc. 2: Carcinogenicity – Category 2  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**- \* Data compared to the previous version altered.****- Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.