



Printing date 03/05/2020 Reviewed on 12/18/2019

#### 1 Identification

#### - Product identifier

- Trade name: Vibra-TITE® VC-3®

Synonyms: VC-3 TapePart number: VT238

- Application of the substance / the mixture

Thread Locking

Thread locking and sealing

# - Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number: United States: 1-800-424-9300

# International: +1-703-527-3887 2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

- Label elements
  - GHS label elements Void
    - Hazard pictograms Void
    - Signal word Void
    - Hazard statements Void
- Other hazards
  - Results of PBT and vPvB assessment
    - PBT: Not applicable.
    - vPvB: Not applicable.

# 3 Composition/information on ingredients

- Chemical characterization: Mixtures
  - Description: Mixture of the substances listed below with nonhazardous additions.
- *Dangerous components:* CAS: 9003-63-8 | Acrylic Polymer

- Dangerous components:

4 First-aid measures

### - Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- Extinguishing media
  - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

70 - 79%

Combustible Dust

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/05/2020 Reviewed on 12/18/2019

Trade name: Vibra-TITE® VC-3®

#### - Advice for firefighters

### Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

### - Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- Handling:
  - Precautions for safe handling No special precautions are necessary if used correctly.
  - Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
  - Storage:
    - Requirements to be met by storerooms and receptacles: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
  - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
  - Personal protective equipment:
    - General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
    - Breathing equipment: Not required.
    - Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eve protection: Not required.
- Body protection: Protective work clothing

### 9 Physical and chemical properties

#### - Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Solid material Color: Red - Odor: Characteristic - Odor threshold: Not determined.

- pH-value: Not applicable.

- Change in condition
  - Melting point/Melting range: Undetermined.

Printing date 03/05/2020 Reviewed on 12/18/2019

Trade name: Vibra-TITE® VC-3®

(Contd. of page 2)

	(Conta. or pay
- Boiling point/Boiling range:	≥ 414 °C (≥ 777.2 °F)
- Flash point:	263 °C (505.4 °F)
- Flammability (solid, gaseous):	Not determined.
- Ignition temperature:	410 °C (770 °F)
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	1.8 Vol %
- Upper:	11.5 Vol %
- Vapor pressure at 25 °C (77 °F):	> 0 hPa
- Density at 20 °C (68 °F):	~ 1.13505 g/cm³ (~ 9.47199 lbs/gal)
<ul> <li>Relative density</li> </ul>	Not determined.
- Vapor density	Not applicable.
- Evaporation rate	Not applicable.
- Solubility in / Miscibility with	
- Water:	Insoluble.
- Partition coefficient (n-octanol/w	/ater): Not determined.
- Viscosity:	
- Dynamic at 20 °C (68 °F):	250 mPas
- Kinematic:	Not applicable.
- Solvent content:	
<ul><li>Organic solvents:</li></ul>	0.0 %
- VOC content:	0.02 %
- Solids content:	84.6 %
- Other information	No further relevant information available.

# 10 Stability and reactivity

- Reactivity No further relevant information available.
  - Chemical stability
    - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

# 11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Oral LD50 33,782 mg/kg (rat)	

### CAS: 3319-31-1 Trioctyl trimellitate

Oral LD50 5,000 mg/kg (rat)

- Primary irritant effect:
  - on the skin: No irritant effect.
  - on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Printing date 03/05/2020 Reviewed on 12/18/2019

Trade name: Vibra-TITE® VC-3®

(Contd. of page 3)

# - Carcinogenic categories

- IAF	RC (International Agency for Research on Cancer)	
CAS: 111-76-2	2-butoxyethanol	3
CAS: 108-88-3	toluene	3
- NT	P (National Toxicology Program)	
None of the ing	redients is listed.	
- OS	SHA-Ca (Occupational Safety & Health Administration)	
None of the ing	redients is listed.	

# 12 Ecological information

- Toxicity
  - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
  - Bioaccumulative potential No further relevant information available.
  - Mobility in soil No further relevant information available.
- Additional ecological information:
  - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
  - PBT: Not applicable.
  - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- Waste treatment methods
  - Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
  - Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT, ADN, IMDG, IATA	not regulated
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated
- Transport hazard class(es)	
- DOT, ADN, IMDG, IATA - Class	not regulated
- Packing group - DOT, IMDG, IATA	not regulated
- Environmental hazards: - Marine pollutant:	No
- Special precautions for user	Not applicable.
- Transport in bulk according to Annex II of MA and the IBC Code	ARPOL73/78  Not applicable.
- UN "Model Regulation":	not regulated

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture - Sara

- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
CAS: 111-76-2 2-butoxyethanol	

Printing date 03/05/2020 Reviewed on 12/18/2019

Trade name: Vibra-TITE® VC-3®

(Contd. of page 4) CAS: 108-88-3 toluene - TSCA (Toxic Substances Control Act): All components have the value ACTIVE. - Hazardous Air Pollutants CAS: 108-88-3 toluene - Proposition 65 - Chemicals known to cause cancer: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

CAS: 108-88-3 toluene

#### - Carcinogenic categories

- EP	A (Environmental Protection Agency)	
CAS: 111-76-2	2-butoxyethanol	NL
CAS: 108-88-3	toluene	II
- <b>TL</b>	V (Threshold Limit Value established by ACGIH)	
CAS: 111-76-2	2-butoxyethanol	A3
CAS: 108-88-3	toluene	A4
- NIC	OSH-Ca (National Institute for Occupational Safety and Health)	
None of the ing	redients is listed.	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
  - HMIS-ratings (scale 0 4)



# - NFPA ratings (scale 0 - 4)



### - Date of preparation / last revision 03/05/2020 / 5

#### - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

#### \* Data compared to the previous version altered.

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

Printing date 03/05/2020 Reviewed on 12/18/2019

Trade name: Vibra-TITE® VC-3®

(Contd. of page 5)

@ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, @Vibra-TITE is a registered trademark of ND Industries, Inc.