

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

1 Identification

- Product identifier

- **Trade name:** Vibra-TITE® Gasket Maker
- **Synonyms:** 992 RTV Silicone Gasket Maker - Copper
- **Part number:** VT992

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:
 ND Industries, Inc
 1000 North Crooks Road
 Clawson, MI 48017
 USA
 Telephone: +1-248-288-0000
 Email: info@ndindustries.com
 Website: www.ndindustries.com

- Information department: Product safety department

- Emergency telephone number:

United States: 1-800-424-9300
 International: +1-703-527-3887

* 2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Sens. 1B H317 May cause an allergic skin reaction.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GHS07 GHS08

- Signal word Warning

- Hazard statements

H317 May cause an allergic skin reaction.
 H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves.
- P302+P352 If on skin: Wash with plenty of water.
- P314 Get medical advice/attention if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:

- NFPA ratings (scale 0 - 4)



Health = 2
 Fire = 1
 Reactivity = 0

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 1)

- **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|----------------|
| HEALTH | 2 | Health = 2 |
| FIRE | 1 | Fire = 1 |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**- **Description:** Mixture of the substances listed below with nonhazardous additions.- **Dangerous components:**

| | | |
|------------|--|------|
| 2224-33-1 | Vinyl tri (methylethylketoxime) Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Flam. Liq. 4, H227 | 5-9% |
| 13822-56-5 | 3-(trimethoxysilyl)propylamine Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227 | 1-4% |
| 12001-26-2 | Mica | 1-4% |

4 First-aid measures

- **Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**- **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.- **Advice for firefighters**- **Protective equipment:**

Wear self-contained respiratory protective device.
Wear fully protective suit.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation
Wear protective clothing.

- **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.
Dispose of the collected material according to regulations.

- **Reference to other sections**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

- **Information about protection against explosions and fires:** Protect from heat.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 2)

- Conditions for safe storage, including any incompatibilities

- Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from heat and direct sunlight.

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

12001-26-2 Mica

| | |
|-----|---|
| PEL | Long-term value: 20 mppcf ppm <1% crystalline silica |
| REL | Long-term value: 3* mg/m ³ *respirable dust; containing < 1% quartz |
| TLV | Long-term value: 3* mg/m ³ *as respirable fraction |

- **Additional information:** The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling.

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Appearance:

- **Form:** Pasty
- **Color:** Bronze colored

- **Odor:** Light
- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

- Change in condition

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** >140 °C (>284 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 400 °C (752 °F)

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 3)

| | |
|---|---|
| - Decomposition temperature: | Not determined. |
| - Auto igniting: | Product is not selfigniting. |
| - Danger of explosion: | Product does not present an explosion hazard. |
| - Explosion limits: | |
| - Lower: | Not determined. |
| - Upper: | Not determined. |
| - Vapor pressure at 25 °C (77 °F): | ≤7 hPa (≤5.3 mm Hg) |
| - Density at 20 °C (68 °F): | ~1.04 g/cm ³ (~8.6788 lbs/gal) |
| - Relative density | Not determined. |
| - Vapor density | Not determined. |
| - Evaporation rate | Not determined. |
| - Solubility in / Miscibility with | |
| - Water: | Not miscible or difficult to mix. |
| - Partition coefficient (n-octanol/water): | Not determined. |
| - Viscosity: | |
| - Dynamic: | Not determined. |
| - Kinematic: | Not determined. |
| - Solvent content: | |
| - VOC content: | 0.00 % ~0.0 g/l / ~0.00 lb/gl |
| - Solids content: | 12.5 % |
| - Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**

- LD/LC50 values that are relevant for classification:

2224-33-1 Vinyl tri (methylethylketoxime)

| | | |
|------------|----------|-----------------|
| Oral | LD50 | 500 mg/kg (ATE) |
| Inhalative | LC50/4 h | 11 mg/l (ATE) |

- Primary irritant effect:

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.

- Sensitization:

- No sensitizing effects known.

- Additional toxicological information:

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

1309-37-1 Pigment

3

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 4)

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
 - **Remark:** Harmful to fish
- **Additional ecological information:**
 - **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

| | |
|--|-----------------|
| - UN-Number | |
| - DOT, ADN, IMDG, IATA | not regulated |
| - UN proper shipping name | |
| - DOT, ADN, IMDG, IATA | not regulated |
| - Transport hazard class(es) | |
| - DOT, ADN, IMDG, IATA | |
| - Class | not regulated |
| - Packing group | |
| - DOT, IMDG, IATA | not regulated |
| - Environmental hazards: | |
| - Marine pollutant: | No |
| - Special precautions for user | Not applicable. |
| - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| - UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

Dimethyl Siloxane

Polydimethylsiloxane, trimethyl terminated

Vinyl tri (methylethylketoxime)

Modified Silicon Dioxide

Pigment

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/22/2018

Reviewed on 01/22/2018

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 5)

| | | |
|---|---------|----|
| 3-(trimethoxysilyl)propylamine | | |
| Pigment | | |
| Dimethylbis stannane | | |
| propyltrialkoxysilane | | |
| - TSCA new (21st Century Act) (Substances not listed) | | |
| 12001-26-2 | Mica | |
| - Proposition 65 | | |
| - Chemicals known to cause cancer: | | |
| None of the ingredients is listed. | | |
| - Chemicals known to cause reproductive toxicity for females: | | |
| None of the ingredients is listed. | | |
| - Chemicals known to cause reproductive toxicity for males: | | |
| None of the ingredients is listed. | | |
| - Chemicals known to cause developmental toxicity: | | |
| None of the ingredients is listed. | | |
| - Carcinogenic categories | | |
| - EPA (Environmental Protection Agency) | | |
| None of the ingredients is listed. | | |
| - TLV (Threshold Limit Value established by ACGIH) | | |
| 1309-37-1 | Pigment | A4 |
| - NIOSH-Ca (National Institute for Occupational Safety and Health) | | |
| None of the ingredients is listed. | | |
| - Chemical safety assessment: A Chemical Safety Assessment has not been carried out. | | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

- Date of preparation / last revision 01/22/2018 / 19

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Flam. Liq. 4: Flammable liquids – Category 4
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Skin Sens. 1B: Skin sensitisation – Category 1B
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

©ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,
 ©Vibra-TITE is a registered trademark of ND Industries, Inc.