

**Kit Components**

Product code	Description
<b>VTPB550</b>	<b>Vibra-TITE® Methacrylate Adhesives PB550 Marine - U.V. Stable - White</b>

## Components:

VTPB550A	Vibra-TITE® Methacrylate Adhesives PB550 Marine - U.V. Stable - White Part A
VTPB550B	Vibra-TITE® Methacrylate Adhesives PB550 Marine - U.V. Stable White Part B

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

**1 Identification**

**- Product identifier**

- **Trade name:** Vibra-TITE® Methacrylate Adhesives

- **Synonyms:** PB550 Marine - U.V. Stable - White Part A

- **Part number:** VTPB550A

**- Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com

- **Information department:** Product safety department

- **Emergency telephone number:**

United States: 1-800-424-9300  
International: +1-703-527-3887

**\* 2 Hazard(s) identification**

**- Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

**- Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

methyl methacrylate  
methacrylic acid

- **Hazard statements**

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 1)

P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Classification system:****- NFPA ratings (scale 0 - 4)**

1	3	0	Health = 1
			Fire = 3
			Reactivity = 0

**- HMIS-ratings (scale 0 - 4)**

HEALTH 1	Health = 1
FIRE 3	Fire = 3
REACTIVITY 0	Reactivity = 0

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

80-62-6	methyl methacrylate	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	60-69%
	Impact modifying resin	Skin Irrit. 2, H315	5-9%
79-41-4	methacrylic acid	Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Flam. Liq. 4, H227	1-4%

### 4 First-aid measures

**- Description of first aid measures****- After inhalation:**

Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

**- After skin contact:** Immediately wash with water and soap and rinse thoroughly.**- After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**- After swallowing:** If symptoms persist consult doctor.**- Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

**- Extinguishing media****- Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

**- For safety reasons unsuitable extinguishing agents:** Water with full jet**- Special hazards arising from the substance or mixture** No further relevant information available.**- Advice for firefighters****- Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 2)

## 6 Accidental release measures

### - Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.  
 Ensure adequate ventilation  
 Keep away from ignition sources  
 Wear protective clothing.

### - Environmental precautions: Do not allow to enter sewers/ surface or ground water.

### - Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Ensure adequate ventilation.  
 Do not flush with water or aqueous cleansing agents  
 Dispose of the collected material according to regulations.

### - Reference to other sections

See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

### - Protective Action Criteria for Chemicals

#### - PAC-1:

80-62-6	methyl methacrylate	17 ppm
79-41-4	methacrylic acid	6.7 ppm
57-55-6	Propylene glycol	30 mg/m <sup>3</sup>

#### - PAC-2:

80-62-6	methyl methacrylate	120 ppm
79-41-4	methacrylic acid	61 ppm
57-55-6	Propylene glycol	1,300 mg/m <sup>3</sup>

#### - PAC-3:

80-62-6	methyl methacrylate	570 ppm
79-41-4	methacrylic acid	220 ppm
57-55-6	Propylene glycol	7,900 mg/m <sup>3</sup>

## 7 Handling and storage

### - Handling:

#### - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
 Prevent formation of aerosols.

#### - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.  
 Protect against electrostatic charges.

### - Conditions for safe storage, including any incompatibilities

#### - Storage:

- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

- **Information about storage in one common storage facility:** Not required.

#### - Further information about storage conditions:

Keep receptacle tightly sealed.  
 Store in cool, dry conditions in well sealed receptacles.

### - Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

### - Additional information about design of technical systems: No further data; see item 7.

### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
 At this time, the remaining constituent has no known exposure limits.

#### 80-62-6 methyl methacrylate

PEL	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm
REL	Long-term value: 410 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 410 mg/m <sup>3</sup> , 100 ppm Long-term value: 205 mg/m <sup>3</sup> , 50 ppm
DSEN	

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 3)

**79-41-4 methacrylic acid**REL Long-term value: 70 mg/m<sup>3</sup>, 20 ppm  
SkinTLV Long-term value: 70 mg/m<sup>3</sup>, 20 ppm- **Additional information:** The lists that were valid during the creation were used as basis.**- Exposure controls****- Personal protective equipment:****- General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

**- Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**- Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**- Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye protection:**

Tightly sealed goggles

**- Body protection:** Protective work clothing

## 9 Physical and chemical properties

**- Information on basic physical and chemical properties****- General Information****- Appearance:****- Form:**

Viscous

**- Color:**

White

**- Odor:**

Pungent

**- Odor threshold:**

Not determined.

**- pH-value:**

Not determined.

**- Change in condition****- Melting point/Melting range:**

Undetermined.

**- Boiling point/Boiling range:**

101°C (°F)

**- Flash point:**

10°C (°F)

**- Flammability (solid, gaseous):**

Not applicable.

**- Ignition temperature:**

430°C (°F)

**- Decomposition temperature:**

Not determined.

**- Auto igniting:**

Product is not selfigniting.

**- Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

**- Explosion limits:****- Lower:**

2.1 Vol %

**- Upper:**

12.5 Vol %

**- Vapor pressure at 20°C (68 °F):**

47 hPa (mm Hg)

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 4)

- <b>Density at 20°C (68 °F):</b>	0.96 g/cm <sup>3</sup> (lbs/gal)
- <b>Relative density</b>	Not determined.
- <b>Vapor density</b>	Not determined.
- <b>Evaporation rate</b>	Not determined.
- <b>Solubility in / Miscibility with</b>	
- <b>Water:</b>	Not miscible or difficult to mix.
- <b>Partition coefficient (n-octanol/water):</b>	Not determined.
- <b>Viscosity:</b>	
- <b>Dynamic at 20°C (68 °F):</b>	60,000 mPas
- <b>Kinematic:</b>	Not determined.
- <b>Solvent content:</b>	
- <b>Organic solvents:</b>	0.2 %
- <b>Water:</b>	0.0 %
- <b>VOC content:</b>	0.16 %
	1.6 g/l / 0.01 lb/gl
- <b>Solids content:</b>	29.5 %
- <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \*11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**

### - LD/LC50 values that are relevant for classification:

#### 80-62-6 methyl methacrylate

Oral LD50 7,872 mg/kg (rat)

#### Impact modifying resin

Oral LD50 10,000 mg/kg (rat)

#### 79-41-4 methacrylic acid

Oral LD50 1,332 mg/kg (mouse)

Dermal LD50 500 mg/kg (rabbit)

### - Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

### - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

### - Carcinogenic categories

#### - IARC (International Agency for Research on Cancer)

80-62-6 methyl methacrylate

3

#### - NTP (National Toxicology Program)

None of the ingredients is listed.

#### - OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 5)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
  - **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
  - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

<ul style="list-style-type: none"> <li>- <b>UN-Number</b></li> <li style="padding-left: 20px;">- DOT, IMDG, IATA</li> </ul>	UN1133
<ul style="list-style-type: none"> <li>- <b>UN proper shipping name</b></li> <li style="padding-left: 20px;">- DOT</li> <li style="padding-left: 20px;">- IMDG, IATA</li> </ul>	Adhesives ADHESIVES
<ul style="list-style-type: none"> <li>- <b>Transport hazard class(es)</b></li> <li style="padding-left: 20px;">- DOT</li> </ul>	<div style="text-align: center;">  </div> <ul style="list-style-type: none"> <li style="padding-left: 20px;">- Class</li> <li style="padding-left: 20px;">- Label</li> </ul>
<ul style="list-style-type: none"> <li style="padding-left: 20px;">- Class</li> <li style="padding-left: 20px;">- Label</li> </ul>	3 Flammable liquids 3
<ul style="list-style-type: none"> <li>- <b>IMDG, IATA</b></li> </ul>	<div style="text-align: center;">  </div> <ul style="list-style-type: none"> <li style="padding-left: 20px;">- Class</li> <li style="padding-left: 20px;">- Label</li> </ul>
<ul style="list-style-type: none"> <li style="padding-left: 20px;">- Class</li> <li style="padding-left: 20px;">- Label</li> </ul>	3 Flammable liquids 3
<ul style="list-style-type: none"> <li>- <b>Packing group</b></li> <li style="padding-left: 20px;">- DOT, IMDG, IATA</li> </ul>	III
<ul style="list-style-type: none"> <li>- <b>Environmental hazards:</b></li> <li style="padding-left: 20px;">- Marine pollutant:</li> </ul>	No
<ul style="list-style-type: none"> <li>- <b>Special precautions for user</b></li> <li style="padding-left: 20px;">- Danger code (Kemler):</li> <li style="padding-left: 20px;">- EMS Number:</li> <li style="padding-left: 20px;">- Stowage Category</li> </ul>	Warning: Flammable liquids - F-E,S-D A
<ul style="list-style-type: none"> <li>- <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>- <b>Transport/Additional information:</b></li> <li style="padding-left: 20px;">- DOT</li> <li style="padding-left: 40px;">- Quantity limitations</li> </ul>	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 6)

<b>- IMDG</b> - Limited quantities (LQ) - Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>- UN "Model Regulation":</b>	UN 1133 ADHESIVES, 3, III

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

<b>- Section 355 (extremely hazardous substances):</b>
None of the ingredients is listed.

<b>- Section 313 (Specific toxic chemical listings):</b>
80-62-6 methyl methacrylate

<b>- TSCA (Toxic Substances Control Act):</b>
methyl methacrylate
methacrylic acid
N,N-dimethyl-p-toluidine
Propylene glycol
Deionized water

### - Proposition 65

<b>- Chemicals known to cause cancer:</b>
99-97-8 N,N-dimethyl-p-toluidine

<b>- Chemicals known to cause reproductive toxicity for females:</b>
None of the ingredients is listed.

<b>- Chemicals known to cause reproductive toxicity for males:</b>
None of the ingredients is listed.

<b>- Chemicals known to cause developmental toxicity:</b>
None of the ingredients is listed.

### - Carcinogenic categories

<b>- EPA (Environmental Protection Agency)</b>	
80-62-6 methyl methacrylate	E, NL

<b>- TLV (Threshold Limit Value established by ACGIH)</b>	
80-62-6 methyl methacrylate	A4

<b>- NIOSH-Ca (National Institute for Occupational Safety and Health)</b>
None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs

- **Contact:** Safety, Health and Environmental Affairs

- **Date of preparation / last revision** 08/15/2017 / 11

### - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit

(Contd. on page 8)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

**Trade name:** Vibra-TITE® Methacrylate Adhesives

(Contd. of page 7)

REL: Recommended Exposure Limit  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- \* **Data compared to the previous version altered.**

**- Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,  
®Vibra-TITE is a registered trademark of ND Industries, Inc.

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

**1 Identification**

- **Product identifier**

- **Trade name:** Vibra-TITE® Methacrylate Adhesives

- **Synonyms:** PB550 Marine - U.V. Stable White Part B

- **Part number:** VTPB550B

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com

- **Information department:** Product safety department

- **Emergency telephone number:**

United States: 1-800-424-9300  
International: +1-703-527-3887

**\* 2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Flam. Liq. 4 H227 Combustible liquid.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

Polyester catalyst  
dimethylbenzyl hydroperoxide

- **Hazard statements**

H227 Combustible liquid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- **Precautionary statements**

P210 Keep away from flames and hot surfaces. – No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash face, hands and any exposed skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P321 Specific treatment (see on this label).

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 1)

P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use for extinction: CO <sub>2</sub> , powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Classification system:****- NFPA ratings (scale 0 - 4)**

2	2	0
---	---	---

Health = 2  
Fire = 2  
Reactivity = 0

**- HMIS-ratings (scale 0 - 4)**

HEALTH 2	2
FIRE 2	2
REACTIVITY 0	0

Health = \*2  
Fire = 2  
Reactivity = 0

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients****- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

	Polyester catalyst Acute Tox. 3, H301; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317; STOT SE 3, H335-H336; Flam. Liq. 4, H227	10-19%
80-15-9	dimethylbenzyl hydroperoxide Self-react. F, H242; Org. Perox. E, H242; Acute Tox. 3, H331; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335; Flam. Liq. 4, H227	1-4%
67762-90-7	Synthetic amorphous silica (fumed) Combustible Dust	≤1%

**4 First-aid measures****- Description of first aid measures****- General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**- After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

**- After skin contact:** Immediately wash with water and soap and rinse thoroughly.**- After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**- After swallowing:** Immediately call a doctor.**- Information for doctor:**- **Most important symptoms and effects, both acute and delayed** No further relevant information available.- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**5 Fire-fighting measures****- Extinguishing media****- Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.CO<sub>2</sub>, sand, extinguishing powder. Do not use water.**- For safety reasons unsuitable extinguishing agents:** Water**- Special hazards arising from the substance or mixture** No further relevant information available.**- Advice for firefighters****- Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 2)

Wear fully protective suit.

## 6 Accidental release measures

### - Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation  
Keep away from ignition sources  
Wear protective clothing.

### - Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### - Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

### - Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### - Protective Action Criteria for Chemicals

#### - PAC-1:

80-15-9	dimethylbenzyl hydroperoxide	0.15 ppm
67762-90-7	Synthetic amorphous silica (fumed)	120 mg/m <sup>3</sup>

#### - PAC-2:

80-15-9	dimethylbenzyl hydroperoxide	1.6 ppm
67762-90-7	Synthetic amorphous silica (fumed)	1,300 mg/m <sup>3</sup>

#### - PAC-3:

80-15-9	dimethylbenzyl hydroperoxide	9.7 ppm
67762-90-7	Synthetic amorphous silica (fumed)	7,900 mg/m <sup>3</sup>

## 7 Handling and storage

### - Handling:

#### - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

- **Information about protection against explosions and fires:** Protect from heat.

### - Conditions for safe storage, including any incompatibilities

#### - Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.

- **Information about storage in one common storage facility:** Not required.

#### - Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

#### 80-15-9 dimethylbenzyl hydroperoxide

WEEL	Long-term value: 6 mg/m <sup>3</sup> , 1 ppm Skin
------	--

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

#### - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 3)

Avoid contact with the skin.  
Avoid contact with the eyes and skin.

**- Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**- Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**- Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye protection:**

Tightly sealed goggles

**- Body protection:** Protective work clothing

## 9 Physical and chemical properties

**- Information on basic physical and chemical properties****- General Information****- Appearance:**

**- Form:** Viscous

**- Color:** White

**- Odor:** Pungent

**- Odor threshold:** Not determined.

**- pH-value:** Not determined.

**- Change in condition**

**- Melting point/Melting range:** Undetermined.

**- Boiling point/Boiling range:** 110°C (°F)

**- Flash point:** 84°C (°F)

**- Flammability (solid, gaseous):** Not applicable.

**- Ignition temperature:** 410°C (°F)

**- Decomposition temperature:** Not determined.

**- Auto igniting:** Product is not selfigniting.

**- Danger of explosion:** Not determined.

**- Explosion limits:**

**- Lower:** Not determined.

**- Upper:** Not determined.

**- Vapor pressure:** Not determined.

**- Density at 20°C (68 °F):** 0.96 g/cm<sup>3</sup> (lbs/gal)

**- Relative density** Not determined.

**- Vapor density** Not determined.

**- Evaporation rate** Not determined.

**- Solubility in / Miscibility with**

**- Water:** Fully miscible.

**- Partition coefficient (n-octanol/water):** Not determined.

**- Viscosity:**

**- Dynamic at 20°C (68 °F):** 100,000 mPas

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 4)

- <b>Kinematic:</b>	Not determined.
- <b>Solvent content:</b>	
- <b>VOC content:</b>	0.00 % 0.0 g/l / 0.00 lb/gl
- <b>Solids content:</b>	77.0 %
- <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \*11 Toxicological information

### - Information on toxicological effects

#### - Acute toxicity:

#### - LD/LC50 values that are relevant for classification:

##### 3319-31-1 Trioctyl trimellitate

Oral	LD50	5,000 mg/kg (rat)
------	------	-------------------

##### Polyester catalyst

Oral	LD50	100 mg/kg (ATE)
------	------	-----------------

##### 80-15-9 dimethylbenzyl hydroperoxide

Oral	LD50	382 mg/kg (rat)
------	------	-----------------

Dermal	LD50	500 mg/kg (rat)
--------	------	-----------------

Inhalative	LC50/4 h	220 mg/l (rat)
------------	----------	----------------

#### - Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.

#### - Sensitization:

Sensitization possible through skin contact.

#### - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

#### - Carcinogenic categories

##### - IARC (International Agency for Research on Cancer)

128-37-0	Antioxidant	3
----------	-------------	---

##### - NTP (National Toxicology Program)

None of the ingredients is listed.

##### - OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

### - Toxicity

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

### - Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

### - Ecotoxicological effects:

- **Remark:** Harmful to fish

### - Additional ecological information:

#### - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 5)

**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

**- Waste treatment methods**

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**- Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

<b>- UN-Number</b>	
- DOT, ADN, IMDG, IATA	not regulated
<b>- UN proper shipping name</b>	
- DOT, ADN, IMDG, IATA	not regulated
<b>- Transport hazard class(es)</b>	
- DOT, ADN, IMDG, IATA	
- Class	not regulated
<b>- Packing group</b>	
- DOT, IMDG, IATA	not regulated
<b>- Environmental hazards:</b>	
- Marine pollutant:	No
<b>- Special precautions for user</b>	Not applicable.
<b>- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>- UN "Model Regulation":</b>	not regulated

## 15 Regulatory information

**- Safety, health and environmental regulations/legislation specific for the substance or mixture****- Sara****- Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

**- Section 313 (Specific toxic chemical listings):**

80-15-9 dimethylbenzyl hydroperoxide

**- TSCA (Toxic Substances Control Act):**

Trioctyl trimellitate

dimethylbenzyl hydroperoxide

Synthetic amorphous silica (fumed)

Antioxidant

**- Proposition 65****- Chemicals known to cause cancer:**

None of the ingredients is listed.

**- Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**- Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**- Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**- Carcinogenic categories****- EPA (Environmental Protection Agency)**

None of the ingredients is listed.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/15/2017

Reviewed on 08/15/2017

**Trade name:** Vibra-TITE® Methacrylate Adhesives

(Contd. of page 6)

<b>- TLV (Threshold Limit Value established by ACGIH)</b>	
128-37-0 Antioxidant	A4
<b>- NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
None of the ingredients is listed.	
<b>- Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**- Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs

**- Contact:** Safety, Health and Environmental Affairs

**- Date of preparation / last revision** 08/15/2017 / 11

**- Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMSI: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Self-react. F: Self-reactive substances and mixtures – Type E/F

Org. Perox. E: Organic peroxides – Type E/F

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

**- \* Data compared to the previous version altered.**

### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,

®Vibra-TITE is a registered trademark of ND Industries, Inc.