

02/10/2021

### Kit Components

Product code	Description
<b>PS024W</b>	<b>Fast Weld Underwater Epoxy Putty Stick</b>

Components:

PS024WA	Fast Weld Underwater Epoxy Putty Stick Resin - Part A
PS024WB	Fast Weld Epoxy Putty Stick Hardener - Part B

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

**1 Identification**

**- Product identifier**

- **Trade name:** Fast Weld
- **Synonyms:** Underwater Epoxy Putty Stick Resin - Part A
- **Part number:** PS024WA
- **Application of the substance / the mixture** Adhesives

**- Details of the supplier of the safety data sheet**

**- Manufacturer/Supplier:**  
ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com

**- Information department:** Product Safety Department

**- Emergency telephone number:**

United States: 1-800-424-9300  
International: +1-703-527-3887

**2 Hazard(s) identification**

**- Classification of the substance or mixture**



Acute Tox. 4 H302 Harmful if swallowed.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.  
STOT SE 3 H335 May cause respiratory irritation.

**- Label elements**

**- GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**- Hazard pictograms**



**- Signal word** Warning

**- Hazard-determining components of labeling:**

Bisphenol-A epoxy resin

**- Hazard statements**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.

**- Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves.  
P280 Wear eye protection / face protection.  
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.  
P330 Rinse mouth.  
P302+P352 If on skin: Wash with plenty of water.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 1)

P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

CAS: 25068-38-6	Bisphenol-A epoxy resin Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	≥ 80 – ≤ 89%
CAS: 14807-96-6	Soapstone Carc. 1A, H350; STOT RE 1, H372	≥ 10 – ≤ 19%

### 4 First-aid measures

**- Description of first aid measures****- After inhalation:**

Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** If symptoms persist consult doctor.

**- Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

**- Extinguishing media**

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.

**- Advice for firefighters****- Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

### 6 Accidental release measures

**- Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation  
Wear protective clothing.

**- Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:** Dispose of the collected material according to regulations.

**- Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

**- Handling:**

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 2)

## - Conditions for safe storage, including any incompatibilities

### - Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

#### CAS: 14807-96-6 Soapstone

PEL Long-term value: 20 mppcf ppm  
(containing <1% Quartz)

REL Long-term value: 2\* mg/m<sup>3</sup>  
\*respirable dust; and <1% Quartz

TLV Long-term value: 2\* mg/m<sup>3</sup>  
\*as respirable fraction; E

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

##### - General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

##### - Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Nitrile rubber, NBR

##### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **As protection from splashes gloves made of the following materials are suitable:** Nitrile rubber, NBR

- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

### - Information on basic physical and chemical properties

#### - General Information

##### - Appearance:

- **Form:** Pasty
- **Color:** Silver grey
- **Odor:** Light
- **Odor threshold:** Not determined.

- **pH-value:** Not applicable.

#### - Change in condition

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** ≥ 260 °C (≥ 500 °F)

- **Flash point:** > 260 °C (> 500 °F)

- **Flammability (solid, gaseous):** Not determined.

- **Decomposition temperature:** Not determined.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 3)

- <b>Auto igniting:</b>	Product is not selfigniting.
- <b>Danger of explosion:</b>	Product does not present an explosion hazard.
- <b>Explosion limits:</b>	
- <b>Lower:</b>	Not determined.
- <b>Upper:</b>	Not determined.
- <b>Vapor pressure:</b>	Not applicable.
- <b>Density at 20 °C (68 °F):</b>	≥ 0.93889 – ≤ 1.32167 g/cm <sup>3</sup> (≥ 7.83504 – ≤ 11.02934 lbs/gal)
- <b>Relative density</b>	Not determined.
- <b>Vapor density</b>	Not applicable.
- <b>Evaporation rate</b>	Not applicable.
- <b>Solubility in / Miscibility with</b>	
- <b>Water:</b>	Insoluble.
- <b>Partition coefficient (n-octanol/water):</b>	Not determined.
- <b>Viscosity:</b>	
- <b>Dynamic:</b>	Not applicable.
- <b>Kinematic:</b>	Not applicable.
- <b>Solvent content:</b>	
- <b>VOC content:</b>	0.00 %
- <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
    - **Primary irritant effect:**
      - **on the skin:** Irritant to skin and mucous membranes.
      - **on the eye:** Irritating effect.
    - **Sensitization:** Sensitization possible through skin contact.
  - **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
  - **Carcinogenic categories**

### - IARC (International Agency for Research on Cancer)

CAS: 14807-96-6 Soapstone

3

### - NTP (National Toxicology Program)

None of the ingredients is listed.

### - OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Ecotoxic effects:**
  - **Remark:** Toxic for fish

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 4)

**- Additional ecological information:****- General notes:**

Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms

**- Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.**- Other adverse effects** No further relevant information available.**13 Disposal considerations****- Waste treatment methods****- Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.**- Uncleaned packagings:****- Recommendation:** Disposal must be made according to official regulations.**14 Transport information**

<b>- UN-Number</b> <b>- DOT, IMDG, IATA</b>	UN3077
<b>- UN proper shipping name</b> <b>- DOT</b>	Environmentally hazardous substance, solid, n.o.s. (bisphenol-A-(epichlorhydrin); epoxy resin, Aluminum powder)
<b>- IMDG</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin, ALUMINIUM POWDER), MARINE POLLUTANT
<b>- IATA</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin, ALUMINIUM POWDER)
<b>- Transport hazard class(es)</b> <b>- DOT, IMDG, IATA</b>	
	
<b>- Class</b> <b>- Label</b>	9 Miscellaneous dangerous substances and articles 9
<b>- Packing group</b> <b>- DOT, IMDG, IATA</b>	III
<b>- Environmental hazards:</b>	Product contains environmentally hazardous substances: bisphenol-A-(epichlorhydrin); epoxy resin
<b>- Marine pollutant:</b>	Yes (DOT) Symbol (fish and tree)
<b>- Special marking (IATA):</b>	Symbol (fish and tree)
<b>- Special precautions for user</b> <b>- Hazard identification number (Kemler code):</b> <b>- EMS Number:</b> <b>- Segregation groups</b> <b>- Stowage Category</b> <b>- Stowage Code</b>	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F Powdered metals A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
<b>- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>- Transport/Additional information:</b>	
<b>- DOT</b> <b>- Quantity limitations</b>	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
<b>- Remarks:</b>	Special marking with the symbol (fish and tree).

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 5)

<b>- IMDG</b> <b>- Limited quantities (LQ)</b> <b>- Excepted quantities (EQ)</b>	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
<b>- UN "Model Regulation":</b>	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BISPHENOL-A-(EPICHLORHYDRIN); EPOXY RESIN, ALUMINIUM POWDER), 9, III

## 15 Regulatory information

### - Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Sara

##### - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

##### - Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

##### - TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

##### - Hazardous Air Pollutants

None of the ingredients is listed.

##### - Proposition 65

##### - Chemicals known to cause cancer:

None of the ingredients is listed.

##### - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

##### - Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

##### - Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### - Carcinogenic categories

##### - EPA (Environmental Protection Agency)

None of the ingredients is listed.

##### - TLV (Threshold Limit Value established by ACGIH)

CAS: 14807-96-6 Soapstone

A4

##### - NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

**- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**- Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs

**- Contact:** Safety, Health and Environmental Affairs

### - Classification System:

#### - HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = *2
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

#### - NFPA ratings (scale 0 - 4)

2	1	0	Health = 2
			Fire = 1
			Reactivity = 0

**- Date of preparation / last revision** 02/10/2021 / 5

### - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

**Trade name:** Fast Weld

(Contd. of page 6)

IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1  
Carc. 1A: Carcinogenicity – Category 1A  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

- \* **Data compared to the previous version altered.**

- **Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

©ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,  
©Vibra-TITE is a registered trademark of ND Industries, Inc.



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

**1 Identification****- Product identifier**

- **Trade name:** Fast Weld
- **Synonyms:** Epoxy Putty Stick Hardener - Part B
- **Part number:** PS024WB
- **Application of the substance / the mixture** Adhesives

**- Details of the supplier of the safety data sheet****- Manufacturer/Supplier:**

ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com

**- Information department:** Product Safety Department**- Emergency telephone number:**

United States: 1-800-424-9300  
International: +1-703-527-3887

**2 Hazard(s) identification****- Classification of the substance or mixture**

GHS07

Acute Tox. 4 H302 Harmful if swallowed.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.  
STOT SE 3 H335 May cause respiratory irritation.

**- Label elements****- GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**- Hazard pictograms**

GHS07

**- Signal word** Warning**- Hazard-determining components of labeling:**

Mercaptan-terminated polymer  
Aminophenol

**- Hazard statements**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.

**- Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves.  
P280 Wear eye protection / face protection.  
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.  
P330 Rinse mouth.  
P302+P352 If on skin: Wash with plenty of water.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 1)

P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

CAS: 72244-98-5	Mercaptan-terminated polymer Skin Sens. 1B, H317	80 – 89%
CAS: 14807-96-6	Soapstone Carc. 1A, H350; STOT RE 1, H372	5 – 9%
CAS: 90-72-2	Aminophenol Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312	1 – 4%

### 4 First-aid measures

**- Description of first aid measures****- After inhalation:**

Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water.

- **After swallowing:** If symptoms persist consult doctor.

**- Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**- Extinguishing media**

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.

**- Advice for firefighters****- Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

### 6 Accidental release measures

**- Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation  
Wear protective clothing.

**- Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.

**- Methods and material for containment and cleaning up:**

Ensure adequate ventilation.  
Dispose of the collected material according to regulations.

**- Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 2)

## 7 Handling and storage

### - Handling:

#### - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

- **Information about protection against explosions and fires:** No special measures required.

### - Conditions for safe storage, including any incompatibilities

#### - Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** None.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

##### - General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.

##### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

##### - Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

##### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **As protection from splashes gloves made of the following materials are suitable:** Nitrile rubber, NBR

- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

### - Information on basic physical and chemical properties

#### - General Information

##### - Appearance:

###### - Form:

Pasty

###### - Color:

Dark grey

##### - Odor:

Light

##### - Odor threshold:

Not determined.

##### - pH-value:

Not determined.

### - Change in condition

#### - Melting point/Melting range:

Undetermined.

#### - Boiling point/Boiling range:

Undetermined.

#### - Flash point:

&gt; 204.4 °C (&gt; 399.9 °F)

#### - Flammability (solid, gaseous):

Not applicable.

#### - Decomposition temperature:

Not determined.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 3)

- <b>Auto igniting:</b>	Product is not selfigniting.
- <b>Danger of explosion:</b>	Product does not present an explosion hazard.
- <b>Explosion limits:</b>	
- <b>Lower:</b>	Not determined.
- <b>Upper:</b>	Not determined.
- <b>Vapor pressure:</b>	Not determined.
- <b>Density at 20 °C (68 °F):</b>	~ 1.51 g/cm <sup>3</sup> (~ 12.60095 lbs/gal)
- <b>Relative density</b>	Not determined.
- <b>Vapor density</b>	Not determined.
- <b>Evaporation rate</b>	Not determined.
- <b>Solubility in / Miscibility with</b>	
- <b>Water:</b>	Not miscible or difficult to mix.
- <b>Partition coefficient (n-octanol/water):</b>	Not determined.
- <b>Viscosity:</b>	
- <b>Dynamic:</b>	Not determined.
- <b>Kinematic:</b>	Not determined.
- <b>Solvent content:</b>	
- <b>VOC content:</b>	0.00 % 0.0 g/l / 0.00 lb/gal
- <b>Solids content:</b>	18.0 %
- <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**

### - LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral	LD50	3,083 mg/kg (rat)
Dermal	LD50	100,000 mg/kg (rat)

#### CAS: 72244-98-5 Mercaptan-terminated polymer

Oral	LD50	2,600 mg/kg (rat)
------	------	-------------------

#### CAS: 90-72-2 Aminophenol

Oral	LD50	1,200 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat)

### - **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.

### - **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

### - **Carcinogenic categories**

#### - **IARC (International Agency for Research on Cancer)**

CAS: 14807-96-6	Soapstone	3
-----------------	-----------	---

#### - **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 4)

## - OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
  - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
  - **Remark:** Harmful to fish
- **Additional ecological information:**
  - **General notes:**
    - Not hazardous for water.
    - Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
  - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
  - **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                 |
|--|-----------------|
| <b>- UN-Number</b>   |                 |
| - DOT, ADN, IMDG, IATA   | not regulated   |
| <b>- UN proper shipping name</b>   |                 |
| - DOT, ADN, IMDG, IATA   | not regulated   |
| <b>- Transport hazard class(es)</b>  |                 |
| - DOT, ADN, IMDG, IATA   |                 |
| - Class  | not regulated   |
| <b>- Packing group</b>   |                 |
| - DOT, IMDG, IATA  | not regulated   |
| <b>- Environmental hazards:</b>  | Not applicable. |
| <b>- Special precautions for user</b>  | Not applicable. |
| <b>- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| <b>- UN "Model Regulation":</b>  | not regulated   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Sara

#### - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

#### - Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

#### - TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

#### - Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

Trade name: Fast Weld

(Contd. of page 5)

**- Proposition 65****- Chemicals known to cause cancer:**

None of the ingredients is listed.

**- Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**- Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**- Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**- Carcinogenic categories****- EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**- TLV (Threshold Limit Value established by ACGIH)**

CAS: 14807-96-6 Soapstone

A4

**- NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**- Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs**- Contact:** Safety, Health and Environmental Affairs**- Classification System:****- HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = *2
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

**- NFPA ratings (scale 0 - 4)**

2	1	0	Health = 2
			Fire = 1
			Reactivity = 0

**- Date of preparation / last revision** 02/10/2021 / 5**- Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Carc. 1A: Carcinogenicity – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

**- \* Data compared to the previous version altered.****- Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 02/10/2021

Reviewed on 02/08/2021

**Trade name:** Fast Weld

(Contd. of page 6)

©ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,  
©Vibra-TITE is a registered trademark of ND Industries, Inc.