06/10/2015	Kit Components
Product code	Description
VT912	Vibra-TITE® Epoxy 912 Oil Field Thread Sealing Epoxy
Components:	
VT912A	Vibra-TITE® Epoxy 912 Oil Field Thread Sealing Epoxy - Part A
VT912B	Vibra-TITE® Epoxy 912 Oil Field Thread Sealing Epoxy -

Part B



Printing date 06/10/2015 Reviewed on 05/22/2015

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Epoxy

- Synonyms: 912 Oil Field Thread Sealing Epoxy - Part A

- Part number: VT912A

- Relevant identified uses of the substance or mixture 2-Part Adhesive

- Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

Bisphenol-A epoxy resin

Silicon Dioxide

Epalloy 8220

Soapstone

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves / eye protection / face protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection. Wash thoroughly after handling. P264

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P363 Wash contaminated clothing before reuse.

P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. of page 1)

Safety Data Sheet

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:

- NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



- Other hazards

- Results of PBT and vPvB assessment
 - PBT: Not applicable.- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:		
25068-38-6	Bisphenol-A epoxy resin	20-30%
7440-66-6	zinc powder -zinc dust (stabilized)	10-20%
	Epalloy 8220	10-20%
14807-96-6	Soapstone	5-10%
	Citrus Terpenes	5-10%
14808-60-7	Silicon Dioxide	1-5%
67762-90-7	Synthetic amorphous silica (fumed)	1-5%

4 First-aid measures

- Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires:

Protect from heat.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

14808-60-7 Silicon Dioxide

PEL see Quartz listing

REL Long-term value: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³

*as respirable fraction

- Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

9 Physical and chemical properties

(Contd. of page 3)

9 Physical and chemical properties	
- Information on basic physical and chemical properties	
- General Information	
- Appearance:	
- Form:	Viscous
- Color:	Grey
- Odor:	Fruit-like
- Odour threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
- Melting point/Melting range:	Undetermined.
 Boiling point/Boiling range: 	176 °C (349 °F)
- Flash point:	98 °C (208 °F)
- Flammability (solid, gaseous):	Not applicable.
- Ignition temperature:	
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density:	Not determined.
- Relative density	Not determined.
 Vapour density 	Not determined.
Evaporation rate	Not determined.

- Solubility in / Miscibility with

- Water: Not miscible or difficult to mix.

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:

- Dynamic at 20 °C (68 °F): 115000 mPas - Kinematic: Not determined.

- Solvent content:

- Organic solvents: 0.0 %
- Solids content: 93.0 %

- **Other information** No further relevant information available.

10 Stability and reactivity

- Reactivity
 - Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:

rioute texterly.
- LD/LC50 values that are relevant for classification:
14808-60-7 Silicon Dioxide
Inhalative I C50/4 h 11 mg/l (ATF)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 4)

- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- 1	IARC (International Agency for Research on Cancer)	
14807-96-6	Soapstone	2E
14808-60-7	Silicon Dioxide	1
-	NTP (National Toxicology Program)	
14808-60-7	Silicon Dioxide	k
-	OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number - DOT - IMDG, IATA	not regulated UN3082
- UN proper shipping name - DOT - IMDG - IATA	not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), zinc powder - zinc dust (stabilized)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), zinc powder - zinc dust (stabilized))
- Transport hazard class(es) - DOT - Class	not regulated

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 5)

- IMDG, IATA Class 9 Miscellaneous dangerous substances and articles - Label - Packing group - DOT not regulated - IMDG, IATA - Environmental hazards: Product contains environmentally hazardous substances: zinc powder -zinc dust (stabilized), reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) - Marine pollutant: Yes Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - Special precautions for user Warning: Miscellaneous dangerous substances and articles Danger code (Kemler): - EMS Number: F-A,S-F Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml - UN "Model Regulation": UN3082, Environmentally hazardous substances, liquid, n.o.s. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700), zinc powder -zinc dust (stabilized)), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355 (extremely hazardous substances): None of the ingredients is listed. - Section 313 (Specific toxic chemical listings): 7440-66-6 zinc powder -zinc dust (stabilized) - TSCA (Toxic Substances Control Act): Bisphenol-A epoxy resin zinc powder -zinc dust (stabilized) Epalloy 8220 Soapstone Silicon Dioxide Synthetic amorphous silica (fumed)

- Proposition 65

- PI	<i>ง</i> คอร์แบบ 65
	- Chemicals known to cause cancer:
14808-60-7	7 Silicon Dioxide
	- Chemicals known to cause reproductive toxicity for females:
None of the	e ingredients is listed.
	- Chemicals known to cause reproductive toxicity for males:
None of the	e ingredients is listed.
	- Chemicals known to cause developmental toxicity:
None of the	e ingredients is listed.
	(Contd. on page 7)

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 6)

- Carcinogenic categories

-	EPA (Environmental Protection Agency)	
7440-66-6	zinc powder -zinc dust (stabilized)	D, I, II
-	TLV (Threshold Limit Value established by ACGIH)	
14807-96-6	Soapstone	A4
14808-60-7	Silicon Dioxide	A2
-	NIOSH-Ca (National Institute for Occupational Safety and Health)	
14808-60-7	Silicon Dioxide	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
 - Date of preparation / last revision 06/10/2015 / 2
 - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1A: Carcinogenicity, Hazard Category 1A

- * Data compared to the previous version altered.

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.



Printing date 06/10/2015 Reviewed on 05/22/2015

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Epoxy

- Synonyms: 912 Oil Field Thread Sealing Epoxy - Part B

- Part number: VT912B

- Relevant identified uses of the substance or mixture 2-Part Adhesive
- Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

- Label elements
 - GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms



- Signal word Warning
- Hazard-determining components of labeling:

Epoxy Curing Agent

- Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

Causes skin irritation. H315

- Precautionary statements

P280 Wear protective gloves.

P280 Wear protective gloves / protective clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:

NFPA ratings (scale 0 - 4)



Safety Data Sheet

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 1)

- HMIS-ratings (scale 0 - 4)



- Other hazards
 - Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Substances
 - CAS No. Description

Epoxy Curing Agent

4 First-aid measures

- Description of first aid measures
 - General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air: consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace: Not required.
 - Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
- Eye protection: Goggles recommended during refilling.
- Body protection: Protective work clothing

9 Physical and chemical properties

or mysical and offermout properties	
- Information on basic physical and chemical properties - General Information - Appearance:	
- Form:	Fluid
- Color:	Amber colored
- Odor:	Characteristic
- Odour threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
 Melting point/Melting range: 	Undetermined.
- Boiling point/Boiling range:	>200 °C (>392 °F)
- Flash point:	175 °C (347 °F)
- Flammability (solid, gaseous):	Not applicable.
- Ignition temperature:	
- Decomposition temperature:	Not determined.
- Auto igniting:	Not determined.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits: - Lower: - Upper:	Not determined. Not determined.
- Vapor pressure at 21 °C (70 °F):	1 hPa (1 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	1.02 g/cm³ (8.512 lbs/gal) Not determined. Not determined. Not determined.

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 3)

- Solubility in / Miscibility with

- Water: Not miscible or difficult to mix.

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:

- Dynamic: Not determined.- Kinematic: Not determined.

- Organic solvents: 0.0 %

- **Other information**No further relevant information available.

10 Stability and reactivity

- Reactivity
 - Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - LD/LC50 values that are relevant for classification:

Epoxy Curing Agent

Oral LD50 2000 mg/kg (rat)
Dermal LD50 2000 mg/kg (rabbit)

- Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
 - Carcinogenic categories
 - IARC (International Agency for Research on Cancer)

Substance is not listed.

- NTP (National Toxicology Program)

Substance is not listed.

- OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 5)

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

(Contd. of page 4)

- Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT, ADN, IMDG, IATA	not regulated
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated
- Transport hazard class(es)	
- DOT, ADN, IMDG, IATA - Class	not regulated
- Packing group - DOT, IMDG, IATA	not regulated
- Environmental hazards: - Marine pollutant:	No
- Special precautions for user	Not applicable.
- Transport in bulk according to Annex II of and the IBC Code	f MARPOL73/78 Not applicable.
- UN "Model Regulation":	-

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara Section 355 (extremely hazardous substances):

Substance is not listed.

- Section 313 (Specific toxic chemical listings):

Substance is not listed.

- TSCA (Toxic Substances Control Act):

Substance is not listed.

- Proposition 65
 - Chemicals known to cause cancer:

Substance is not listed.

- Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

- Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

- Chemicals known to cause developmental toxicity:

Substance is not listed.

- Carcinogenic categories
 - EPA (Environmental Protection Agency)

Substance is not listed.

- TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
 - Date of preparation / last revision 06/10/2015 / 2
 - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/10/2015 Reviewed on 05/22/2015

Trade name: Vibra-TITE® Epoxy

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.