



Page 1/7

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

1 Identification

- Product identifier
 - Trade name: Vibra-TITE® Threadlocker
 - Synonyms: 111 Low Strength Threadlocker
 - Part number: VT111
 - Application of the substance / the mixture Thread Locking
- Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity - Category 2 H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure - Category 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Irritation - Category 2 Eye Irritation - Category 2A Skin Sensitizer - Category 1

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms





GHS07 GHS08

- Signal word Warning
- Hazard-determining components of labeling:

Specific Target Organ Toxicity - Single Exposure - Category 3

2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate dimethylbenzyl hydroperoxide

Cumene

2'-phenylacetohydrazide

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

P201

Obtain special instructions before use.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Threadlocker

	(Contd. of page 1)
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear protective gloves.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous	- Dangerous components:		
CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	30 – 60% w/w	
CAS: 80-15-9	dimethylbenzyl hydroperoxide Self-reactive Substances and Mixtures – Type F, H242; Organic Peroxides – Type E, H242; Acute Toxicity (Inhalation) - Category 3, H331; Specific Target Organ Toxicity - Repeated Exposure - Category 2, H373; Aspiration Hazard - Category 1, H304; Skin Corrosion - Category 1B, H314; Serious Eye Damage - Category 1, H318; Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) – Category 4, H312; Specific Target Organ Toxicity - Single Exposure - Category 3, H335; Flammable Liquids - Category 4, H227	1 – 5% w/w	
CAS: 114-83-0	2'-phenylacetohydrazide Acute Toxicity (Oral) - Category 4, H302; Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	0.1 – 1% w/w	
CAS: 98-82-8	Cumene Flammable Liquids - Category 3, H226; Carcinogenicity – Category 2, H351; Aspiration Hazard - Category 1, H304; Acute Toxicity (Oral) - Category 4, H302; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	0.1 – 1% w/w	

4 First-aid measures

- Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Threadlocker

Wear fully protective suit.

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

CAS: 80-15-9	dimethylbenzyl hydroperoxide
WEEL (USA)	TWA: 6 mg/m³, 1 ppm Skin
CAS: 98-82-8	Cumene
EL (Canada)	STEL: 75 ppm TWA: 25 ppm IARC 2B
EV (Canada)	TWA: 245 mg/m³, 50 ppm Skin
PEL (USA)	TWA: 245 mg/m³, 50 ppm Skin
REL (USA)	TWA: 245 mg/m³, 50 ppm Skin
TLV (USA)	TWA: 5 ppm A3

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

Not required.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 3)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Required use of safety glasses
- Body protection: Protective work clothing

9 Physical and chemical properties

9 Physical and chemical properties		
- Information on basic physical and che - General Information - Appearance:		
- Form:	Liquid	
- Color:	Violet	
- Odor:	Characteristic	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. ≥ 200 °C	
- Flash point:	131 °C	
- Flammability (solid, gaseous):	Not applicable.	
- Decomposition temperature:	Not determined.	
- Ignition temperature:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits: - Lower: - Upper:	Not determined. Not determined.	
- Vapor pressure at 20 °C:	n.a. hPa	
- Density: - Relative density - Vapor density - Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
- Solubility in / Miscibility with - Water:	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/water): Not determined.		
- Viscosity: - Dynamic: - Kinematic:	Not determined. Not determined.	
- Solvent content: - Organic solvents: - Water: - VOC content:	0.6 % 1.3 % 0.62 % 6.2 g/l / 0.05 lb/gal	
- Solids content:	95.5 %	

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 4)

- **Other information** No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/L C50 values that are relevant for classification: ATE (Acute Toxicity Estimate) Oral			
Oral LD50 25,265 mg/kg (rat) Dermal LD50 33,069 mg/kg (rat) Inhalative LC50/4 h 14,550 mg/l (rat) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	- LI	- LD/LC50 values that are relevant for classification:	
Dermal Inhalative LD50 33,069 mg/kg (rat) Inhalative LC50/4 h 14,550 mg/l (rat) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	ATE (Acute Toxicity Estimate)		
Inhalative LC50/4 h 14,550 mg/l (rat)	Oral	LD50	25,265 mg/kg (rat)
CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	Dermal	LD50	33,069 mg/kg (rat)
Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	Inhalative	LC50/4 h	14,550 mg/l (rat)
Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	CAS: 80-1	5-9 dimet	hylbenzyl hydroperoxide
Inhalative LC50/4 h 220 mg/l (rat)	Oral	LD50	382 mg/kg (rat)
CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	Dermal	LD50	500 mg/kg (rat)
Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	Inhalative	LC50/4 h	220 mg/l (rat)
CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	CAS: 114-	-83-0 2'-ph	nenylacetohydrazide
Oral LD50 1,400 mg/kg (rat) Dermal LD50 12,300 mg/kg (rabbit)	Oral	LD50	270 mg/kg (mouse)
Dermal LD50 12,300 mg/kg (rabbit)	CAS: 98-82-8 Cumene		
	Oral	LD50	1,400 mg/kg (rat)
Inhalative LC50/4 h 24.7 mg/l (mouse)	Dermal	LD50	12,300 mg/kg (rabbit)
	Inhalative	LC50/4 h	24.7 mg/l (mouse)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC	(International Agency for Research on Cancer)	
CAS: 98-82-8	Cumene	2B
CAS: 13463-67-7	titanium dioxide	2E
CAS: 111-76-2	2-butoxyethanol	3
- NTP	(National Toxicology Program)	
CAS: 98-82-8 C	umene	F
CAS: 130-15-4 1,	4-naphthoquinone	F

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 5)

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

not regulated
not regulated
not regulated
not regulated
No
Not applicable.
73/78 Not applicable.
not regulated
•

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara

- Se	- Section 355 (extremely hazardous substances):	
None of the ing	None of the ingredients is listed.	
- Se	- Section 313 (Specific toxic chemical listings):	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	
CAS: 98-82-8	Cumene	
CAS: 111-76-2	2-butoxyethanol	
- TSCA	- TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.		

- Canadian substance listings:

Carraciai	Canadian Substance iistings.	
- Cana	- Canadian Domestic Substances List (DSL)	
CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	
CAS: 18268-70-7	Tetraethylene glycol hexoate	
CAS: 67762-90-7	Amorphous Silica	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	
CAS: 7732-18-5	Deionized water	
CAS: 128-44-9	Saccharin	
CAS: 57-55-6	propane-1,2-diol	
CAS: 114-83-0	2'-phenylacetohydrazide	
CAS: 98-82-8	Cumene	
CAS: 13463-67-7	titanium dioxide	
CAS: 617-94-7	2-Phenyl-2-propanol	
CAS: 64-02-8	tetrasodium ethylenediaminetetraacetate	
CAS: 5080-22-8	N-isopropylhydroxylamine	
	(Contd. on page 7)	

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Threadlocker

	(Contd. of page 6)		
CAS: 130-15-4	1,4-naphthoquinone		
	Coloring Agent		
CAS: 91-44-1	Colorant		
CAS: 112945-52-5	Silicon dioxide, amorphous		
CAS: 21645-51-2	Alumina Trihydrate		
CAS: 111-76-2	2-butoxyethanol		
CAS: 126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol		
- Canad	- Canadian Non-Domestic Substances List (NDSL)		
CAS: 127-06-0 2-F	CAS: 127-06-0 2-Propanone, oxime		
- Canad	- Canadian Ingredient Disclosure list (limit 0.1%)		
None of the ingredients is listed.			
- Canadian Ingredient Disclosure list (limit 1%)			
CAS: 80-15-9 dimethylbenzyl hydroperoxide			
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.			

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



Fire = 1

- NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

- Date of the latest revision of the safety data sheet 01/29/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.