



Page 1/7

Safety Data Sheet according to HPR, Schedule 1

Printing date 10/03/2024 Reviewed on 10/03/2024

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Threadlocker

- Synonyms: 132 High Strength Primerless, Oil Tolerant Threadlocker

- Part number: VT132

- Application of the substance / the mixture Thread Locking

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



Skin Irritation - Category 2

Eye Irritation - Category 2A

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure - Category 3

H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GHS07

- Signal word Warning

- Hazard-determining components of labeling:

2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate

Bisphenol A epoxy Acrylate

Modified Epoxy Acrylate Oligomer

2-carboxyethyl acrylate

2-Butenedioic acid (2Z)

2'-phenylacetohydrazide

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

Printing date 10/03/2024 Reviewed on 10/03/2024

Trade name: Vibra-TITE® Threadlocker

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. (Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous 	components:	
CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	15 – 40% w/w
	Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	
CAS: 10595-06-9	2-phenoxyethyl methacrylate	10 – 30% w/w [*]
	Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319	
	Acrylic polymer	7 – 13% w/w ³
	Combustible Dusts - Category 1	
CAS: 1985-51-9	Neopentylglycol Dimethacrylate	5 – 10% w/w [*]
	Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319	
	Bisphenol A epoxy Acrylate	1 – 5% w/w *
	Skin Sensitizer - Category 1, H317	
	Modified Epoxy Acrylate Oligomer	1 – 5% w/w *
	Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317	
CAS: 35227-05-5	2-Propenoic acid, 2-methyl-, polymer	1 – 5% w/w *
	Combustible Dusts - Category 1	
CAS: 24615-84-7	2-carboxyethyl acrylate	1 – 5% w/w *
	Skin Corrosion - Category 1B, H314; Serious Eye Damage - Category 1, H318; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	0.1 – 1% w/w
	Self-reactive Substances and Mixtures – Type F, H242; Organic Peroxides – Type E, H242; Acute Toxicity (Inhalation) - Category 3, H331; Specific Target Organ Toxicity - Repeated Exposure - Category 2, H373; Aspiration Hazard - Category 1, H304; Skin Corrosion - Category 1B, H314; Serious Eye Damage - Category 1, H318; Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) – Category 4, H312; Specific Target Organ Toxicity - Single Exposure - Category 3, H335; Flammable Liquids - Category 4, H227	
CAS: 110-16-7	2-Butenedioic acid (2Z)	0.1 – 1% w/w *
	Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) – Category 4, H312; Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	
CAS: 114-83-0	2'-phenylacetohydrazide	0.1 – 1% w/w
	Acute Toxicity (Oral) - Category 4, H302; Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 10/03/2024 Reviewed on 10/03/2024

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 2)

Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

CAS: 80-15-9 dimethylbenzyl hydroperoxide

WEEL (USA) TWA: 6 mg/m³, 1 ppm

Skin

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

Not required.

Printing date 10/03/2024 Reviewed on 10/03/2024

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 3)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



- Water:

- VOC content:

- Solids content:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

9 Physical and chemical properties

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Required use of safety glasses
- Body protection: Protective work clothing

Information on basic physical and che	amical proportios
- General Information	enical properties
- Appearance:	
- Form:	Fluid
- Color:	Red
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
 Melting point/Melting range: 	Undetermined.
 Boiling point/Boiling range: 	> 140 °C
- Flash point:	100 °C
- Flammability:	Not applicable.
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure at 68 °C:	≤ 1.3 hPa
- Density at 20 °C:	~ 1.1 g/cm³
- Relative density	Not determined.
 Vapor density 	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wat	er): Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.
- Solvent content:	
- Organic solvents:	0.7 %

0.8 %

0.68 %

39.6 %

~ 7.4 g/l / ~ 0.06 lb/gal

Printing date 10/03/2024 Reviewed on 10/03/2024

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 4)

- Other information No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

* 11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LI	D/LC50 v	alues that are relevant for classification:
ATE (Acu	te Toxicity	y Estimate)
Inhalative	LC50/4 h	29,101 mg/l (rat)
CAS: 80-1	5-9 dimet	hylbenzyl hydroperoxide
Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)
CAS: 110-	-16-7 2-Bu	tenedioic acid (2Z)
Oral	LD50	708 mg/kg (rat)
Dermal	LD50	1,560 mg/kg (rabbit)
CAS: 114-	CAS: 114-83-0 2'-phenylacetohydrazide	
Oral	LD50	270 mg/kg (mouse)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Carcinogenic categories

- IAR	- IARC (International Agency for Research on Cancer)	
CAS: 9003-01-4	2-propenoic acid, homopolymer	3
CAS: 79-10-7	acrylic acid	3
CAS: 98-82-8	Cumene	2B
- NTI	- NTP (National Toxicology Program)	
CAS: 98-82-8	Cumene	R
CAS: 130-15-4	1,4-naphthoquinone	R

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Harmful to fish
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Printing date 10/03/2024 Reviewed on 10/03/2024

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 5)

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

14 Transport Information	
- UN-Number - DOT/TDG, ADR, ADN, IMDG, IATA	not regulated
 - UN proper shipping name - DOT/TDG, ADR, ADN, IMDG, IATA 	not regulated
- Transport hazard class(es)	
- DOT/TDG, ADR, ADN, IMDG, IATA - Class	not regulated
- Packing group - DOT/TDG, ADR, IMDG, IATA	not regulated
- Environmental hazards: - Marine pollutant:	No
- Special precautions for user	Not applicable.
- Transport in bulk according to Annex II of MARPOL7 and the IBC Code	73/78 Not applicable.
- UN "Model Regulation":	not regulated

*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara

- Sed	- Section 355 (extremely hazardous substances):	
None of the ingr	None of the ingredients is listed.	
- Sed	- Section 313 (Specific toxic chemical listings):	
CAS: 1985-51-9	Neopentylglycol Dimethacrylate	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	
CAS: 79-10-7	acrylic acid	
CAS: 98-82-8	Cumene	
CAS: 98-86-2	acetophenone	
- TSCA	- TSCA (Toxic Substances Control Act):	
All components	All components have the value ACTIVE.	
<u> </u>	All components have the value ACTIVE.	

- Canadian substance listings:

- Canad	- Canadian Domestic Substances List (DSL)	
CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	
	Acrylic polymer	
	Bisphenol A epoxy Acrylate	
	Modified Epoxy Acrylate Oligomer	
CAS: 9003-01-4	2-propenoic acid, homopolymer	
CAS: 24615-84-7	2-carboxyethyl acrylate	
CAS: 128-44-9	Saccharin	
CAS: 7732-18-5	Deionized water	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	
CAS: 112945-52-5	Silicon dioxide, amorphous	

Printing date 10/03/2024 Reviewed on 10/03/2024

Trade name: Vibra-TITE® Threadlocker

0.10 =0.10 =	(Contd. of page 6	
CAS: 79-10-7	acrylic acid	
CAS: 57-55-6	propane-1,2-diol	
CAS: 18268-70-7	Tetraethylene glycol hexoate	
CAS: 110-16-7	2-Butenedioic acid (2Z)	
CAS: 114-83-0	2'-phenylacetohydrazide	
CAS: 614-45-9	tert-butyl perbenzoate	
CAS: 98-82-8	Cumene	
CAS: 7128-64-5	2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole)	
CAS: 64-02-8	tetrasodium ethylenediaminetetraacetate	
CAS: 5080-22-8	N-isopropylhydroxylamine	
CAS: 6483-64-3	Colorant	
CAS: 98-86-2	acetophenone	
CAS: 617-94-7	2-Phenyl-2-propanol	
CAS: 2809-21-4	1-hydroxyethane-1,1-diylbis(phosphonic acid)	
CAS: 130-15-4	1,4-naphthoquinone	
CAS: 13598-36-2	phosphorous acid	
- Cana	dian Non-Domestic Substances List (NDSL)	
CAS: 10595-06-9	CAS: 10595-06-9 2-phenoxyethyl methacrylate	
CAS: 1985-51-9	Neopentylglycol Dimethacrylate	
CAS: 35227-05-5	2-Propenoic acid, 2-methyl-, polymer	
CAS: 127-06-0	2-Propanone, oxime	
- Cana	dian Ingredient Disclosure list (limit 0.1%)	
None of the ingred	None of the ingredients is listed.	
- Cana	- Canadian Ingredient Disclosure list (limit 1%)	
None of the ingred	None of the ingredients is listed.	
01 1 1 1 1		

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of the latest revision of the safety data sheet 10/03/2024 / 41

- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation LATA: International Air Transportation
LATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- * Data compared to the previous version altered.

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.