



Page 1/7

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

1 Identification

- Product identifier

- Trade name: Vibra-TITE® UV Adhesive

- Synonyms: 215 Light Cure Adhesive

- Part number: VT215

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



GHS08 Health hazard

Reproductive Toxicity - Category 2 H361 Suspected of damaging fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion - Category 1A H314 Causes severe skin burns and eye damage.

Serious Eye Damage - Category 1 H318 Causes serious eye damage.



Skin Sensitizer - Category 1

H317 May cause an allergic skin reaction.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

Acrylic Esters acrylic acid

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

- Hazard statements

H314 Causes severe skin burns and eve damage.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

- Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. P272

(Contd. of page 1)

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® UV Adhesive

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

	Urethane acrylate Oligomer	30 – 60% w/v
	Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319	
CAS: 5888-33-5	Acrylic Esters	30 – 60% w/v
	Skin Sensitizer - Category 1B, H317	
CAS: 79-10-7	acrylic acid	3 – 7% w/w
	Flammable Liquids - Category 3, H226; Skin Corrosion - Category 1A, H314; Serious Eye Damage - Category 1, H318; Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) - Category 4, H312; Acute Toxicity (Inhalation) - Category 4, H332	
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	1 – 5% w/w
	Reproductive Toxicity - Category 2, H361; Skin Sensitizer - Category 1, H317	
CAS: 7473-98-5		1 – 5% w/w
	Acute Toxicity (Oral) - Category 4, H302	

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 2)

- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Precautions for safe handling No special measures required.
 - Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

CAS: 79-10-7	CAS: 79-10-7 acrylic acid		
EL (Canada)	TWA: 2 ppm Skin; R		
EV (Canada)	TWA: 2 ppm		
REL (USA)	TWA: 6 mg/m³, 2 ppm Skin		
TLV (USA)	TWA: 2 ppm Skin, A3		

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber. NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Required use of safety glasses

Optional use of tightly sealed goggles

- Body protection: Protective work clothing

(Contd. on page 4)

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 3)

9 Physical and chemical properties

I. C C I C I C I I I I I	
- Information on basic physical and cl	nemical properties
- General Information	
- Appearance:	Limite
- Form: - Color:	Liquid Clear
- Color:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
- Melting point/Melting range:	Undetermined.
- Boiling point/Boiling range:	≥ 141 °C
- Flash point:	97 °C
- Flammability (solid, gaseous):	Not applicable.
- Auto igniting:	374 °C
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C:	~ 1.04734 g/cm³
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	ater): Not determined.
- Viscosity:	
- Dynamic at 20 °C:	8.000 mPas
- Kinematic:	Not determined.
- Solvent content:	
- VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
- Solids content:	4.5 %
- Other information	No further relevant information available.
Carol Illiolilladoll	No faction rolevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:

- L	- LD/LC50 values that are relevant for classification:		
ATE (Ac	ıte Toxici	ty Estimate)	
Oral	LD50	4,280 mg/kg (rat)	

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® UV Adhesive

		(Contd. o	f page 4)
Dermal	LD50	5,072 mg/kg (rabbit)	
Inhalative	LC50/4 h	199 mg/l	
CAS: 79-1	0-7 acrylic	c acid	
Oral	LD50	250 mg/kg (rat)	
Dermal	LD50	280 mg/kg (rabbit)	
Inhalative	LC50/4 h	11 mg/l (ATE)	
CAS: 7598	CAS: 75980-60-8 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide		
Oral	LD50	> 5,000 mg/kg (rat)	
CAS: 7473	CAS: 7473-98-5 2-hydroxy-2-methylpropiophenone		
Oral	LD50	1,694 mg/kg (rat)	

- Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 79-10-7 acrylic acid	3
- NTP (National Toxicology Program)	
None of the ingredients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Very toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number - DOT/TDG, ADR, IMDG, IATA	UN1760
- UN proper shipping name - DOT/TDG - ADR	Corrosive liquids, n.o.s. (Acrylic acid, stabilized) UN1760 Corrosive liquids, n.o.s. (Acrylic acid, stabilized),
- IMDG	ENVIRONMENTALLY HAZARDOUS CORROSIVE LIQUID, N.O.S. (ACRYLIC ACID, STABILIZED, isobornyl acrylate), MARINE POLLUTANT

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 5)

- IATA	
	CORROSIVE LIQUID, N.O.S. (ACRYLIC ACID, STABILIZED)
- Transport hazard class(es)	
- DOT/TDG (Transport dangerous goods):	
<u> </u>	
- Class - Label	8 Corrosive substances 8
- ADR, IMDG	
- Class	8 Corrosive substances
- Label	8
- IATA	
- Class	8 Corrosive substances
- Label	8
- Packing group - DOT/TDG, ADR, IMDG, IATA	II
- Environmental hazards:	Product contains environmentally hazardous substances: isobornyl
- Marine pollutant:	acrylate No
	Yes (DOT)
- Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
- Special precautions for user	Warning: Corrosive substances
- Hazard identification number (Kemler code):	80
- EMS Number:	F-A,S-B
- Segregation groups - Stowage Category	(SGG1) Acids B
- Stowage Code	SW2 Clear of living quarters.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	8 Not applicable.
- Transport/Additional information:	
- DOT/TDG	
- Quantity limitations	On passenger aircraft/rail: 1 L
- Remarks:	On cargo aircraft only: 30 L Special marking with the symbol (fish and tree).
- ADR	
- ADR - Excepted quantities (EQ)	Code: E2
<u> </u>	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- IMDG	
 Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: F2
- Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (ACRYLIC ACID, STABILIZED), 8, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

⁻ Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 6)

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

CAS: 79-10-7 acrylic acid

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Canadian substance listings:
- Canadian Domestic Substances List (DSL)

All ingredients are listed.

- Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 1%)

CAS: 79-10-7 acrylic acid

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



Health = *3 Fire = 1

REACTIVITY | Reactivity = 0

- NFPA ratings (scale 0 - 4)



Health = 3 Fire = 1 Reactivity = 0

- Date of the latest revision of the safety data sheet 01/29/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.