

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

**1 Identification**

**- Product identifier**

- **Trade name:** Vibra-TITE® UV Adhesive
- **Synonyms:** 215 Light Cure Adhesive
- **Part number:** VT215
- **Application of the substance / the mixture** Adhesives

**- Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**  
ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com
- **Information department:** Product Safety Department
- **Emergency telephone number:**  
United States: 1-800-424-9300  
International: +1-703-527-3887

**2 Hazard(s) identification**

**- Classification of the substance or mixture**



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.  
Eye Damage 1 H318 Causes serious eye damage.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

**- Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**- Hazard pictograms**



GHS05 GHS07 GHS08

- **Signal word** Danger

**- Hazard-determining components of labeling:**

Acrylic Esters  
acrylic acid  
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

**- Hazard statements**

H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.

**- Precautionary statements**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dusts or mists.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 Wash thoroughly after handling.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 1)

P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

	Urethane acrylate Oligomer Skin Irritation 2, H315; Eye Irritation 2B, H320	40 – 49%
CAS: 5888-33-5	Acrylic Esters Sensitization - Skin 1B, H317	40 – 49%
CAS: 79-10-7	acrylic acid Flammable Liquids 3, H226; Skin Corrosion 1A, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332	5 – 9%
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide Toxic to Reproduction 2, H361; Sensitization - Skin 1, H317	1 – 4%
CAS: 7473-98-5	2-hydroxy-2-methylpropiophenone Acute Toxicity - Oral 4, H302	1 – 4%

### 4 First-aid measures

**- Description of first aid measures****- After inhalation:**

Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** If symptoms persist consult doctor.

**- Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**- Extinguishing media****- Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture** No further relevant information available.

**- Advice for firefighters****- Protective equipment:**

Wear self-contained respiratory protective device.  
Wear fully protective suit.

### 6 Accidental release measures

**- Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 2)

Wear protective clothing.

**- Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.

**- Methods and material for containment and cleaning up:** Dispose of the collected material according to regulations.**- Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

**- Handling:**

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

**- Conditions for safe storage, including any incompatibilities****- Storage:**

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

**- Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

**- Additional information about design of technical systems:** No further data; see section 7.**- Control parameters****- Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

**CAS: 79-10-7 acrylic acid**

REL	Long-term value: 6 mg/m <sup>3</sup> , 2 ppm Skin
TLV	Long-term value: 2 ppm Skin, A3

**- Additional information:** The lists that were valid during the creation were used as basis.**- Exposure controls****- Personal protective equipment:****- General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

**- Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**- Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Nitrile rubber, NBR

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye protection:**

Required use of safety glasses  
Optional use of tightly sealed goggles

**- Body protection:** Protective work clothing

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 3)

## 9 Physical and chemical properties

<b>- Information on basic physical and chemical properties</b>	
<b>- General Information</b>	
<b>- Appearance:</b>	
- Form:	Liquid
- Color:	Clear
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
<b>- Change in condition</b>	
- Melting point/Melting range:	Undetermined.
- Boiling point/Boiling range:	≥ 141 °C (≥ 285.8 °F)
- Flash point:	97 °C (206.6 °F)
- Flammability (solid, gaseous):	Not applicable.
- Auto igniting:	374 °C (705.2 °F)
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
<b>- Explosion limits:</b>	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	~ 1.04734 g/cm <sup>3</sup> (~ 8.74005 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
<b>- Solubility in / Miscibility with</b>	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/water):	Not determined.
<b>- Viscosity:</b>	
- Dynamic at 20 °C (68 °F):	8,000 mPas
- Kinematic:	Not determined.
<b>- Solvent content:</b>	
- VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
- Solids content:	4.5 %
- Other information	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**

**- LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Oral	LD50	4,280 mg/kg (rat)
------	------	-------------------

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 4)

Dermal	LD50	5,072 mg/kg (rabbit)
Inhalative	LC50/4 h	199 mg/l
<b>CAS: 79-10-7 acrylic acid</b>		
Oral	LD50	250 mg/kg (rat)
Dermal	LD50	280 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE)
<b>CAS: 75980-60-8 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide</b>		
Oral	LD50	> 5,000 mg/kg (rat)
<b>CAS: 7473-98-5 2-hydroxy-2-methylpropiophenone</b>		
Oral	LD50	1,694 mg/kg (rat)

**- Primary irritant effect:**- **on the skin:** No irritant effect.- **on the eye:** Irritating effect.- **Sensitization:** Sensitization possible through skin contact.**- Additional toxicological information:**The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant**- Carcinogenic categories****- IARC (International Agency for Research on Cancer)**

CAS: 79-10-7 acrylic acid

3

**- NTP (National Toxicology Program)**

None of the ingredients is listed.

**- OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****- Toxicity**- **Aquatic toxicity:** No further relevant information available.- **Persistence and degradability** No further relevant information available.**- Behavior in environmental systems:**- **Bioaccumulative potential** No further relevant information available.- **Mobility in soil** No further relevant information available.**- Ecotoxicological effects:**- **Remark:** Very toxic for fish**- Additional ecological information:****- General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

**- Results of PBT and vPvB assessment**- **PBT:** Not applicable.- **vPvB:** Not applicable.- **Other adverse effects** No further relevant information available.**13 Disposal considerations****- Waste treatment methods**- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.**- Uncleaned packagings:**- **Recommendation:** Disposal must be made according to official regulations.**\*14 Transport information****- UN-Number**- **DOT, IMDG, IATA**

UN1760

**- UN proper shipping name**- **DOT**- **IMDG**

Corrosive liquids, n.o.s. (Acrylic acid, stabilized)

CORROSIVE LIQUID, N.O.S. (ACRYLIC ACID, STABILIZED, isobornyl acrylate), MARINE POLLUTANT

(Contd. on page 6)

# Safety Data Sheet






acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 5)

- IATA	CORROSIVE LIQUID, N.O.S. (ACRYLIC ACID, STABILIZED)
<b>- Transport hazard class(es)</b>	
<b>- DOT</b>	
 	
- Class	8 Corrosive substances
- Label	8
<b>- IMDG</b>	
 	
- Class	8 Corrosive substances
- Label	8
<b>- IATA</b>	
	
- Class	8 Corrosive substances
- Label	8
<b>- Packing group</b>	
- DOT, IMDG, IATA	II
<b>- Environmental hazards:</b>	
- Marine pollutant:	Product contains environmentally hazardous substances: isobornyl acrylate No Yes (DOT) Symbol (fish and tree)
<b>- Special precautions for user</b>	
- Hazard identification number (Kemler code):	Warning: Corrosive substances 80
- EMS Number:	F-A,S-B
- Segregation groups	(SGG1) Acids
- Stowage Category	B
- Stowage Code	SW2 Clear of living quarters.
<b>- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	
	Not applicable.
<b>- Transport/Additional information:</b>	
<b>- DOT</b>	
- Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
- Remarks:	Special marking with the symbol (fish and tree).
<b>- IMDG</b>	
- Limited quantities (LQ)	1L
- Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>- UN "Model Regulation":</b>	
	UN 1760 CORROSIVE LIQUID, N.O.S. (ACRYLIC ACID, STABILIZED), 8, II, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

### - Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

#### - Sara

#### - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 6)

<b>- Section 313 (Specific toxic chemical listings):</b>	
CAS: 79-10-7	acrylic acid
<b>- TSCA (Toxic Substances Control Act):</b>	
All components have the value ACTIVE.	
<b>- Hazardous Air Pollutants</b>	
CAS: 79-10-7	acrylic acid
<b>- Proposition 65</b>	
<b>- Chemicals known to cause cancer:</b>	
None of the ingredients is listed.	
<b>- Chemicals known to cause reproductive toxicity for females:</b>	
None of the ingredients is listed.	
<b>- Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients is listed.	
<b>- Chemicals known to cause developmental toxicity:</b>	
None of the ingredients is listed.	
<b>- Carcinogenic categories</b>	
<b>- EPA (Environmental Protection Agency)</b>	
None of the ingredients is listed.	
<b>- TLV (Threshold Limit Value)</b>	
CAS: 79-10-7	acrylic acid
	A4
<b>- NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
None of the ingredients is listed.	
<b>- Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs
- **Contact:** Safety, Health and Environmental Affairs
- **Classification System:**

- **HMIS-ratings (scale 0 - 4)**

HEALTH	3	Health = *3
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **NFPA ratings (scale 0 - 4)**

3	1	0	Health = 3
			Fire = 1
			Reactivity = 0

- **Date of preparation / last revision** 01/23/2024

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B

Sensitization - Skin 1: Skin sensitisation – Category 1

Sensitization - Skin 1B: Skin sensitisation – Category 1B

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

**Trade name:** Vibra-TITE® UV Adhesive

(Contd. of page 7)

Toxic to Reproduction 2: Reproductive toxicity – Category 2

**- \* Data compared to the previous version altered.****- Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,

®Vibra-TITE is a registered trademark of ND Industries, Inc.