



Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 10/20/2023

1 Identification

- Product identifier

- Trade name: Vibra-TITE®

- Synonyms: VC-6 Industrial Grade Clear

- Part number: VT219

- Application of the substance / the mixture Thread Locking

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS02 GHS07 GHS08

- Signal word Danger

- Hazard statements

H225 Highly flammable liquid and vapor. H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

- Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 10/20/2023

Trade name: Vibra-TITE®

(Contd. of page 1)

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:			
CAS: 616-38-6	dimethyl carbonate	Flammable Liquids 2, H225	69.35%
CAS: 28262-63-7	Acrylic Resin	Combustible Dust	10 – 19%

4 First-aid measures

- Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 10/20/2023

Trade name: Vibra-TITE®

Prevent formation of aerosols.

No special precautions are necessary if used correctly.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures: Wash hands before breaks and at the end of work.
 - Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber. NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and che - General Information	emical properties	
- General Information - Appearance:		
- Form:	Viscous	
- Color:	Clear	
- Odor:	Solvent-like	
 Odor threshold: 	Not determined.	
- pH-value:	Not determined.	
- Change in condition		
 Melting point/Melting range: 	Undetermined.	
 Boiling point/Boiling range: 	≥ 90.5 °C (≥ 194.9 °F)	
- Flash point:	16 °C (60.8 °F)	
- Flammability (solid, gaseous):	Highly flammable.	
- Auto igniting:	410 °C (770 °F)	
- Decomposition temperature:	Not determined.	

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 10/20/2023

Trade name: Vibra-TITE®

(Contd. of page 3)

- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure at 20 °C (68 °F):	≤ 56 hPa (≤ 42 mm Hg)
- Density at 20 °C (68 °F):	~ 1.08831 g/cm³ (~ 9.08195 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	ter): Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic at 40 °C (104 °F):	400 mm²/s
- Solvent content:	
- Organic solvents:	0.0 %
- VOC content:	0.01 %
	~ 0.1 g/l / ~ 0.00 lb/gal
- Solids content:	24.7 %
Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:

-	- LD/LC50 values that are relevant for classification:	
CAS: 6	CAS: 616-38-6 dimethyl carbonate	
Oral	LD50 13,000 mg/kg (rat)	
Dermal	LD50 > 5,000 mg/kg (rabbit)	

- Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
 - Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 108-88-3 toluene 3	
- NTP (National Toxicology Program)	
None of the ingredients is listed.	
- OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 10/20/2023

Trade name: Vibra-TITE®

(Contd. of page 4)

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

4 Transport information	
- UN-Number - DOT, IMDG, IATA	UN1139
- UN proper shipping name - DOT - IMDG, IATA	Coating solution COATING SOLUTION
- Transport hazard class(es)	
- DOT	
Pauliti Co.	
- Class	3 Flammable liquids
- Label	3
- IMDG, IATA	
- Class	3 Flammable liquids
- Label	3
- Packing group - DOT, IMDG, IATA	II
- Environmental hazards: - Marine pollutant:	No
- Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category	Warning: Flammable liquids - F-E, <u>S-E</u> A
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
	(Contd. on page 6)

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 10/20/2023

Trade name: Vibra-TITE®

(Contd. of page 5)

- Transport/Additional information:		
- DOT - Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L	
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
- UN "Model Regulation":	UN 1139 COATING SOLUTION, 3, II	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

CAS: 108-88-3 toluene

- TSCA (Toxic Substances Control Act):
- All components have the value ACTIVE.
 - Hazardous Air Pollutants

CAS: 108-88-3 toluene

- Proposition 65
 - Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
 - Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

CAS: 108-88-3 toluene

- Carcinogenic categories
 - EPA (Environmental Protection Agency)

CAS: 108-88-3 toluene

Ш

- TLV (Threshold Limit Value)

CAS: 108-88-3 toluene

A4

- NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



Fire = 3

- NFPA ratings (scale 0 - 4)



(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 10/20/2023

Trade name: Vibra-TITE®

- Date of preparation / last revision 01/23/2024

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2
Sensitization - Skin 1: Skin sensitisation – Category 1
Toxic to Reproduction 2: Reproductive toxicity – Category 2

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.