



Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 12/05/2023

1 Identification

- Product identifier
 - Trade name: Vibra-TITE® Structural Adhesives
 - Synonyms: 233 No-Mix Structural Acrylic Rubber Toughened
 - Part number: VT233
 - Application of the substance / the mixture Adhesives
- Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger
- Hazard-determining components of labeling:

Methacrylic acid tetrahydrofurfuryl methacrylate 2-ethylhexyl methacrylate Soapstone Glycol dimethacrylate Bisphenol-A epoxy resin

- Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 12/05/2023

Trade name: Vibra-TITE® Structural Adhesives

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

- Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).
P312 Call a poison center/doctor if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB**: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous	components:	
CAS: 2455-24-5	tetrahydrofurfuryl methacrylate Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	50 – 59%
CAS: 79-41-4	Methacrylic acid Acute Toxicity - Dermal 3, H311; Skin Corrosion 1A, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	9.25%
CAS: 688-84-6	2-ethylhexyl methacrylate Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	5 – 9%
CAS: 1189-08-8	Glycol dimethacrylate Sensitization - Skin 1, H317	≤ 1%
CAS: 25068-38-6	Bisphenol-A epoxy resin Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	≤ 1%
CAS: 14807-96-6	Soapstone Carcinogenicity 1A, H350; Specific Target Organ Toxicity - Repeated Exposure 1, H372	≤ 1%
CAS: 80-15-9	dimethylbenzyl hydroperoxide Self-reactive substances and mixtures - Type F, H242; Organic Peroxides - Type E, H242; Acute Toxicity - Inhalation 3, H331; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Aspiration Hazard 1, H304; Skin Corrosion 1B, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	
CAS: 97-99-4	tetrahydro-2-furylmethanol Toxic to Reproduction 1B, H360; Acute Toxicity - Oral 4, H302; Eye Irritation 2A, H319; Flammable Liquids 4, H227	≤ 1%

4 First-aid measures

- Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.

Printing date 01/23/2024 Reviewed on 12/05/2023

Trade name: Vibra-TITE® Structural Adhesives

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:
 - Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

CAS: 7	CAS: 79-41-4 Methacrylic acid		
REL	Long-term value: 70 mg/m³, 20 ppm Skin		
TLV	Long-term value: 20 ppm		
CAS: 8	CAS: 80-15-9 dimethylbenzyl hydroperoxide		
WEEL	WEEL Long-term value: 6 mg/m³, 1 ppm Skin		
CAS: 9	CAS: 97-99-4 tetrahydro-2-furylmethanol		
WEEL	WEEL Long-term value: 0.5 ppm		

- Additional information: The lists that were valid during the creation were used as basis.

Printing date 01/23/2024 Reviewed on 12/05/2023

Trade name: Vibra-TITE® Structural Adhesives

(Contd. of page 3)

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Required use of safety glasses



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

, ,		
- Information on basic physical and che - General Information	mical properties	
- Appearance:		
- Form:	Liquid	
- Color:	Light brown	
- Odor:	Characteristic	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
- Change in condition		
 Melting point/Melting range: 	Undetermined.	
 Boiling point/Boiling range: 	≥ 59 - ≤ 62 °C (≥ 138.2 - ≤ 143.6 °F)	
- Flash point:	97 °C (206.6 °F)	
- Flammability (solid, gaseous):	Not applicable.	
- Decomposition temperature:	Not determined.	
- Ignition temperature:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits:		
- Lower:	Not determined.	
- Upper:	Not determined.	
- Vapor pressure:	Not determined.	
- Density at 20 °C (68 °F):	~ 1.09751 g/cm³ (~ 9.15872 lbs/gal)	
- Relative density	Not determined.	
- Vapor density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
- Water:	Not miscible or difficult to mix.	

Printing date 01/23/2024 Reviewed on 12/05/2023

Trade name: Vibra-TITE® Structural Adhesives

(Contd. of page 4)

- Partition coefficient (n-octanol/water): Not determined.		
- Viscosity: - Dynamic at 20 °C (68 °F):	75,000 mPas	
- Kinematic:	Not determined.	
- Solvent content:		
Organic solvents:	0.3 %	
- VOC content:	0.25 %	
	~ 2.8 g/l / ~ 0.02 lb/gal	
- Solids content:	30.8 %	
- Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:		
ATE (Acut	e Toxicity	Estimate)
Oral	LD50	14,400 mg/kg (mouse)
Dermal	LD50	5,405 mg/kg (rabbit)
Inhalative	LC50/4 h	119 mg/l
CAS: 79-4	1-4 Metha	crylic acid
Oral	LD50	1,332 mg/kg (mouse)
Dermal	LD50	500 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE)
CAS: 80-1	5-9 dimet	hylbenzyl hydroperoxide
Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)
CAS: 97-9	CAS: 97-99-4 tetrahydro-2-furylmethanol	
Oral	LD50	1,600 mg/kg (rat)

- Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories

- IARC	(International Agency for Research on Cancer)	
CAS: 14807-96-6	Soapstone	3
CAS: 128-37-0	Butylated hydroxytoluene	3
CAS: 98-82-8	Cumene	2B
- NTP	(National Toxicology Program)	
CAS: 98-82-8 Cu	mene	R
		(Contd. on page 6

Printing date 01/23/2024 Reviewed on 12/05/2023

Trade name: Vibra-TITE® Structural Adhesives

(Contd. of page 5)

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number - DOT, ADN, IMDG, IATA		
- DOT, ADN, IMDG, IATA	not regulated	
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated	
- Transport hazard class(es)		
- DOT, ADN, IMDG, IATA - Class	not regulated	
- Packing group - DOT, IMDG, IATA	not regulated	
- Environmental hazards: - Marine pollutant:	No	
- Special precautions for user	Not applicable.	
- Transport in bulk according to Annex II of MAR and the IBC Code	RPOL73/78 Not applicable.	
- UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
 No further relevant information available.
 - Sara

-	Sara
	- Section 355 (extremely hazardous substances):
None o	the ingredients is listed.
	- Section 313 (Specific toxic chemical listings):
CAS: 8	0-15-9 dimethylbenzyl hydroperoxide
CAS: 9	3-82-8 Cumene
-	TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Hazardous Air Pollutants

CAS: 98-82-8 Cumene

Printing date 01/23/2024 Reviewed on 12/05/2023

Trade name: Vibra-TITE® Structural Adhesives

- Proposition 65

(Contd. of page 6)

- Ch	emicals known to cause cancer:
CAS: 98-82-8	Cumene
- Ch	emicals known to cause reproductive toxicity for females:
None of the ing	redients is listed.
- Ch	emicals known to cause reproductive toxicity for males:
None of the ingredients is listed.	
- Ch	emicals known to cause developmental toxicity:
CAS: 1189-08-8	Glycol dimethacrylate

- Carcinogenic categories

- EPA (Environment	al Protection Agency)
CAS: 98-82-8 Cumene	D, CBI
- TLV (Threshold Li	nit Value)
CAS: 14807-96-6 Soapstone	A
CAS: 128-37-0 Butylated hydro	xytoluene A ²
- NIOSH-Ca (Nationa	l Institute for Occupational Safety and Health)
None of the ingredients is listed.	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



Health = *3
Fire = 1

- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flammable Liquids 4: Flammable liquids – Category 4

Self-reactive substances and mixtures - Type F: Self-reactive substances and mixtures - Type E/F
Organic Peroxides - Type E: Organic peroxides - Type E/F
Acute Toxicity - Oral 4: Acute toxicity - Category 4
Acute Toxicity - Dermal 3: Acute toxicity - Category 3

Acute foxicity - Definial 5. Acute foxicity - Category 5
Skin Corrosion 1A: Skin corrosion/irritation - Category 1A
Skin Corrosion 1B: Skin corrosion/irritation - Category 1B
Skin Irritation 2: Skin corrosion/irritation - Category 2
Eye Damage 1: Serious eye damage/eye irritation - Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Sensitization - Skin 1: Skin sensitisation – Category 1

Carcinogenicity 1A: Carcinogenicity – Category 1A

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

Aspiration Hazard 1: Aspiration hazard - Category 1

Printing date 01/23/2024 Reviewed on 12/05/2023

Trade name: Vibra-TITE® Structural Adhesives

- * Data compared to the previous version altered.

(Contd. of page 7)

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.