



Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

1 Identification

- Product identifier
 - Trade name: Vibra-TITE® Structural Adhesive
 - Synonyms: 274 No-Mix Structural Acrylic
 - Part number: VT274
 - Application of the substance / the mixture Adhesives
- Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



Sensitization - Skin 1

H317 May cause an allergic skin reaction.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger
- Hazard-determining components of labeling:

acrylic acid

methacrylic acid, monoester with propane-1,2-diol

dimethylbenzyl hydroperoxide

Cumene

Trifunctional acid ester

2'-phenylacetohydrazide

- Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

(Contd. of page 1)

- Precautionar	v statements
----------------	--------------

•	Precautionary s	statements
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapors/spray.
	P260	Do not breathe dusts or mists.
	P264	Wash thoroughly after handling.
	P272	Contaminated work clothing must not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P280	Wear protective gloves.
	P280	Wear eye protection / face protection.
	P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
	P302+P352	If on skin: Wash with plenty of water.
	D000 D004 D050	

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).
P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

9	components:	
	Urethane acrylate Oligomer	30 – 399
	Skin Irritation 2, H315; Eye Irritation 2B, H320	
CAS: 7534-94-3	Isobornyl Methacrylate	10 – 199
	Skin Irritation 2, H315; Eye Irritation 2A, H319	
CAS: 27813-02-1	L '	10 – 19%
	Eye Irritation 2A, H319; Sensitization - Skin 1, H317	
CAS: 142-90-5	dodecyl methacrylate	9.31%
	Specific Target Organ Toxicity - Single Exposure 3, H335	
CAS: 79-10-7	acrylic acid	5 – 9%
	Flammable Liquids 3, H226; Skin Corrosion 1A, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332	
	Trifunctional acid ester	4.64%
	Skin Corrosion 1A, H314; Eye Damage 1, H318; Sensitization - Skin 1, H317	
CAS: 2530-83-8	Silane	1 – 4%
	Eye Damage 1, H318	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	1 – 4%
	Self-reactive substances and mixtures - Type F, H242; Organic Peroxides - Type E, H242; Acute Toxicity - Inhalation 3, H331; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Aspiration Hazard 1, H304; Skin Corrosion 1B, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	
CAS: 613-48-9	N,N-Diethyl-P-Toluidine	1 – 4%
	Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Eye Irritation 2A, H319; Flammable Liquids 4, H227	
CAS: 609-72-3	N,N-dimethyl-o-toluidine	≤ 1%
	Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	
CAS: 98-82-8	Cumene	≤ 1%
	Flammable Liquids 3, H226; Carcinogenicity 2, H351; Aspiration Hazard 1, H304; Acute Toxicity - Oral 4, H302; Specific Target Organ Toxicity - Single Exposure 3, H335	
CAS: 114-83-0	2'-phenylacetohydrazide	≤ 1%
	Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	

(Contd. on page 3)

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

(Contd. of page 2)

4 First-aid measures

- Description of first aid measures

- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters

- Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data: see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

(Contd. of page 3)

CAS:	79-10-7 acrylic acid			
REL	Long-term value: 6 mg/m³, 2 ppm Skin			
TLV	Long-term value: 2 ppm Skin, A3			
CAS:	CAS: 80-15-9 dimethylbenzyl hydroperoxide			
WEE	Long-term value: 6 mg/m³, 1 ppm Skin			
CAS:	98-82-8 Cumene			
PEL	Long-term value: 245 mg/m³, 50 ppm Skin			
REL	Long-term value: 245 mg/m³, 50 ppm Skin			
TLV	Long-term value: 5 ppm A3			

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Required use of safety glasses



- Flash point:

Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties - General Information Appearance: Form: Fluid Color: Amber colored - Odor: Characteristic - Odor threshold: Not determined. - pH-value: Not determined. - Change in condition - Melting point/Melting range: Undetermined. - Boiling point/Boiling range: 141 °C (285.8 °F)

100 °C (212 °F)

(Contd. on page 5)

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

(Contd. of page 4)

	(Conta. or pag
- Flammability (solid, gaseous):	Not applicable.
- Auto igniting:	374 °C (705.2 °F)
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure at 20 °C (68 °F):	0.1 hPa
- Density at 20 °C (68 °F):	0.99 g/cm³ (8.26155 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	ater): Not determined.
- Viscosity:	
- Dynamic at 20 °C (68 °F):	1,200 mPas
- Kinematic:	Not determined.
- Solvent content:	
Organic solvents:	0.6 %
- Water:	0.1 %
VOC content:	0.58 %
	5.8 g/l / 0.05 lb/gal
- Solids content:	3.6 %
Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

* 11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LE	- LD/LC50 values that are relevant for classification:		
ATE (Acut	ATE (Acute Toxicity Estimate)		
Oral	LD50	2,134 mg/kg	
Dermal	LD50	3,029 mg/kg	
Inhalative	LC50/4 h	88.4 mg/l	
CAS: 79-1	CAS: 79-10-7 acrylic acid		
Oral	LD50	250 mg/kg (rat)	
Dermal	LD50	280 mg/kg (rabbit)	
Inhalative	LC50/4 h	11 mg/l (ATE)	
CAS: 80-1	CAS: 80-15-9 dimethylbenzyl hydroperoxide		
Oral	LD50	382 mg/kg (rat)	
Dermal	LD50	500 mg/kg (rat)	
Inhalative	LC50/4 h	220 mg/l (rat)	
CAS: 613-	48-9 N,N-I	Diethyl-P-Toluidine	
Oral	LD50	100 mg/kg (ATE)	

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

(Contd. of page 5) LD50 300 mg/kg (ATE) Dermal Inhalative LC50/4 h 3 mg/l (ATE) CAS: 609-72-3 N,N-dimethyl-o-toluidine Oral LD50 100 mg/kg (ATE) LD50 300 mg/kg (ATE) Dermal Inhalative LC50/4 h 3 mg/l (ATE) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat) LD50 12,300 mg/kg (rabbit) Dermal Inhalative LC50/4 h 24.7 mg/l (mouse) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse)

- Primary irritant effect:
 - on the skin: Caustic effect on skin and mucous membranes.
 - on the eye: Strong caustic effect.
- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories

	nogeme dategories	
- <i>IA</i>	RC (International Agency for Research on Cancer)	
CAS: 79-10-7	acrylic acid	3
CAS: 98-82-8	Cumene	2E
- N7	TP (National Toxicology Program)	
CAS: 98-82-8	Cumene	F
CAS: 130-15-4	1,4-naphthoquinone	F
- 03	SHA-Ca (Occupational Safety & Health Administration)	
None of the inc	gredients is listed.	
	5	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

(Contd. of page 6)

4 Transport information	
- UN-Number - DOT, ADN, IMDG, IATA	not regulated
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated
- Transport hazard class(es)	
- DOT, ADN, IMDG, IATA - Class	not regulated
- Packing group - DOT, IMDG, IATA	not regulated
- Environmental hazards: - Marine pollutant:	No
- Special precautions for user	Not applicable.
- Transport in bulk according to Annex II of and the IBC Code	of MARPOL73/78 Not applicable.
- UN "Model Regulation":	not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara

- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
CAS: 79-10-7 acrylic acid	
CAS: 80-15-9 dimethylbenzyl hydroperoxide	
CAS: 98-82-8 Cumene	
- TSCA (Toxic Substances Control Act):	
Urethane acrylate Oligomer	ACTIV
Isobornyl Methacrylate	ACTIV
methacrylic acid, monoester with propane-1,2-diol	ACTIV
dodecyl methacrylate	ACTIV
acrylic acid	ACTIV
Trifunctional acid ester	ACTIV
Saccharin	ACTIV
Silane	ACTIV
dimethylbenzyl hydroperoxide	ACTIV
N,N-Diethyl-P-Toluidine	ACTIV
N,N-dimethyl-o-toluidine	ACTIV
propane-1,2-diol	ACTIV
2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	ACTIV
Cumene	ACTIV
2-Phenyl-2-propanol	ACTIV
2'-phenylacetohydrazide	ACTIV
Deionized water	ACTIV
1-hydroxyethane-1,1-diylbis(phosphonic acid)	ACTIV
tetrasodium ethylenediaminetetraacetate	ACTIV
1,4-naphthoquinone	ACTIV
phosphorous acid	ACTIV
- Hazardous Air Pollutants	
CAS: 79-10-7 acrylic acid	
CAS: 98-82-8	
CAS: 130-15-4 1,4-naphthoquinone	

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

- Proposition 65

(Contd. of page 7)

- Chemicals known to	cause cancer:
CAS: 98-82-8 Cumene	
- Chemicals known to	cause reproductive toxicity for females:
Trifunctional acid ester	· · · · · · · · · · · · · · · · · · ·
- Chemicals known to	cause reproductive toxicity for males:
Trifunctional acid ester	
- Chemicals known to	cause developmental toxicity:
Trifunctional acid ester	

- Carcinogenic categories

- EPA (Environmental Protection Agency)	
CAS: 98-82-8 Cumene	D, CBD
- TLV (Threshold Limit Value)	
CAS: 79-10-7 acrylic acid	A4
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3
Flammable Liquids 4: Flammable liquids – Category 4
Self-reactive substances and mixtures – Type F: Self-reactive substances and mixtures – Type E/F

Organic Peroxides - Type E: Organic peroxides - Type E/F Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B

Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B Sensitization - Skin 1: Skin sensitisation – Category 1

Carcinogenicity 2: Carcinogenicity — Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) — Category 3

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) — Category 2

Aspiration Hazard 1: Aspiration hazard — Category 1

^{- *} Data compared to the previous version altered.

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Structural Adhesive

(Contd. of page 8)

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.