



Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

1 Identification

- Product identifier

- Trade name: Vibra-TITE® SuperGlue
 - Synonyms: 310 Rubber Toughened Gap Filling Black
 - Part number: VT310
 - Application of the substance / the mixture
 - No further relevant information available.
 - Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier: ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

Flammable Liquids 4

H227 Combustible liquid.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms



- Signal word Warning

- Hazard-determining components of labeling:
- ethyl 2-cyanoacrylate
- Hazard statements
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- Precautionary statements
- Keep away from flames and hot surfaces. No smoking. P210
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P280 Wear eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell.

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

Trade name: Vibra-TITE® SuperGlue

(Contd. of page 1)

90 - 100%

Reviewed on 10/27/2023

P321	Specific treatment (see on this label).	(0
P362+P364	Take off contaminated clothing and wash it before reuse.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulation	s.

- Information pertaining to particular dangers for man and environment:

- Cyanacrylate. DANGER. Glues skin and eyelids within seconds. Should be kept out of children's reach.
- Other hazards

Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7085-85-0 ethyl 2-cyanoacrylate

Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227

4 First-aid measures

- Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Call a doctor immediately.
- Information for doctor:

- Most important symptoms and effects, both acute and delayed Breathing difficulty

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture Nitrogen oxides (NOx)

- Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Allow to solidify. Pick up mechanically. Ensure adequate ventilation.
- Dispose of the collected material according to regulations.

Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Trade name: Vibra-TITE® SuperGlue

(Contd. of page 2)

Reviewed on 10/27/2023

7 Handling and storage

- Handling:

Precautions for safe handling

- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
- Ensure good ventilation/exhaustic Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles:
 - Store in a cool location.
 - Store only in the original receptacle.
 - Information about storage in one common storage facility: Store away from oxidizing agents.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.

- Control parameters

- Components with limit values that require monitoring at the workplace: CAS: 7085-85-0 ethyl 2-cyanoacrylate

TLV Short-term value: 1 ppm Long-term value: 0.2 ppm DSEN, RSEN

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Not necessary if room is well-ventilated.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation - *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Not suitable are gloves made of the following materials: PVC gloves

- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties - General Information - Appearance:			
- Form:	Liquid		
- Color:	Black		
- Odor:	Strong		

Trade name: Vibra-TITE® SuperGlue

Reviewed on 10/27/2023

- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
- Melting point/Melting range:	Undetermined.
- Boiling point/Boiling range:	≥ 60 °C (≥ 140 °F)
- Flash point:	87 °C (188.6 °F)
- Flammability (solid, gaseous):	Not applicable.
 Decomposition temperature: 	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Not determined.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	~ 1.05 g/cm³ (~ 8.76225 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wat	ter): Not determined.
- Viscosity:	
- Dynamic at 20 °C (68 °F):	1,500 mPas
- Kinematic:	Not determined.
- Solvent content:	
- VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
- Solids content:	0.2 %
ther information	No further relevant information available.

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- Carcinogenic categories

 IARC (International Agency for Research on Cancer) 	
CAS: 123-31-9 hydroquinone	3
CAS: 1333-86-4 Carbon black	2B
	(Contd. on page 5)

Trade name: Vibra-TITE® SuperGlue

Reviewed on 10/27/2023

(Contd. of page 4)

- NTP (National Toxicology Program)
 None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - vPvB: Not applicable.

- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number		
- DOT	NA1993	
- ADN, IMDG, IATA	not regulated	
UN proper shipping name		
- DOT	COMBUSTIBLE LIQUID, N.O.S	
- ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
- DOT		
- Class	3 Combustible liquids	
- Label	3	
- ADN/R Class:	not regulated	
Packing group		
- DOT	III	
- IMDG, IATA	not regulated	
Environmental hazards:		
- Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of M	ARPOL73/78	
and the IBC Code	Not applicable.	
Transport/Additional information:		
- DOT		
 Quantity limitations 	On passenger aircraft/rail: 60 L	
-	On cargo aircraft only: 220 L	
UN "Model Regulation":	not regulated	

Trade name: Vibra-TITE® SuperGlue

Reviewed on 10/27/2023

	(Contd. of page
5 Regulatory information	
 Safety, health and environmental regulations/legislation specific for the substance or many No further relevant information available. Sara 	ixture
 Section 355 (extremely hazardous substances): 	
CAS: 123-31-9 hydroquinone	
- Section 313 (Specific toxic chemical listings):	
CAS: 123-31-9 hydroquinone	
- TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
- Hazardous Air Pollutants	
CAS: 123-31-9 hydroquinone	
- Proposition 65	
- Chemicals known to cause cancer:	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for females: 	
None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for males: 	
None of the ingredients is listed.	
 Chemicals known to cause developmental toxicity: 	
None of the ingredients is listed.	
- Carcinogenic categories	
- EPA (Environmental Protection Agency)	
CAS: 109-63-7 diethyl etherboron trifluoride	l (ora
- TLV (Threshold Limit Value)	
CAS: 123-31-9 hydroquinone	ŀ
CAS: 1333-86-4 Carbon black	A

- NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 1333-86-4 Carbon black

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transportation EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

Trade name: Vibra-TITE® SuperGlue

(Contd. of page 6)

Reviewed on 10/27/2023

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 4: Flammable liquids – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.