



# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/23/2024

Page 1/7

# **1** Identification

# - Product identifier

- Trade name: Vibra-TITE® SuperGlue
  - Synonyms: 344 Wire Tacking Clear / Fluorescent
  - Part number: VT344
  - Application of the substance / the mixture Adhesives

# - Details of the supplier of the safety data sheet

- Manufacturer/Supplier: ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department - Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

# Classification of the substance or mixture



· · · · · · · · · · · · · · · · · · ·	
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Sensitization - Skin 1	H317 May cause an allergic skin reaction.
Specific Target Organ Toxicity - Single Exposure 3	H335 May cause respiratory irritation.
Flammable Liquids 4	H227 Combustible liquid.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
  - Hazard pictograms



- Signal word Warning
- Hazard-determining components of labeling: ethyl 2-cyanoacrylate POLY(ETHYLENE GLYCOL) METHYL ETHER METHACRYLATE
- Hazard statements
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- Precautionary statements
- P210 Keep away from flames and hot surfaces. - No smoking.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P280 Wear protective gloves.
- P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

## Trade name: Vibra-TITE® SuperGlue

Reviewed on 01/23/2024

	<b>D</b> )	ontd. of page 1)
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	B If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and e	asy to do.
	Continue rinsing.	
P312	Call a poison center/doctor if you feel unwell.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P321	Specific treatment (see on this label).	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P363	Wash contaminated clothing before reuse.	
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	

# - Information pertaining to particular dangers for man and environment:

Cyanacrylate. DANGER. Glues skin and eyelids within seconds. Should be kept out of children's reach.

- Other hazards

#### - Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

#### **3** Composition/information on ingredients

#### - Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

## - Dangerous components:

Dungeroue		
CAS: 7085-85-0	ethyl 2-cyanoacrylate	90 – 100%
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	
CAS: 26915-72-0	POLY(ETHYLENE GLYCOL) METHYL ETHER METHACRYLATE Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	1 – 4%

# 4 First-aid measures

## - Description of first aid measures

#### - After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Call a doctor immediately.

- Information for doctor:

- Most important symptoms and effects, both acute and delayed Breathing difficulty
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Fire-fighting measures

#### - Extinguishing media

## - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture Nitrogen oxides (NOx)

#### - Advice for firefighters

#### - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

<sup>-</sup> Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Printing date 01/23/2024

#### Trade name: Vibra-TITE® SuperGlue

Reviewed on 01/23/2024

Allow to solidify. Pick up mechanically. Ensure adequate ventilation. Dispose of the collected material according to regulations. - **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

#### - Handling:

- **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.

#### - Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles:

- Store in a cool location.
- Store only in the original receptacle.

- Information about storage in one common storage facility: Store away from oxidizing agents.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.

#### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

#### CAS: 7085-85-0 ethyl 2-cyanoacrylate

TLV Short-term value: 1 ppm Long-term value: 0.2 ppm DSEN, RSEN

- Additional information: The lists that were valid during the creation were used as basis.

## - Exposure controls

- Personal protective equipment:

## - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

## - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Not necessary if room is well-ventilated.

# Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Not suitable are gloves made of the following materials: PVC gloves

- Body protection: Protective work clothing

(Contd. of page 2)

(Contd. of page 3)

Printing date 01/23/2024

# Trade name: Vibra-TITE® SuperGlue

Reviewed on 01/23/2024

formation on basic physical and che	emical properties	
- General Information		
- Appearance:		
- Form:	Liquid	
- Color:	Clear	
- Odor:	Characteristic	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
- Change in condition		
<ul> <li>Melting point/Melting range:</li> </ul>	Undetermined.	
<ul> <li>Boiling point/Boiling range:</li> </ul>	≥ 60 °C (≥ 140 °F)	
- Flash point:	87 °C (188.6 °F)	
- Flammability (solid, gaseous):	Not applicable.	
- Decomposition temperature:	Not determined.	
- Ignition temperature:	Product is not selfigniting.	
- Danger of explosion:	Not determined.	
- Explosion limits:		
- Lower:	Not determined.	
- Upper:	Not determined.	
- Vapor pressure:	Not determined.	
- Density at 20 °C (68 °F):	~ 1.05 g/cm³ (~ 8.76225 lbs/gal)	
- Relative density	Not determined.	
- Vapor density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
- Water:	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/wat	er): Not determined.	
- Viscosity:		
- Dynamic at 20 °C (68 °F):	11,000 mPas	
- Kinematic:	Not determined.	
- Solvent content:		
- VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
- Solids content:	6.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.

- Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

#### - Information on toxicological effects

Acute toxicity:

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.

- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Reviewed on 01/23/2024

Printing date 01/23/2024

Trade name: Vibra-TITE® SuperGlue

nade name. Vibra TTES SuperSide	
Irritant	(Contd. of page
- Carcinogenic categories	
- IARC (International Agency for Research on Cancer)	
CAS: 123-31-9 hydroquinone	3
- NTP (National Toxicology Program)	
None of the ingredients is listed.	
- OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
12 Ecological information	
- Toxicity	
- Aquatic toxicity: No further relevant information available.	
- Persistence and degradability No further relevant information available.	
- Bohsterice and degradability to future relevant information available.	

#### - Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.

- Mobility in soil No further relevant information available.

- Additional ecological information:
  - General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
  - **PBT:** Not applicable.

- **vPvB:** Not applicable.

- Other adverse effects No further relevant information available.

# 13 Disposal considerations

## - Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### - Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

4 Transport information	
- UN-Number - DOT - ADN, IMDG, IATA	NA1993 not regulated
- UN proper shipping name - DOT - ADN, IMDG, IATA	COMBUSTIBLE LIQUID, N.O.S not regulated
- Transport hazard class(es)	
- DOT	
conducted	
- Class	3 Combustible liquids
- Label	3
- ADN/R Class:	not regulated
- Packing group	
- DOT - IMDG, IATA	III not regulated
- Environmental hazards:	not regulated
- Marine pollutant:	No
- Special precautions for user	Not applicable.
- Transport in bulk according to Annex II of and the IBC Code	MARPOL73/78 Not applicable.

(Contd. on page 6)

Printing date 01/23/2024

Trade name: Vibra-TITE® SuperGlue

Reviewed on 01/23/2024

-			(Contd. of page
•	ditional information:		
- DOT			
- Quant	ity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L	
UN "Model R	egulation":	not regulated	
Regulatory	information		
• <b>Safety, healt</b> No further relev - <b>Sara</b>	h and environmental regulation rant information available.	s/legislation specific for the substance or mixture	
- Se	ction 355 (extremely hazardous	substances):	
CAS: 79-11-8	chloroacetic acid		
CAS: 123-31-9	hydroquinone		
- Se	ction 313 (Specific toxic chemic	cal listings):	
CAS: 79-11-8	chloroacetic acid		
CAS: 123-31-9	hydroquinone		
- TSCA	(Toxic Substances Control Act)	):	
All components	have the value ACTIVE.		
- Ha	zardous Air Pollutants		
CAS: 79-11-8	chloroacetic acid		
CAS: 123-31-9	hydroquinone		
- Propo	sition 65		
- Ch	emicals known to cause cancer	<i>r:</i>	
None of the ing	redients is listed.		
- Ch	emicals known to cause reprod	luctive toxicity for females:	
None of the ing	redients is listed.		
- Ch	emicals known to cause reprod	luctive toxicity for males:	
None of the ing	redients is listed.		
- Ch	emicals known to cause develo	pmental toxicity:	
None of the ing	redients is listed.	· · · · · · · · · · · · · · · · · · ·	
- Carciı	nogenic categories		
- EP	A (Environmental Protection Ag	gency)	
	diethyl etherboron trifluoride		l (ora
- TL	V (Threshold Limit Value)		
	chloroacetic acid		A
CAS: 123-31-9	hydroquinone		A
- NI	OSH-Ca (National Institute for O	ccupational Safety and Health)	
None of the ing	redients is listed.		
		ty Assessment has not been carried out.	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

# Trade name: Vibra-TITE® SuperGlue

(Contd. of page 6)

Reviewed on 01/23/2024

#### - Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 4: Flammable liquids – Category 4 Skin Irritation 2: Skin corrosion/Irritation – Category 2 Eye Irritation 2: Skin corrosion/Irritation – Category 2 Sensitization – Skin 1: Skin sensitisation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 - \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.