



Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Thread Sealant

- Synonyms: 427 Medium Strength - Stainless Steel Thread Sealant

- Part number: VT427

- Application of the substance / the mixture

Sealing Sealant

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887


2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



Eye Damage 1 H318 Causes serious eye damage.



Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

4-hydroxybutyl acrylate Polyether Urethane Methacrylate Cumene Urethane methacrylate benzyl methacrylate 2-Butenedioic acid (2Z)

2'-phenylacetohydrazide - Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Thread Sealant

(Contd. of page 1) H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer. H335 May cause respiratory irritation.

- Precautionary statements

P201 Obtain special instructions before use. P202

Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label). P321 P312 Call a poison center/doctor if you feel unwell.

Take off contaminated clothing and wash it before reuse. P362+P364 P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. P363

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable. - vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous	s components:	
	Polyether Urethane Methacrylate Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1B, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	20 – 29%
	Urethane methacrylate Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	20 – 29%
CAS: 2495-37-6	benzyl methacrylate Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	10 – 19%
CAS: 2478-10-6	4-hydroxybutyl acrylate Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	10 – 19%
	Acrylic polymer Combustible Dust	5 – 9%
CAS: 79-10-7	acrylic acid Flammable Liquids 3, H226; Skin Corrosion 1A, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332	≤ 1%
CAS: 80-15-9	dimethylbenzyl hydroperoxide Self-reactive substances and mixtures - Type F, H242; Organic Peroxides - Type E, H242; Acute Toxicity - Inhalation 3, H331; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Aspiration Hazard 1, H304; Skin Corrosion 1B, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	≤ 1%
CAS: 110-16-7	2-Butenedioic acid (2Z) Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	≤ 1%
CAS: 114-83-0	2'-phenylacetohydrazide Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	≤ 1%
CAS: 98-82-8	Cumene Flammable Liquids 3, H226; Carcinogenicity 2, H351; Aspiration Hazard 1, H304; Acute Toxicity - Oral 4, H302; Specific Target Organ Toxicity - Single Exposure 3, H335	≤ 1%

(Contd. on page 3)

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Thread Sealant

(Contd. of page 2)

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

CAS: 79-10-7 acrylic acid

REL Long-term value: 6 mg/m³, 2 ppm

Skin

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Thread Sealant

TLV Long-term value: 2 ppm Skin, A3

CAS: 80-15-9 dimethylbenzyl hydroperoxide

WEEL Long-term value: 6 mg/m³, 1 ppm Skin

CAS: 98-82-8 Cumene

PEL Long-term value: 245 mg/m³, 50 ppm Skin

REL Long-term value: 245 mg/m³, 50 ppm Skin

TLV Long-term value: 5 ppm A3

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber. NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Required use of safety glasses
- Body protection: Protective work clothing

9 Physical and chemical properties

nformation on basic physical and che - General Information	mical properties	
- Appearance:		
- Form:	Viscous	
- Color:	Yellow	
- Odor:	Characteristic	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
- Change in condition - Melting point/Melting range: - Boiling point/Boiling range:	Undetermined. ≥ 95 °C (≥ 203 °F)	
- Flash point:	95 °C (203 °F)	
- Flammability (solid, gaseous):	Not applicable.	
- Decomposition temperature:	Not determined.	
- Ignition temperature:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits:		
- Lower:	Not determined.	

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Thread Sealant

(Contd. of page 4)

- Upper:	Not determined.				
- Vapor pressure:	Not determined.				
- Density:	Not determined.				
- Relative density	Not determined.				
- Vapor density	Not determined.				
- Evaporation rate	Not determined.				
- Solubility in / Miscibility with					
- Water:	Not miscible or difficult to mix.				
- Partition coefficient (n-octano	ol/water): Not determined.				
- Viscosity:					
- Dynamic:	Not determined.				
- Kinematic:	Not determined.				
- Solvent content:					
- Organic solvents:	0.8 %				
- Water:	1.3 %				
- VOC content:	0.77 %				
	7.7 g/l / 0.06 lb/gal				
- Solids content:	21.9 %				
Other information	No further relevant information available.				

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:

ATE (Acute Toxicity Estimate) Oral LD50 4,167 mg/kg Dermal LD50 28,000 mg/kg (rabbit) Inhalative LC50/4 h 1,056 mg/l CAS: 2478-10-6 4-hydroxybutyl acrylate Coral LD50 500 mg/kg (ATE) CAS: 79-10-7 acrylic acid Coral LD50 250 mg/kg (rat) Dermal LD50 280 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (ratb) Dermal LD50 1,2300 mg/kg (rabbit)	- LI	D/LC50 v	alues that are relevant for classification:			
Dermal Inhalative LD50 LC50/4 h 28,000 mg/kg (rabbit) CAS: 2478-10-6 4-hydroxybutyl acrylate Oral LD50 500 mg/kg (ATE) CAS: 79-10-7 acrylic acid Oral LD50 250 mg/kg (rat) Dermal LD50 280 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) Inhalative LC50/4 h 220 mg/lkg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/lk (rat) Inhalative LC50/4 h 20 mg/kg (rat) Inhalative LC50/2 h 708 mg/kg (rat) Inhalativ	ATE (Acute Toxicity Estimate)					
Inhalative LC50/4 h 1,056 mg/l	Oral	LD50	4,167 mg/kg			
CAS: 2478-10-6 4-hydroxybutyl acrylate Oral LD50 500 mg/kg (ATE) CAS: 79-10-7 acrylic acid Doral LD50 250 mg/kg (rat) Dermal LD50 280 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Dermal	LD50	28,000 mg/kg (rabbit)			
Oral LD50 500 mg/kg (ATE) CAS: 79-10-7 acrylic acid Coral Oral LD50 250 mg/kg (rat) Dermal LD50 280 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Inhalative	LC50/4 h	1,056 mg/l			
CAS: 79-10-7 acrylic acid Oral LD50 250 mg/kg (rat) Dermal LD50 280 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	CAS: 247	8-10-6 4-h	ydroxybutyl acrylate			
Oral LD50 250 mg/kg (rat) Dermal LD50 280 mg/kg (rabbit) Inhalative LC50/4 h 11 mg/l (ATE) CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Oral	LD50	500 mg/kg (ATE)			
Dermal LD50 280 mg/kg (rabbit)	CAS: 79-1	0-7 acryli	c acid			
Inhalative	Oral	LD50	250 mg/kg (rat)			
CAS: 80-15-9 dimethylbenzyl hydroperoxide Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Dermal	LD50	280 mg/kg (rabbit)			
Oral LD50 382 mg/kg (rat) Dermal LD50 500 mg/kg (rat) Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Inhalative	LC50/4 h	11 mg/l (ATE)			
Dermal Inhalative LD50 LC50/4 h 500 mg/kg (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 Dermal LD50 T08 mg/kg (rat) 708 mg/kg (rat) Dermal LD50 LD50 T08 mg/kg (rabbit) 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 Z70 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	CAS: 80-1	5-9 dimet	hylbenzyl hydroperoxide			
Inhalative LC50/4 h 220 mg/l (rat) CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Oral	LD50				
CAS: 110-16-7 2-Butenedioic acid (2Z) Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Dermal	LD50	500 mg/kg (rat)			
Oral LD50 708 mg/kg (rat) Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Inhalative	LC50/4 h	220 mg/l (rat)			
Dermal LD50 1,560 mg/kg (rabbit) CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	CAS: 110-	-16-7 2-Bu	tenedioic acid (2Z)			
CAS: 114-83-0 2'-phenylacetohydrazide Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	Oral	LD50	708 mg/kg (rat)			
Oral LD50 270 mg/kg (mouse) CAS: 98-82-8 Cumene COral LD50 1,400 mg/kg (rat)	Dermal	LD50	1,560 mg/kg (rabbit)			
CAS: 98-82-8 Cumene Oral LD50 1,400 mg/kg (rat)	CAS: 114-	-83-0 2'-ph	nenylacetohydrazide			
Oral LD50 1,400 mg/kg (rat)	Oral	LD50	270 mg/kg (mouse)			
	CAS: 98-8	32-8 Cume	ne			
Dermal LD50 12,300 mg/kg (rabbit)	Oral	LD50	1,400 mg/kg (rat)			
	Dermal	LD50	12,300 mg/kg (rabbit)			

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Thread Sealant

Inhalative LC50/4 h 24.7 mg/l (mouse)

(Contd. of page 5)

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IAR	C (International Agency for Research on Cancer)	
CAS: 9002-84-0	Polytetrafluoroethylene	3
CAS: 79-10-7	acrylic acid	3
CAS: 98-82-8	Cumene	2B
- NTI	P (National Toxicology Program)	
CAS: 98-82-8	Cumene	R
CAS: 130-15-4	1,4-naphthoquinone	R
- OS	HA-Ca (Occupational Safety & Health Administration)	
None of the ingr	edients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number				
- DOT, ADN, IMDG, IATA	not regulated			
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated			
- Transport hazard class(es)				
- DOT, ADN, IMDG, IATA				
- Class	not regulated			
- Packing group				
- DOT, IMDĠ, IATA	not regulated			
- Environmental hazards:				
- Marine pollutant:	No			
- Special precautions for user	Not applicable.			
- Transport in bulk according to Annex II	of MARPOL73/78			
and the IBC Code	Not applicable.			

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Thread Sealant

(Contd. of page 6)

- UN "Model Regulation": not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Section 355 (ex	tremely hazardous substances):	
None of the ingredients is lister	1.	
- Section 313 (Sp	ecific toxic chemical listings):	
CAS: 79-10-7 acrylic acid		
CAS: 80-15-9 dimethylbenzyl	nydroperoxide	
CAS: 98-82-8 Cumene		
CAS: 98-86-2 acetophenone		
- TSCA (Toxic Subst	ances Control Act):	
Urethane methacrylate		ACTIVE
benzyl methacrylate		ACTIVE
4-hydroxybutyl acrylate		ACTIVE
Acrylic polymer		ACTIVE
Silicon dioxide, amorphous		ACTIVE
Polytetrafluoroethylene		ACTIVE
Deionized water		ACTIVE
acrylic acid		ACTIVE
Saccharin		ACTIVE
dimethylbenzyl hydroperoxide		ACTIVE
2-(2-methylprop-2-enoyloxy)eth	ıyl 2-methylprop-2-enoate	ACTIVE
propane-1,2-diol		ACTIVE
2-Butenedioic acid (2Z)		ACTIVE
2'-phenylacetohydrazide		ACTIVE
Cumene		ACTIVE
tetrasodium ethylenediaminete		ACTIVE
2,5-thiophenediylbis(5-tert-buty	I-1,3-benzoxazole)	ACTIVE
Colorant		ACTIVI
acetophenone		ACTIVI
2-Phenyl-2-propanol		ACTIVE
N-isopropylhydroxylamine		ACTIVE
1-hydroxyethane-1,1-diylbis(ph	osphonic acid)	ACTIVE
1,4-naphthoquinone		ACTIVE
2-Propanone, oxime		ACTIVE
phosphorous acid		ACTIVE
- Hazardous Air I	Pollutants	
CAS: 79-10-7 acrylic acid		
CAS: 98-82-8 Cumene		
CAC. 00 0C 0		

CAS: 98-86-2 acetophenone CAS: 130-15-4 1,4-naphthoquinone - **Proposition 65**

- Chemicals	known	to	CALISE	cancer.
Oncinioaio		••	oudoc	carreer.

CAS: 98-82-8 Cumene

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Thread Sealant

(Contd. of page 7)

- Carcinogenic categories

- <i>EF</i>	PA (Environmental Protection Agency)		
CAS: 98-82-8	Cumene	[D, CBD
CAS: 98-86-2	acetophenone)
- TL	V (Threshold Limit Value)		
CAS: 79-10-7	acrylic acid		A4
- NI	OSH-Ca (National Institute for Occupational Safety and Health)		
None of the inc	gredients is listed.		

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3

Flammable Liquids 4: Flammable liquids - Category 4

Self-reactive substances and mixtures - Type F: Self-reactive substances and mixtures - Type E/F Organic Peroxides - Type E/F

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Acute Toxicity - Inhalation 3: Acute toxicity - Category 3

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1
Sensitization - Skin 1B: Skin sensitisation - Category 1B

Carcinogenicity 2: Carcinogenicity - Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

Aspiration Hazard 1: Aspiration hazard - Category 1

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.