



Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Retaining Compound
 - Synonyms: 530 General Purpose Retaining Compound
 - Part number: VT530
 - Application of the substance / the mixture Assembly adhesive
 - Retaining agents

- Details of the supplier of the safety data sheet

- *Manufacturer/Supplier:* ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- *Emergency telephone number:* United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture

GHS08 Health hazard

H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Carcinogenicity 2

Skin Irritation 2 Eye Irritation 2A Sensitization - Skin 1 Specific Target Organ Toxicity - Single Exposure 3 H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms



- Signal word Warning

- Hazard-determining components of labeling:
 2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate methacrylic acid, monoester with propane-1,2-diol dimethylbenzyl hydroperoxide Cumene
 2-phenylacetohydrazide Methacryloxypropyltrimethoxysilane
 Hazard statements H315 Causes skin irritation.
 H240 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer. H335 May cause respiratory irritation.

(Contd. on page 2)

Page 1/8

Reviewed on 01/08/2024

Safety Data Sheet acc. to OSHA HCS

Trade name: Vibra-TITE® Retaining Compound

Reviewed on 01/08/2024

	(Contd. of page
	e damage to organs through prolonged or repeated exposure.
Precautionar	
P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	138 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
ditional inforr	
o/	

5.3 % of the mixture consists of component(s) of unknown toxicity.

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous	components:	
CAS: 25852-47-5	2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	50 – 59%
CAS: 27813-02-1	methacrylic acid, monoester with propane-1,2-diol Eye Irritation 2A, H319; Sensitization - Skin 1, H317	10 – 19%
	Acrylic polymer Combustible Dust	5 – 9%
CAS: 39382-25-7	2-Butenedioic acid (2E)-, polymer with α,α'-[(1-methylethylidene)di-4,1-phenylene]bis[ω- hydroxypoly[oxy(methyl-1,2-ethanediyl)]] Eye Irritation 2A, H319	5 – 9%
CAS: 80-15-9	dimethylbenzyl hydroperoxide Self-reactive substances and mixtures - Type F, H242; Organic Peroxides - Type E, H242; Acute Toxicity - Inhalation 3, H331; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Aspiration Hazard 1, H304; Skin Corrosion 1B, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	1 – 4%
CAS: 26936-30-1	Methacryloxypropyltrimethoxysilane Sensitization - Skin 1B, H317	1 – 4%
CAS: 114-83-0	 2'-phenylacetohydrazide Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 	
CAS: 98-82-8	Cumene Flammable Liquids 3, H226; Carcinogenicity 2, H351; Aspiration Hazard 1, H304; Acute Toxicity - Oral 4, H302; Specific Target Organ Toxicity - Single Exposure 3, H335	≤ 1%

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.

Safety Data Sheet acc. to OSHA HCS

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 2)

Reviewed on 01/08/2024

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available. - Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Ensure adequate ventilation Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Ensure adequate ventilation.
- Dispose of the collected material according to regulations.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:
- At this time, the other constituents have no known exposure limits.

CAS: 8	CAS: 80-15-9 dimethylbenzyl hydroperoxide		
WEEL	Long-term value: 6 mg/m³, 1 ppm Skin		
CAS: 9	CAS: 98-82-8 Cumene		
PEL	Long-term value: 245 mg/m³, 50 ppm Skin		
REL	Long-term value: 245 mg/m³, 50 ppm Skin		
TLV	Long-term value: 5 ppm A3		

- Additional information: The lists that were valid during the creation were used as basis.

Printing date 01/23/2024

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 3)

Reviewed on 01/08/2024

F	
- Exposure controls	
- Personal protective equipment:	
 General protective and hygien Keep away from foodstuffs, beverage 	
Immediately remove all soiled and co	
Wash hands before breaks and at the	e end of work.
Avoid contact with the eyes and skin.	
 Breathing equipment: Not required. 	
	tion use respiratory filter device. In case of intensive or longer exposure use respiratory
protective device that is independent	
- Protection of hands:	
Protective gloves	
	eable and resistant to the product/ the substance/ the preparation. nsideration of the penetration times, rates of diffusion and the degradation
- Material of gloves	insideration of the penetration times, rates of unusion and the degradation
The selection of the suitable glov	ves does not only depend on the material, but also on further marks of quality and varies fror
	is the product is a preparation of several substances, the resistance of the glove material can
not be calculated in advance and Nitrile rubber, NBR	has therefore to be checked prior to the application.
- Penetration time of glove m	naterial
The exact break through time has	s to be found out by the manufacturer of the protective gloves and has to be observed.
- Body protection: Protective work	clothing
Physical and chemical properties	
 Information on basic physical and ch General Information 	nemical properties
 Appearance: 	
- Form:	Fluid
- Form: - Color:	Green
- Form:	
- Form: - Color: - Odor:	Green Weak, characteristic
- Form: - Color: - Odor: - Odor threshold: - pH-value:	Green Weak, characteristic Not determined.
- Form: - Color: - Odor: - Odor threshold: - pH-value: - Change in condition	Green Weak, characteristic Not determined.
- Form: - Color: - Odor: - Odor threshold: - pH-value:	Green Weak, characteristic Not determined. Not determined.
- Form: - Color: - Odor: - Odor threshold: - pH-value: - Change in condition - Melting point/Melting range:	Green Weak, characteristic Not determined. Not determined. Undetermined.
 Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: 	Green Weak, characteristic Not determined. Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F)
- Form: - Color: - Odor: - Odor threshold: - pH-value: - Change in condition - Melting point/Melting range: - Boiling point/Boiling range: - Flash point: - Flammability (solid, gaseous):	Green Weak, characteristic Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable.
 Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: 	Green Weak, characteristic Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined.
 Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: 	Green Weak, characteristic Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting.
 Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: 	Green Weak, characteristic Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: 	Green Weak, characteristic Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting.
 Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: 	Green Weak, characteristic Not determined. Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard.
 Form: Color: Odor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: 	Green Weak, characteristic Not determined. Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): 	Green Weak, characteristic Not determined. Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined. Souther the selfigniting. Not determined. Not determined. Souther the selfigniting.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): 	Green Weak, characteristic Not determined.Not determined.Undetermined. $> 195 °C (> 383 °F)$ $95 °C (203 °F)$ Not applicable.Not determined.Product is not selfigniting.Product does not present an explosion hazard.Not determined.Not determined. $< 0.1 hPa$ $< 1.01 g/cm³ (~ 8.42845 lbs/gal)$
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): 	Green Weak, characteristic Not determined. Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined. Souther the selfigniting. Not determined. Not determined. Souther the selfigniting.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Relative density 	Green Weak, characteristic Not determined. Undetermined. > 195 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined. Not determined. Product does not present an explosion hazard. Not determined. > 1.01 g/cm³ (~ 8.42845 lbs/gal) Not determined.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	Green Weak, characteristic Not determined.Not determined.Undetermined. $> 195 °C (> 383 °F)$ $95 °C (203 °F)$ Not applicable.Not determined.Product is not selfigniting.Product does not present an explosion hazard.Not determined. $> 101 g/cm^3 (~ 8.42845 lbs/gal))$ Not determined.Not determined. $> 1.01 g/cm^3 (~ 8.42845 lbs/gal))$ Not determined.Not determined.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Relative density Vapor density 	Green Weak, characteristic Not determined.Not determined.Undetermined.> 195 °C (> 383 °F)95 °C (203 °F)Not applicable.Not determined.Product is not selfigniting.Product does not present an explosion hazard.Not determined.Not determined. $\sim 1.01 \text{ g/cm}^{\circ}$ (~ 8.42845 lbs/gal) Not determined.Not determined.Not determined.Not determined.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	Green Weak, characteristic Not determined. Undetermined. J95 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined. Not determined. Product does not present an explosion hazard. Not determined. Not determined.
 Form: Color: Odor threshold: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) 	Green Weak, characteristic Not determined. Undetermined. J95 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined. Not determined. Product does not present an explosion hazard. Not determined. Not determined.
 Form: Color: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Melting range: Boiling point/Boiling range: Flash point: Flash point: Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	Green Weak, characteristic Not determined. Undetermined. J95 °C (> 383 °F) 95 °C (203 °F) Not applicable. Not determined. Product is not selfigniting. Product does not present an explosion hazard. Not determined. Not determined. Product does not present an explosion hazard. Not determined. Not determined.

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 4)

Reviewed on 01/08/2024

- Solvent content:		
- Organic solvents:	0.7 %	
- Water:	1.3 %	
- VOC content:	0.68 %	
	~ 6.8 g/l / ~ 0.06 lb/gal	
- Solids content:	68.1 %	
- Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

- LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
LD50	22,738 mg/kg (rat)	
LD50	29,762 mg/kg (rat)	
LC50/4 h	13,095 mg/l (rat)	
5-9 dimet	hylbenzyl hydroperoxide	
LD50	382 mg/kg (rat)	
LD50	500 mg/kg (rat)	
LC50/4 h	220 mg/l (rat)	
CAS: 26936-30-1 Methacryloxypropyltrimethoxysilane		
LD50	> 2,000 mg/kg (rat)	
LD50	> 2,000 mg/kg (rat)	
CAS: 114-83-0 2'-phenylacetohydrazide		
LD50	270 mg/kg (mouse)	
CAS: 98-82-8 Cumene		
LD50	1,400 mg/kg (rat)	
LD50	12,300 mg/kg (rabbit)	
LC50/4 h	24.7 mg/l (mouse)	
	e Toxicity LD50 LD50 LC50/4 h 5-9 dimet LD50 LC50/4 h i6-30-1 Ma LD50 LD50 83-0 2'-ph LD50 2-8 Cume LD50 LD50 LD50	

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.

- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IAF	C (International Agency for Research on Cancer)	
CAS: 98-82-8	Cumene	2B
CAS: 91-20-3	naphthalene	2B
CAS: 1330-20-7	Mixed Xylenes	3
CAS: 100-41-4	ethylbenzene	2B
- NT	P (National Toxicology Program)	
CAS: 98-82-8	Cumene	R
CAS: 130-15-4	1,4-naphthoquinone	R
CAS: 91-20-3	naphthalene	R
		(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/08/2024

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- Additional ecological information:
 - General notes:
 - Water hazard class 1 (Self-assessment): slightly hazardous for water
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

- UN-Number - DOT, ADN, IMDG, IATA	not regulated	
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated	
- Transport hazard class(es)		
- DOT, ADN, IMDG, IATA - Class	not regulated	
- Packing group - DOT, IMDG, IATA	not regulated	
- Environmental hazards: - Marine pollutant:	No	
- Special precautions for user	Not applicable.	
 Transport in bulk according to Annex II c and the IBC Code 	of MARPOL73/78 Not applicable.	
- UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara - Section 355 (extremely hazardous substances):
None of the ingredients is listed. - Section 313 (Specific toxic chemical listings): CAS: 80-15-9 dimethylbenzyl hydroperoxide CAS: 98-82-8 Cumene CAS: 91-20-3 naphthalene CAS: 1330-20-7 Mixed Xylenes CAS: 100-41-4 ethylbenzene

(Contd. on page 7)

Trade name: Vibra-TITE® Retaining Compound

Reviewed on 01/08/2024

7004		(Contd. of page
	Toxic Substances Control Act): nave the value ACTIVE.	
•	ardous Air Pollutants	
CAS: 98-82-8	Cumene	
CAS: 130-15-4	1,4-naphthoquinone naphthalene	
CAS: 91-20-3 CAS: 1330-20-7	•	
	•	
CAS: 100-41-4	ethylbenzene	
- Propos		
	micals known to cause cancer:	
0, 10, 00 02 0	Cumene	
CAS: 91-20-3 r	•	
CAS: 100-41-4	thylbenzene	
- Che	micals known to cause reproductive toxicity for females:	
CAS: 41637-38-7	Ethoxylated Bisphenol A Dimethacrylate Esters	
- Che	micals known to cause reproductive toxicity for males:	
None of the ingre	dients is listed.	
	micals known to cause developmental toxicity:	
CAS: 41637-38-7	Ethoxylated Bisphenol A Dimethacrylate Esters	
- Carcino	genic categories	
- EPA	(Environmental Protection Agency)	
CAS: 98-82-8	Cumene	D, CBI
CAS: 91-20-3	naphthalene	C, CBI
CAS: 1330-20-7	Mixed Xylenes	
CAS: 100-41-4	ethylbenzene	D
- TLV	(Threshold Limit Value)	
CAS: 91-20-3	naphthalene	A
CAS: 1330-20-7	Mixed Xylenes	A
CAS: 100-41-4	ethylbenzene	A
- NIO	SH-Ca (National Institute for Occupational Safety and Health)	
None of the ingre	dients is listed.	
Chemical safe	ty assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 01/08/2024

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 7)

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flarmable Liquids 3: Flammable liquids – Category 3 Flammable Liquids 4: Flammable liquids – Category 4 Self-reactive substances and mixtures – Type F: Self-reactive substances and mixtures – Type E/F Organic Peroxides – Type E: Organic peroxides – Type E/F Acute Toxicity - Oral 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3 Skin Corrosion 1B: Skin corrosion/irritation – Category 1 Skin Irritation 2: Skin corrosion/irritation – Category 1 Eye Damage 1: Serious eve damage/eye irritation – Category 2 Eye Damage 1: Serious eve damage/eye irritation – Category 2 Sensitization - Skin 1: Skin sensitisation – Category 1 Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 Appiration Hazard 1: Aspiration hazard – Category 1

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.