

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

**1 Identification**

**- Product identifier**

- **Trade name:** Vibra-TITE® Retaining Compound

- **Synonyms:** 538 High Strength Retaining Compound

- **Part number:** VT538

- **Application of the substance / the mixture**

Retaining agents

Assembly adhesive

**- Details of the supplier of the safety data sheet**

**- Manufacturer/Supplier:**

ND Industries, Inc

1000 North Crooks Road

Clawson, MI 48017

USA

Telephone: +1-248-288-0000

Email: info@ndindustries.com

Website: www.ndindustries.com

- **Information department:** Product Safety Department

- **Emergency telephone number:**

United States: 1-800-424-9300

International: +1-703-527-3887

**\* 2 Hazard(s) identification**

**- Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 2      H351 Suspected of causing cancer.



GHS05 Corrosion

Eye Damage 1      H318 Causes serious eye damage.



GHS07

Skin Irritation 2      H315 Causes skin irritation.

Sensitization - Skin 1      H317 May cause an allergic skin reaction.

**- Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**- Hazard pictograms**



GHS05   GHS07   GHS08

- **Signal word** Danger

**- Hazard-determining components of labeling:**

acrylic acid

2-hydroxyethyl methacrylate

Cumene

Diacrylate

7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

2-Butenedioic acid (2Z)

2'-phenylacetohydrazide

**- Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 1)

H351 Suspected of causing cancer.

**- Precautionary statements**

|                |  |
|----------------|--|
| P201           | Obtain special instructions before use.  |
| P202           | Do not handle until all safety precautions have been read and understood.  |
| P261           | Avoid breathing dust/fume/gas/mist/vapors/spray  |
| P264           | Wash thoroughly after handling.  |
| P272           | Contaminated work clothing must not be allowed out of the workplace.   |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.   |
| P280           | Wear protective gloves.  |
| P280           | Wear eye protection / face protection.   |
| P302+P352      | If on skin: Wash with plenty of water.   |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a poison center/doctor.   |
| P308+P313      | IF exposed or concerned: Get medical advice/attention.   |
| P321           | Specific treatment (see on this label).  |
| P362+P364      | Take off contaminated clothing and wash it before reuse.   |
| P332+P313      | If skin irritation occurs: Get medical advice/attention.   |
| P333+P313      | If skin irritation or rash occurs: Get medical advice/attention.   |
| P363           | Wash contaminated clothing before reuse.   |
| P405           | Store locked up.   |
| P501           | Dispose of contents/container in accordance with local/regional/national/international regulations.                              |

**- Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

|                 |  |          |
|-----------------|--|----------|
|                 | Acrylic polymer<br>Combustible Dust  | 19.50%   |
| CAS: 868-77-9   | 2-hydroxyethyl methacrylate<br>Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317  | 10 – 19% |
| CAS: 7779-31-9  | Methacrylate onomer<br>Skin Irritation 2, H315; Eye Irritation 2A, H319  | 10 – 19% |
| CAS: 42594-17-2 | Diacrylate<br>Sensitization - Skin 1, H317   | 5 – 9%   |
| CAS: 72869-86-4 | 7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate<br>Sensitization - Skin 1, H317; Flammable Liquids 4, H227   | 5 – 9%   |
| CAS: 79-10-7    | acrylic acid<br>Flammable Liquids 3, H226; Skin Corrosion 1A, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332  | 4.70%    |
| CAS: 80-15-9    | dimethylbenzyl hydroperoxide<br>Self-reactive substances and mixtures - Type F, H242; Organic Peroxides - Type E, H242; Acute Toxicity - Inhalation 3, H331; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Aspiration Hazard 1, H304; Skin Corrosion 1B, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227 | ≤ 1%     |
| CAS: 26936-30-1 | Methacryloxypropyltrimethoxysilane<br>Sensitization - Skin 1B, H317  | ≤ 1%     |
| CAS: 110-16-7   | 2-Butenedioic acid (Z)   | ≤ 1%     |
| CAS: 114-83-0   | 2'-phenylacetohydrazide<br>Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335   | ≤ 1%     |
| CAS: 98-82-8    | Cumene<br>Flammable Liquids 3, H226; Carcinogenicity 2, H351; Aspiration Hazard 1, H304; Acute Toxicity - Oral 4, H302; Specific Target Organ Toxicity - Single Exposure 3, H335   | ≤ 1%     |

### 4 First-aid measures

**- Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
  - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
  - **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
  - **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
  - **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Wear protective clothing.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
  - **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
  - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
  - **Storage:**
    - **Requirements to be met by storerooms and receptacles:** No special requirements.
    - **Information about storage in one common storage facility:** Not required.
    - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
  - **Components with limit values that require monitoring at the workplace:**  
At this time, the other constituents have no known exposure limits.

### CAS: 79-10-7 acrylic acid

|     |  |
|-----|--|
| REL | Long-term value: 6 mg/m <sup>3</sup> , 2 ppm<br>Skin |
| TLV | Long-term value: 2 ppm<br>Skin, A3                   |

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 3)

|  |   |
|--|---|
| <b>CAS: 80-15-9 dimethylbenzyl hydroperoxide</b> |   |
| WEEL   | Long-term value: 6 mg/m <sup>3</sup> , 1 ppm<br>Skin    |
| <b>CAS: 98-82-8 Cumene</b>                       |   |
| PEL  | Long-term value: 245 mg/m <sup>3</sup> , 50 ppm<br>Skin |
| REL  | Long-term value: 245 mg/m <sup>3</sup> , 50 ppm<br>Skin |
| TLV  | Long-term value: 5 ppm<br>A3                            |

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

##### - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

##### - Breathing equipment:

Not required.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

##### - Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

##### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### - Eye protection:



Tightly sealed goggles

##### - Body protection: Protective work clothing

## 9 Physical and chemical properties

### - Information on basic physical and chemical properties

#### - General Information

##### - Appearance:

###### - Form:

Viscous

###### - Color:

Green

##### - Odor:

Weak, characteristic

##### - Odor threshold:

Not determined.

##### - pH-value:

Not determined.

##### - Change in condition

###### - Melting point/Melting range:

Undetermined.

###### - Boiling point/Boiling range:

≥ 213 °C (≥ 415.4 °F)

##### - Flash point:

94 °C (201.2 °F)

##### - Flammability (solid, gaseous):

Not applicable.

##### - Decomposition temperature:

Not determined.

##### - Ignition temperature:

Product is not selfigniting.

##### - Danger of explosion:

Product does not present an explosion hazard.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 4)

|   |  |
|---|--|
| <b>- Explosion limits:</b>  |  |
| - Lower:  | Not determined.                            |
| - Upper:  | Not determined.                            |
| <b>- Vapor pressure at 68 °C (154.4 °F):</b>                      | ≤ 1.3 hPa (≤ 1 mm Hg)                      |
| <b>- Density at 20 °C (68 °F):</b>                                | ~ 1.1 g/cm <sup>3</sup> (~ 9.1795 lbs/gal) |
| - Relative density  | Not determined.                            |
| - Vapor density   | Not determined.                            |
| - Evaporation rate  | Not determined.                            |
| <b>- Solubility in / Miscibility with</b>                         |  |
| - Water:  | Not miscible or difficult to mix.          |
| <b>- Partition coefficient (n-octanol/water):</b> Not determined. |  |
| <b>- Viscosity:</b>   |  |
| - Dynamic at 20 °C (68 °F):                                       | 3,000 mPas                                 |
| - Kinematic:  | Not determined.                            |
| <b>- Solvent content:</b>   |  |
| - Organic solvents:   | 0.7 %                                      |
| - Water:  | 0.2 %                                      |
| - VOC content:  | 0.69 %                                     |
|   | ~ 7.6 g/l / ~ 0.06 lb/gal                  |
| <b>- Solids content:</b>  | 1.5 %                                      |
| <b>- Other information</b>  | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### ATE (Acute Toxicity Estimate)

|            |          |                      |
|------------|----------|----------------------|
| Oral       | LD50     | 5,319 mg/kg (rat)    |
| Dermal     | LD50     | 5,957 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 232 mg/l             |

### CAS: 868-77-9 2-hydroxyethyl methacrylate

|      |      |                   |
|------|------|-------------------|
| Oral | LD50 | 5,050 mg/kg (rat) |
|------|------|-------------------|

### CAS: 79-10-7 acrylic acid

|            |          |                    |
|------------|----------|--------------------|
| Oral       | LD50     | 250 mg/kg (rat)    |
| Dermal     | LD50     | 280 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 11 mg/l (ATE)      |

### CAS: 80-15-9 dimethylbenzyl hydroperoxide

|            |          |                 |
|------------|----------|-----------------|
| Oral       | LD50     | 382 mg/kg (rat) |
| Dermal     | LD50     | 500 mg/kg (rat) |
| Inhalative | LC50/4 h | 220 mg/l (rat)  |

### CAS: 26936-30-1 Methacryloxypropyltrimethoxysilane

|        |      |                     |
|--------|------|---------------------|
| Oral   | LD50 | > 2,000 mg/kg (rat) |
| Dermal | LD50 | > 2,000 mg/kg (rat) |

### CAS: 110-16-7 2-Butenedioic acid (ZZ)

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | 708 mg/kg (rat)      |
| Dermal | LD50 | 1,560 mg/kg (rabbit) |

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 5)

|  |          |                       |
|--|----------|-----------------------|
| <b>CAS: 114-83-0 2'-phenylacetohydrazide</b> |          |                       |
| Oral   | LD50     | 270 mg/kg (mouse)     |
| <b>CAS: 98-82-8 Cumene</b>                   |          |                       |
| Oral   | LD50     | 1,400 mg/kg (rat)     |
| Dermal                                       | LD50     | 12,300 mg/kg (rabbit) |
| Inhalative                                   | LC50/4 h | 24.7 mg/l (mouse)     |

**- Primary irritant effect:**

- **on the skin:** Caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** Sensitization possible through skin contact.

**- Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**- Carcinogenic categories**

**- IARC (International Agency for Research on Cancer)**

|                |               |    |
|----------------|---------------|----|
| CAS: 79-10-7   | acrylic acid  | 3  |
| CAS: 98-82-8   | Cumene        | 2B |
| CAS: 91-20-3   | naphthalene   | 2B |
| CAS: 1330-20-7 | Mixed Xylenes | 3  |
| CAS: 100-41-4  | ethylbenzene  | 2B |

**- NTP (National Toxicology Program)**

|               |                    |   |
|---------------|--------------------|---|
| CAS: 98-82-8  | Cumene             | R |
| CAS: 130-15-4 | 1,4-naphthoquinone | R |
| CAS: 91-20-3  | naphthalene        | R |

**- OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

**- Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

**- Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

**- Ecotoxicological effects:**

- **Remark:** Harmful to fish

**- Additional ecological information:**

**- General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

**- Waste treatment methods**

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**- Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

**- UN-Number**

- **DOT, ADN, IMDG, IATA**

not regulated

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 6)

|  |                 |
|--|-----------------|
| - <b>UN proper shipping name</b><br>- DOT, ADN, IMDG, IATA                       | not regulated   |
| - <b>Transport hazard class(es)</b><br>- DOT, ADN, IMDG, IATA<br>- Class         | not regulated   |
| - <b>Packing group</b><br>- DOT, IMDG, IATA                                      | not regulated   |
| - <b>Environmental hazards:</b><br>- Marine pollutant:                           | No              |
| - <b>Special precautions for user</b>  | Not applicable. |
| - <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| - <b>UN "Model Regulation":</b>  | not regulated   |

## 15 Regulatory information

### - Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

#### - Sara

#### - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

#### - Section 313 (Specific toxic chemical listings):

|                |                              |
|----------------|------------------------------|
| CAS: 79-10-7   | acrylic acid                 |
| CAS: 80-15-9   | dimethylbenzyl hydroperoxide |
| CAS: 98-82-8   | Cumene                       |
| CAS: 98-86-2   | acetophenone                 |
| CAS: 91-20-3   | naphthalene                  |
| CAS: 1330-20-7 | Mixed Xylenes                |
| CAS: 100-41-4  | ethylbenzene                 |

#### - TSCA (Toxic Substances Control Act):

|   |        |
|---|--------|
| Acrylic polymer   | ACTIVE |
| 2-hydroxyethyl methacrylate   | ACTIVE |
| Methacrylate onomer   | ACTIVE |
| Diacrylate  | ACTIVE |
| 7,7,9(or7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate | ACTIVE |
| acrylic acid  | ACTIVE |
| Saccharin   | ACTIVE |
| dimethylbenzyl hydroperoxide  | ACTIVE |
| Amorphous Silica  | ACTIVE |
| propane-1,2-diol  | ACTIVE |
| Methacryloxypropyltrimethoxysilane  | ACTIVE |
| 2-Butenedioic acid (2Z)   | ACTIVE |
| 2'-phenylacetohydrazide   | ACTIVE |
| 2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate  | ACTIVE |
| Deionized water   | ACTIVE |
| Cumene  | ACTIVE |
| Distillates (petroleum), hydrotreated light naphthenic  | ACTIVE |
| Colorant  | ACTIVE |
| Solvent Yellow 126  | ACTIVE |
| tetrasodium ethylenediaminetetraacetate   | ACTIVE |
| Solvent naphtha (petroleum), heavy arom.  | ACTIVE |
| acetophenone  | ACTIVE |
| 2-Phenyl-2-propanol   | ACTIVE |
| 1-hydroxyethane-1,1-diylbis(phosphonic acid)  | ACTIVE |
| N-isopropylhydroxylamine  | ACTIVE |

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 12/13/2023

**Trade name:** Vibra-TITE® Retaining Compound

(Contd. of page 7)

|                    |        |
|--------------------|--------|
| Colorant           | ACTIVE |
| 1,4-naphthoquinone | ACTIVE |
| naphthalene        | ACTIVE |
| phosphorous acid   | ACTIVE |
| 2-Propanone, oxime | ACTIVE |

**- Hazardous Air Pollutants**

|                |                    |
|----------------|--------------------|
| CAS: 79-10-7   | acrylic acid       |
| CAS: 98-82-8   | Cumene             |
| CAS: 98-86-2   | acetophenone       |
| CAS: 130-15-4  | 1,4-naphthoquinone |
| CAS: 91-20-3   | naphthalene        |
| CAS: 1330-20-7 | Mixed Xylenes      |
| CAS: 100-41-4  | ethylbenzene       |

**- Proposition 65****- Chemicals known to cause cancer:**

|               |              |
|---------------|--------------|
| CAS: 98-82-8  | Cumene       |
| CAS: 91-20-3  | naphthalene  |
| CAS: 100-41-4 | ethylbenzene |

**- Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**- Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**- Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**- Carcinogenic categories****- EPA (Environmental Protection Agency)**

|                |               |        |
|----------------|---------------|--------|
| CAS: 98-82-8   | Cumene        | D, CBD |
| CAS: 98-86-2   | acetophenone  | D      |
| CAS: 91-20-3   | naphthalene   | C, CBD |
| CAS: 1330-20-7 | Mixed Xylenes | I      |
| CAS: 100-41-4  | ethylbenzene  | D      |

**- TLV (Threshold Limit Value)**

|                |               |    |
|----------------|---------------|----|
| CAS: 79-10-7   | acrylic acid  | A4 |
| CAS: 91-20-3   | naphthalene   | A4 |
| CAS: 1330-20-7 | Mixed Xylenes | A4 |
| CAS: 100-41-4  | ethylbenzene  | A3 |

**- NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**- Department issuing SDS:** ND Industries, Inc. - Safety, Health and Environmental Affairs**- Contact:** Safety, Health and Environmental Affairs**- Classification System:****- HMIS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 3 | Health = *3    |
| FIRE       | 1 | Fire = 1       |
| REACTIVITY | 0 | Reactivity = 0 |

**- NFPA ratings (scale 0 - 4)**

|   |   |   |                |
|---|---|---|----------------|
| 3 | 1 | 0 | Health = 3     |
|   |   |   | Fire = 1       |
|   |   |   | Reactivity = 0 |

**- Date of preparation / last revision** 01/23/2024

(Contd. on page 9)



# Safety Data Sheet

*acc. to OSHA HCS*

Printing date 01/23/2024

Reviewed on 12/13/2023

**Trade name:** Vibra-TITE® Retaining Compound

(Contd. of page 8)

**- Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Flammable Liquids 4: Flammable liquids – Category 4

Self-reactive substances and mixtures - Type F: Self-reactive substances and mixtures – Type F

Organic Peroxides - Type E: Organic peroxides – Type E/F

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Acute Toxicity - Inhalation 3: Acute toxicity – Category 3

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

Sensitization - Skin 1B: Skin sensitisation – Category 1B

Carcinogenicity 2: Carcinogenicity – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

Aspiration Hazard 1: Aspiration hazard – Category 1

**- \* Data compared to the previous version altered.****- Disclaimer**

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

©ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated,  
 ©Vibra-TITE is a registered trademark of ND Industries, Inc.