



# Safety Data Sheet

according to HPR, Schedule 1

Printing date 01/29/2024

Reviewed on 01/29/2024

Page 1/7

# 1 Identification

# - Product identifier

- Trade name: Vibra-TITE® Excel Primer

- Synonyms: 611 Excel Primer N
- Part number: VT611
- Application of the substance / the mixture Primer/ Subcoating

#### - Details of the supplier of the safety data sheet

- *Manufacturer*/*Supplier:* ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department - Emergency telephone number: United States: 1-800-424-9300

International: +1-703-527-3887

# 2 Hazard identification

# - Classification of the substance or mixture



Flammable Liquids - Category 2

H225 Highly flammable liquid and vapour.



Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure - Category 3 H336 May cause drowsiness or dizziness.

#### - Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- Signal word Danger
- Hazard-determining components of labeling:
- acetone
- Hazard statements
- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P242 Use non-sparking tools.
- P243 Take actions to prevent static discharges.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

# Safety Data Sheet

according to HPR, Schedule 1

Reviewed on 01/29/2024

## Trade name: Vibra-TITE® Excel Primer

|                | (Contd. of page 1)   |
|----------------|--|
| P304+P340      | IF INHALED: Remove person to fresh air and keep comfortable for breathing.                                 |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to |
|                | do. Continue rinsing.  |
| P312           | Call a poison center/doctor if you feel unwell.  |
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |
| P370+P378      | In case of fire: Use CO2, powder or water spray to extinguish.   |
| P403+P233      | Store in a well-ventilated place. Keep container tightly closed.   |
| P403+P235      | Store in a well-ventilated place. Keep cool.   |
| P405           | Store locked up.   |
| P501           | Dispose of contents/container in accordance with local/regional/national/international regulations.        |

# 3 Composition/Information on ingredients

## - Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

## - Dangerous components:

| CAS: 67-64-1   | acetone   | 80 – 100% w/v |
|----------------|---|---------------|
|                | Flammable Liquids - Category 2, H225; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H336 | -             |
| CAS: 1338-02-9 | Metal Salt Complex  | 0.1 – 1% w/w  |
|                | Flammable Liquids - Category 3, H226; Acute Toxicity (Inhalation) - Category 3, H331; Acute Toxicity (Oral) - Category 4, H302                | -             |

# 4 First-aid measures

## - Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed
  - No further relevant information available.

# 5 Fire-fighting measures

#### - Extinguishing media

## - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.

#### - Advice for firefighters

#### - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# 6 Accidental release measures

| <ul> <li>- Personal precautions, protective equipment and emergency procedures<br/>Wear protective equipment. Keep unprotected persons away.<br/>Ensure adequate ventilation<br/>Wear protective clothing.</li> <li>- Environmental precautions:<br/>Inform respective authorities in case of seepage into water course or sewage system.<br/>Do not allow to enter sewers/ surface or ground water.</li> <li>- Methods and material for containment and cleaning up:<br/>Ensure adequate ventilation.<br/>Do not flush with water or aqueous cleansing agents<br/>Dispose of the collected material according to regulations.</li> <li>- Reference to other sections<br/>See Section 7 for information on safe handling.<br/>See Section 13 for disposal information.</li> </ul> |
|---|
| 7 Handling and storage  |

#### - Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

# Safety Data Sheet

according to HPR, Schedule 1

Printing date 01/29/2024

#### Trade name: Vibra-TITE® Excel Primer

(Contd. of page 2)

Reviewed on 01/29/2024

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### - Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.

#### - Control parameters

| - Control parameters  |                               |  |
|---|-------------------------------|--|
| - Components with limit values that require monitoring at the workplace:                                      |                               |  |
| CAS: 67-64-1  | acetone                       |  |
| EL (Canada)   | STEL: 500 ppm<br>TWA: 250 ppm |  |
| EV (Canada)   | STEL: 750 ppm<br>TWA: 500 ppm |  |
| PEL (USA)   | TWA: 2400 mg/m³, 1000 ppm     |  |
| REL (USA)   | TWA: 590 mg/m³, 250 ppm       |  |
| TLV (USA)   | STEL: 500 ppm                 |  |
|   | TWA: 250 ppm                  |  |
|   | A4, BEI                       |  |
| - Ingredients with biological limit values:   |                               |  |
| CAS: 67-64-1 acetone  |                               |  |
| BEI (USA) 25 mg/L   |                               |  |
|   | edium: urine                  |  |
|   | me: end of shift              |  |
| Parameter: Acetone (nonspecific)  |                               |  |
| <ul> <li>Additional information: The lists that were valid during the creation were used as basis.</li> </ul> |                               |  |
| - Exposure controls   |                               |  |

# - Exposure controls

# - Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### - Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

#### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Body protection: Protective work clothing

# 9 Physical and chemical properties

| - General Information | - Information on basic physical and chemical properties<br>- General Information<br>- Appearance: |  |  |  |
|-----------------------|---|--|--|--|
| - Form:               | Fluid   |  |  |  |
| - Color:              | Clear   |  |  |  |
| - Odor:               | Acetone-like  |  |  |  |

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

## Trade name: Vibra-TITE® Excel Primer

Reviewed on 01/29/2024

| <b>.</b>   | (Contd. of p   |
|--|--|
| - Odor threshold:                                    | Not determined.  |
| - pH-value:  | Not determined.  |
| - Change in condition                                |  |
| - Melting point/Melting range:                       | -94.7 °C   |
| - Boiling point/Boiling range:                       | ≥ 55.8 – ≤ 56.6 °C   |
| - Flash point:                                       | -17 °C   |
| - Flammability (solid, gaseous):                     | Highly flammable.  |
| - Auto igniting:                                     | 465 °C   |
| - Decomposition temperature:                         | Not determined.  |
| - Ignition temperature:                              | Product is not selfigniting.   |
| - Danger of explosion:                               | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| - Explosion limits:                                  |  |
| - Lower:   | 2.6 Vol %  |
| - Upper:   | 13 Vol %   |
| <ul> <li>Vapor pressure at 20 °C:</li> </ul>         | 233 hPa  |
| <ul> <li>Vapor pressure at 50 °C:</li> </ul>         | 800 hPa  |
| - Density at 20 °C:                                  | ~ 0.7919 g/cm³   |
| <ul> <li>Relative density</li> </ul>                 | Not determined.  |
| - Vapor density                                      | Not determined.  |
| - Evaporation rate                                   | Not determined.  |
| <ul> <li>Solubility in / Miscibility with</li> </ul> |  |
| - Water:   | Not miscible or difficult to mix.  |
| - Partition coefficient (n-octanol/wa                | ater): Not determined.   |
| - Viscosity:   |  |
| - Dynamic at 20 °C:                                  | 32 mPas  |
| - Kinematic:   | Not determined.  |
| - Solvent content:                                   |  |
| <ul> <li>Organic solvents:</li> </ul>                | 98.8 %   |
| - VOC content:                                       | 0.04 %   |
|  | ~ 0.3 g/l / ~ 0.00 lb/gal  |
| - Solids content:                                    | 0.0 %  |
| Other information                                    | No further relevant information available.   |
|  |  |

- *Reactivity* No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.

- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

| - Information | n on toxicological effects | 5 |
|---------------|----------------------------|---|
|               |                            |   |

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

# ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 381 mg/l (rat)

#### CAS: 67-64-1 acetone

| Oral   | LD50 | 5,800 mg/kg (rat)     |
|--------|------|-----------------------|
| Dermal | LD50 | 20,000 mg/kg (rabbit) |

(Contd. on page 5)

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Excel Primer

Reviewed on 01/29/2024

## (Contd. of page 4) CAS: 1338-02-9 Metal Salt Complex Oral LD50 7,500 mg/kg (rat) Dermal LD50 > 5,000 mg/kg (rabbit) Inhalative LC50/4 h 3 mg/l (rat) - Primary irritant effect: - on the skin: No irritant effect. - on the eye: Irritating effect. - Sensitization: No sensitizing effects known. - Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant - Carcinogenic categories - IARC (International Agency for Research on Cancer) None of the ingredients is listed. NTP (National Toxicology Program) None of the ingredients is listed. 12 Ecological information - Toxicity Aquatic toxicity: No further relevant information available. - Persistence and degradability No further relevant information available. - Behavior in environmental systems: - Bioaccumulative potential No further relevant information available. - Mobility in soil No further relevant information available. - Ecotoxical effects: - Remark: Harmful to fish - Additional ecological information: General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms - Results of PBT and vPvB assessment - PBT: Not applicable. - vPvB: Not applicable. - Other adverse effects No further relevant information available. 13 Disposal considerations - Waste treatment methods - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information - UN-Number - DOT/TDG, ADR, IMDG, IATA UN1090 - UN proper shipping name - DOT/TDG Acetone - ADR UN1090 Acetone mixture - IMDG, IATA ACETONE mixture - Transport hazard class(es) - DOT/TDG (Transport dangerous goods):



3 Flammable liquids

(Contd. on page 6)

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel Primer

| l ahal  | 0   |
|---|---|
| - Label   | 3   |
| - ADR, IMDG, IATA   |   |
|   |   |
| - Class   | 3 Flammable liquids   |
| - Label   | 3   |
| Packing group<br>- DOT/TDG, ADR, IMDG, IATA                           | II  |
| Environmental hazards:<br>- Marine pollutant:                         | No  |
| Special precautions for user  | Warning: Flammable liquids  |
| - Hazard identification number (Kemler code):                         | 33  |
| - EMS Number:   | F-E,S-D   |
| - Stowage Category  | E   |
| Transport in bulk according to Annex II of MARPOL<br>and the IBC Code | 73/78<br>Not applicable.  |
| Transport/Additional information:                                     |   |
| - DOT/TDG   |   |
| - Quantity limitations  | On passenger aircraft/rail: 5 L   |
|   | On cargo aircraft only: 60 L  |
| - ADR   |   |
| <ul> <li>Excepted quantities (EQ)</li> </ul>                          | Code: E2  |
|   | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| - IMDG  |   |
| - Limited quantities (LQ)   | 1L  |
| - Excepted quantities (EQ)  | Code: E2  |
|   | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| JN "Model Regulation":  | UN 1090 ACETONE MIXTURE, 3, II  |

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. - Sara

| - Section 355 (extremely hazardous substances):                     |       |
|---|-------|
| None of the ingredients is listed.                                  |       |
| <ul> <li>Section 313 (Specific toxic chemical listings):</li> </ul> |       |
| CAS: 1338-02-9 Metal Salt Complex                                   |       |
| - TSCA (Toxic Substances Control Act):                              |       |
| acetone   | ACTIV |
| Metal Salt Complex  | ACTIV |
| Distillates (petroleum), hydrotreated light                         | ACTIV |
| nonane  | ACTIV |
| Naphthenic Acids  | ACTIV |
| - Canadian substance listings:                                      |       |
| <ul> <li>Canadian Domestic Substances List (DSL)</li> </ul>         |       |
| All ingredients are listed.   |       |
| <ul> <li>Canadian Non-Domestic Substances List (NDSL)</li> </ul>    |       |
| None of the ingredients is listed.                                  |       |
| - Canadian Ingredient Disclosure list (limit 0.1%)                  |       |
| None of the ingredients is listed.                                  |       |
| - Canadian Ingredient Disclosure list (limit 1%)                    |       |

All ingredients are listed.

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

#### Trade name: Vibra-TITE® Excel Primer

(Contd. of page 6)

Reviewed on 01/29/2024

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# - Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires
- Classification System:

| HMIS-ratings (scale 0 - 4) |            |   |                |
|----------------------------|------------|---|----------------|
|                            | HEALTH 2   | 2 | Health = 2     |
|                            | FIRE       | 3 | Fire = 3       |
|                            | REACTIVITY | ) | Reactivity = 0 |

- NFPA ratings (scale 0 - 4)



- Date of the latest revision of the safety data sheet 01/29/2024

- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.