



Page 1/8

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

#### 1 Identification

- Product identifier
  - Trade name: Vibra-TITE® Excel CA Accelerator
    - Synonyms: 624 Excel CA Accelerator
    - Part number: VT624
    - Application of the substance / the mixture Accelerator
- Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

### 2 Hazard identification

- Classification of the substance or mixture



Flammable Liquids - Category 2

H225 Highly flammable liquid and vapour.



GHS08 Health hazard

Carcinogenicity – Category 2

H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure - Category 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Toxicity (Oral) - Category 4 Eve Irritation - Category 2A H302 Harmful if swallowed.

H319 Causes serious eve irritation.

Specific Target Organ Toxicity - Single Exposure - Category 3

H336 May cause drowsiness or dizziness.

- Label elements
  - GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
    - Hazard pictograms



- **Signal word** Danger
- Hazard-determining components of labeling:

N,N-dimethyl-p-toluidine isopropanol

isoproparioi

- Hazard statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 1)

-	P	r	е	ca	u	tie	or	ıa	ry	Si	ta	te	m	e	n	ts	

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take actions to prevent static discharges.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/Information on ingredients

Store locked up.

#### - Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangero	us components:			
CAS: 67-63-0	isopropanol			
	Flammable Liquids - Category 2, H225; Eye Irritation - Category 2A, H319; Specific Target Organ Toxicity - Single Exposure - Category 3, H336			
	N,N-dimethyl-p-toluidine  Acute Toxicity (Oral) - Category 3, H301; Acute Toxicity (Dermal) - Category 3, H311; Acute Toxicity (Inhalation) - Category 3, H331; Carcinogenicity - Category 2, H351; Specific Target Organ Toxicity - Repeated Exposure - Category 2, H373; Flammable Liquids - Category 4, H227	3 – 7% w/w		

#### 4 First-aid measures

P405

P501

### - Description of first aid measures

### - General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### - After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

#### - Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.

#### - Advice for firefighters

### Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Wear fully protective suit.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 2)

#### 6 Accidental release measures

#### - Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### - Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

#### - Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### - Handling:

#### - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

### - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

### - Conditions for safe storage, including any incompatibilities

- Storage:
  - Requirements to be met by storerooms and receptacles: No special requirements.
  - Information about storage in one common storage facility: Not required.
  - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters

•								
- Components with limit values that require monitoring at the workplace:								
CAS: 67-63-0 isopropanol								
EL (Canada)	STEL: 400 ppm TWA: 200 ppm							
EV (Canada)	STEL: 400 ppm TWA: 200 ppm							
PEL (USA)	TWA: 980 mg/m³, 400 ppm							
REL (USA)	STEL: 1225 mg/m³, 500 ppm TWA: 980 mg/m³, 400 ppm							
TLV (USA)	STEL: 400 ppm TWA: 200 ppm BEI, A4							
CAS: 99-97-8	CAS: 99-97-8 N,N-dimethyl-p-toluidine							
EL (Canada)	IARC 2B							
WEEL (USA) TWA: 0.5 ppm								
- Ingredients with biological limit values:								
CAS: 67-63-0 isopropanol								
BEI (USA) 40 mg/L  Medium: urine  Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)								

- Additional information: The lists that were valid during the creation were used as basis.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 3)

#### - Exposure controls

## - Personal protective equipment:

# - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Body protection: Protective work clothing

### 9 Physical and chemical properties

ned.
ned.
ned.
le.
ned.
elfigniting.
explosive. However, formation of explosive air/vapor mixtures are
3
ned.
ned.
ned.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 4)

- Viscosity: - Dynamic: - Kinematic:	Not determined. Not determined.
- Solvent content: - Organic solvents: - VOC content:	93.0 % 93.00 % ~ 740.1 g/l / ~ 6.18 lb/gal
- Solids content:	0.0 %
- Other information	No further relevant information available.

## 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
  - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

# - Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:							
ATE (Acute Toxicity Estimate)							
Oral	LD50	1,429 mg/kg					
Dermal	LD50	4,286 mg/kg					
Inhalative	tive LC50/4 h 42.9 mg/l						
CAS: 67-63-0 isopropanol							
Oral	LD50	5,045 mg/kg (rat)					
Dermal	LD50	12,800 mg/kg (rabbit)					
Inhalative	Inhalative LC50/4 h 30 mg/l (rat)						
CAS: 99-97-8 N,N-dimethyl-p-toluidine							
Oral	LD50	100 mg/kg (ATE)					
Dermal	LD50	300 mg/kg (ATE)					
Inhalative	LC50/4 h	3 mg/l (ATE)					

- Primary irritant effect:
  - on the skin: No irritant effect.
  - on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Irritant

- Carcinogenic categories

3
2B
_

# 12 Ecological information

- Toxicity
  - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
  - Bioaccumulative potential No further relevant information available.
  - Mobility in soil No further relevant information available.

(Contd. of page 5)

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel CA Accelerator

- Additional ecological information:

- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
  - **PBT:** Not applicable.
  - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- Waste treatment methods
  - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
  - **Recommendation:** Disposal must be made according to official regulations.

,	
14 Transport information	
- UN-Number - DOT/TDG, ADR, IMDG, IATA	UN1219
- UN proper shipping name - DOT/TDG - ADR - IMDG, IATA	Isopropanol UN1219 Isopropanol ISOPROPANOL (ISOPROPYL ALCOHOL)
- Transport hazard class(es)	
<ul><li>- DOT/TDG (Transport dangerous goods):</li></ul>	
- Class	3 Flammable liquids
- Label	3
- ADR, IMDG, IATA	
- Class - Label	3 Flammable liquids 3
- Packing group - DOT/TDG, ADR, IMDG, IATA	II
- Environmental hazards: - Marine pollutant:	No
- Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category	Warning: Flammable liquids 33 F-E,S-D B
- Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/78 Not applicable.
- Transport/Additional information:	
- DOT/TDG - Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
- ADR - Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 7)

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 6)

- IMDG

- Limited quantities (LQ)

- Excepted quantities (EQ)

Code: E2

11

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

- UN "Model Regulation":

UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 isopropanol

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Canadian substance listings:

- Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

CAS: 67-63-0 isopropanol

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
  - HMIS-ratings (scale 0 4)



2 Health = 2 Fire = 3

REACTIVITY | Reactivity = 0

- NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

- Date of the latest revision of the safety data sheet 01/29/2024

Abbreviations and acronvms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

#### Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 7)