



# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 10/07/2022

Page 1/8

#### **1** Identification

#### - Product identifier

- Trade name: Vibra-TITE® Excel CA Accelerator
  - Synonyms: 624 Excel CA Accelerator
  - Part number: VT624
  - Application of the substance / the mixture Accelerator

#### - Details of the supplier of the safety data sheet

- *Manufacturer/Supplier:* ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department - Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

#### 2 Hazard(s) identification

#### - Classification of the substance or mixture



Flammable Liquids 2

H225 Highly flammable liquid and vapor.

GHS08 Health hazard

H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Carcinogenicity 2

Acute Toxicity - Oral 4HEye Irritation 2AHSpecific Target Organ Toxicity - Single Exposure 3H

H302 Harmful if swallowed.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



- Signal word Danger
- Hazard-determining components of labeling: N,N-dimethyl-p-toluidine isopropanol
- Hazard statements
- H225 Highly flammable liquid and vapor.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.

#### Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

#### Trade name: Vibra-TITE® Excel CA Accelerator

Reviewed on 10/07/2022

	(Contd. of page 1)
Precautionary s	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear eye protection / face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
hazarde	

# - Other hazards

#### - Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

#### 3 Composition/information on ingredients

#### - Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangero	us components:	
CAS: 67-63-0	isopropanol	Т
	Flammable Liquids 2, H225; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336	
CAS: 99-97-8	N,N-dimethyl-p-toluidine Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; Carcinogenicity 2, H351; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Flammable Liquids 4, H227	-

#### 4 First-aid measures

#### - Description of first aid measures

#### - General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.

- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **5** Fire-fighting measures

- Extinguishing media
  - Suitable extinguishing agents:
  - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
  - For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.

90 - 100%

5-9%

#### Trade name: Vibra-TITE® Excel CA Accelerator

# - Advice for firefighters

# Protective equipment:

Mouth respiratory protective device. Wear self-contained respiratory protective device. Wear fully protective suit.

#### 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Wear protective clothing. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Dispose of the collected material according to regulations.

#### - Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

#### - Handling:

#### - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

#### - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

#### - Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.

#### - Control parameters

	Control parameters				
- (	<ul> <li>Components with limit values that require monitoring at the workplace:</li> </ul>				
CAS	CAS: 67-63-0 isopropanol				
PEL	Long-term value: 980 mg/m³, 400 ppm				
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm				
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4				
CAS	CAS: 99-97-8 N,N-dimethyl-p-toluidine				
WEE	L Long-term value: 0.5 ppm				
	- Ingredients with biological limit values:				
CAS	CAS: 67-63-0 isopropanol				
	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)				
	Additional information: The list that we will define the second sector second as he is				

- Additional information: The lists that were valid during the creation were used as basis.

#### - Exposure controls

- Personal protective equipment:
  - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Reviewed on 10/07/2022

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 3)

Reviewed on 10/07/2022

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - **Body protection:** Protective work clothing

# 9 Physical and chemical properties

Information on bosis abusised and abo	
<ul> <li>Information on basic physical and che - General Information</li> </ul>	emical properties
- Appearance:	
- Form:	Fluid
- Color:	Clear
- Odor:	Alcohol-like
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
<ul> <li>Melting point/Melting range:</li> </ul>	-89.5 °C (-129.1 °F)
<ul> <li>Boiling point/Boiling range:</li> </ul>	≥ 82 °C (≥ 179.6 °F)
- Flash point:	13 °C (55.4 °F)
- Flammability (solid, gaseous):	Highly flammable.
- Auto igniting:	425 °C (797 °F)
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- Explosion limits:	
- Lower:	2 Vol %
- Upper:	12 Vol %
- Vapor pressure at 20 °C (68 °F):	≤ 43 hPa (≤ 32.3 mm Hg)
- Density at 20 °C (68 °F):	~ 0.79585 g/cm³ (~ 6.64137 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
<ul> <li>Evaporation rate</li> </ul>	Not determined.
- Solubility in / Miscibility with	
- Water at 20 °C (68 °F):	1 g/l
- Partition coefficient (n-octanol/wat	ter): Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.

#### Trade name: Vibra-TITE® Excel CA Accelerator

Reviewed on 10/07/2022

		(Contd. of page 4
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> </ul>	93.0 %	
- VOC content:	93.00 %	
	~ 740.1 g/l / ~ 6.18 lb/gal	
- Solids content:	0.0 %	
- Other information	No further relevant information available.	

# 10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

#### - Information on toxicological effects

#### - Acute toxicity:

- LI	- LD/LC50 values that are relevant for classification:				
ATE (Acut	ATE (Acute Toxicity Estimate)				
Oral	LD50	1,429 mg/kg			
Dermal	LD50	4,286 mg/kg			
Inhalative	LC50/4 h	42.9 mg/l			
CAS: 67-6	CAS: 67-63-0 isopropanol				
Oral	LD50	5,045 mg/kg (rat)			
Dermal	LD50	12,800 mg/kg (rabbit)			
Inhalative	LC50/4 h	30 mg/l (rat)			
CAS: 99-9	CAS: 99-97-8 N,N-dimethyl-p-toluidine				
Oral	LD50	100 mg/kg (ATE)			
Dermal	LD50	300 mg/kg (ATE)			
Inhalative	LC50/4 h	3 mg/l (ATE)			
	- Primary irritant effect:				
	- on the skin: No irritant effect.				
	- on the eye: Irritating effect.				
- Se	- <b>Sensitization:</b> No sensitizing effects known.				

#### - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Irritant

#### - Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 67-63-0 isopropanol	3
CAS: 99-97-8 N,N-dimethyl-p-toluidine	2B
- NTP (National Toxicology Program)	
None of the ingredients is listed.	
- OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
12 Ecological information	

#### - Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.

- Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.

- Mobility in soil No further relevant information available.

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024

Reviewed on 10/07/2022

# Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 5) - Additional ecological information: - General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. - Results of PBT and vPvB assessment - **PBT:** Not applicable. - vPvB: Not applicable. - Other adverse effects No further relevant information available. 13 Disposal considerations - Waste treatment methods - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. - Uncleaned packagings: - Recommendation: Disposal must be made according to official regulations. 14 Transport information - UN-Number - DOT, IMDG, IATA UN1219 - UN proper shipping name - DOT Isopropanol - IMDG, IATA ISOPROPANOL (ISOPROPYL ALCOHOL) - Transport hazard class(es) - DOT - Class 3 Flammable liquids - Label 3 - IMDG, IATA - Class 3 Flammable liquids - Label 3 - Packing group - DOT, IMDG, IATA Ш - Environmental hazards: - Marine pollutant: No - Special precautions for user Warning: Flammable liquids - Hazard identification number (Kemler code): 33 - EMS Number: F-E,S-D - Stowage Category В - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: - DOT Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L - IMDG - Limited quantities (LQ) 1L - Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml - UN "Model Regulation": UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

#### Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 6)

Reviewed on 10/07/2022

# 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available. - Sara

- Section 355 (extremely hazardous substances): None of the ingredients is listed. - Section 313 (Specific toxic chemical listings): CAS: 67-63-0 isopropanol - TSCA (Toxic Substances Control Act): All components have the value ACTIVE. - Hazardous Air Pollutants None of the ingredients is listed. - Proposition 65 - Chemicals known to cause cancer: CAS: 99-97-8 N,N-dimethyl-p-toluidine - Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. - Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### - Carcinogenic categories

- EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### - TLV (Threshold Limit Value)

CAS: 67-63-0 isopropanol

#### - NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires

#### - Classification System:

#### HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

A4

Printing date 01/23/2024

#### Trade name: Vibra-TITE® Excel CA Accelerator

(Contd. of page 7)

Reviewed on 10/07/2022

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Oral 3: Acute toxicity – Category 4 Flammable Liquids 2: Acute toxicity – Category 4 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 2: Carcinogenicity - Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

### - \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.