



Safety Data Sheet

according to HPR, Schedule 1

Page 1/7

Printing date 01/29/2024 Reviewed on 01/29/2024 **1** Identification - Product identifier - Trade name: Vibra-TITE® Excel Primer - Synonyms: 625 Excel Polyolefin Primer - Part number: VT625 - Application of the substance / the mixture Primer/ Subcoating - Details of the supplier of the safety data sheet - Manufacturer/Supplier: ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com - Information department: Product Safety Department - Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887 2 Hazard identification Classification of the substance or mixture GHS02 Flame Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour. GHS08 Health hazard Aspiration Hazard - Category 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irritation - Category 2 H315 Causes skin irritation. Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure - Category 3 H336 May cause drowsiness or dizziness. - Label elements - GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). - Hazard pictograms GHS02 GHS07 GHS08 - Signal word Danger - Hazard-determining components of labeling:

- heptane triphenylphosphine
- Hazard statements
- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed.

Safety Data Sheet

according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 1)

Reviewed on 01/29/2024

		(Contd. of pag
P240	Ground and bond container and receiving equipment.	
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.	
P242	Use non-sparking tools.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P280	Wear protective gloves.	
P301+P310	If swallowed: Immediately call a poison center/doctor.	
P321	Specific treatment (see on this label).	
P331	Do NOT induce vomiting.	
P303+P361+P353	F ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or sh	ower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P312	Call a poison center/doctor if you feel unwell.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components

CAS: 142-82-5	heptane	80 – 100% w/
	Flammable Liquids - Category 2, H225; Aspiration Hazard - Category 1, H304; Skin Irritation - Category 2, H315; Specific Target Organ Toxicity - Single Exposure - Category 3, H336	
CAS: 603-35-0	triphenylphosphine Specific Target Organ Toxicity - Repeated Exposure - Category 2, H373; Acute Toxicity (Oral) - Category 4, H302; Skin Sensitizer - Category 1, H317	0.1 – 1% w/v

4 First-aid measures

- Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.
- 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Wear protective clothing.

- Environmental precautions:

- Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13.

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 2)

Reviewed on 01/29/2024

Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Dispose of the collected material according to regulations. - **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

Compon	iente man ratace that require mentering at the nempiacer	
CAS: 142-82-	CAS: 142-82-5 heptane	
EL (Canada)	STEL: 500 ppm TWA: 400 ppm	
EV (Canada)	STEL: 2.045 mg/m³, 500 ppm TWA: 1.635 mg/m³, 400 ppm	
PEL (USA)	TWA: 2000 mg/m³, 500 ppm	
REL (USA)	TWA: 350 mg/m³, 85 ppm Ceiling: 1800* mg/m³, 440* ppm *15-min	
TLV (USA)	STEL: 500 ppm TWA: 400 ppm	
Add	itional information: The lists that were valid during the creation were used as havin	

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work. Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Excel Primer

- Eye protection:

Tightly sealed goggles

- Body protection: Protective work clothing

- Odor threshold: Not - pH-value: Not de - Change in condition - - Melting point/Melting range: -9 - Boiling point/Boiling range: ≥ 9	Fluid Clear olvent-like ot determined. etermined.
- Form: - Color: - Odor: So - Odor threshold: Not de - pH-value: Not de - Change in condition - Melting point/Melting range: -9 - Boiling point/Boiling range: ≥ 5	Clear olvent-like ot determined. etermined.
- Color: So - Odor threshold: Not de - pH-value: Not de - Change in condition - Melting point/Melting range: - Boiling point/Boiling range: ≥ 9	Clear olvent-like ot determined. etermined.
- Odor: So - Odor threshold: Not de - pH-value: Not de - Change in condition - - Melting point/Melting range: -9 - Boiling point/Boiling range: ≥ 9	olvent-like ot determined. etermined.
- Odor threshold: Not - pH-value: Not de - Change in condition - - Melting point/Melting range: -9 - Boiling point/Boiling range: ≥ 1	ot determined. etermined.
- pH-value: Not define the second secon	etermined.
- Change in condition - Melting point/Melting range: -9 - Boiling point/Boiling range: ≥	
- Melting point/Melting range: -9 - Boiling point/Boiling range: ≥	0.5 °C
- Boiling point/Boiling range: ≥	0.5 °C
— •••••	9° 80
- Flash point: -4 °C	
- Flammability (solid, gaseous): Highly	flammable.
- Auto igniting: 215 °C	
- Decomposition temperature: No	ot determined.
- Ignition temperature: Produ	ct is not selfigniting.
- Danger of explosion: Produ possib	ct is not explosive. However, formation of explosive air/vapor mixtures are le.
- Explosion limits:	
- Lower: 1.	1 Vol %
- Upper: 6.1	7 Vol %
- Vapor pressure at 20 °C: 48 hP: - Vapor pressure at 50 °C: 190 hi	
•	026 g/cm ³
•	ot determined.
· · ·	ot determined.
•	ot determined.
 Solubility in / Miscibility with 	
- Water at 20 °C: 0.	05 g/l
- Partition coefficient (n-octanol/water): Not de	etermined.
- Viscosity:	
	4 mPas
- Kinematic: No	ot determined.
- Solvent content:	
- Organic solvents: 99	0.8 %
- VOC content: 99	0.80 %
~ 1	678.9 g/l / ~ 5.67 lb/gal
- Solids content: 0.1	2 %
- Other information No further	relevant information available.
10 Stability and reactivity	

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.

Reviewed on 01/29/2024

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Excel Primer

Reviewed on 01/29/2024

- Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

CAS: 603-35-0 triphenylphosphine

Oral LD50 700 mg/kg (rat)

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.

- on the eye: No irritating effect.

- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:

- Remark: Very toxic for fish

- Additional ecological information:

- General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

*14 Transport information

- UN-Number - DOT/TDG, ADR, IMDG, IATA	UN1993
- UN proper shipping name - DOT/TDG - ADR	Flammable liquids, n.o.s. (Heptanes) UN1993 Flammable liquids, n.o.s. (Heptanes), ENVIRONMENTALLY HAZARDOUS
- IMDG - IATA	FLAMMABLE LIQUID, N.O.S. (HEPTANES, triphenylphosphine), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (HEPTANES)

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Excel Primer

Reviewed on 01/29/2024

Transport hazard class(es)	
- DOT/TDG (Transport dangerous goods):	
- Class - Label	3 Flammable liquids 3
- ADR, IMDG	
- Class - Label	3 Flammable liquids 3
- IATA	
- Class - Label	3 Flammable liquids 3
Packing group - DOT/TDG, ADR, IMDG, IATA	II
Environmental hazards: - Marine pollutant:	Product contains environmentally hazardous substances: heptan Yes Symbol (fish and tree)
- Special marking (ADR):	Symbol (fish and tree)
Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category	Warning: Flammable liquids 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73 and the IBC Code	3/78 Not applicable.
Transport/Additional information:	
- DOT/TDG - Quantity limitations - Remarks:	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L Special marking with the symbol (fish and tree).
- ADR	,, _,, _
- Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- IMDG	
- Limited quantities (LQ) - Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (HEPTANES), 3, II, ENVIRONMENTALLY HAZARDOUS

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Reviewed on 01/29/2024

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Excel Primer

	(0	ontd. of p
	Section 313 (Specific toxic chemical listings):	
None of th	e ingredients is listed.	
- T S	CA (Toxic Substances Control Act):	
All compor	ents have the value ACTIVE.	
- Cá	nadian substance listings:	
	Canadian Domestic Substances List (DSL)	
All ingredie	nts are listed.	
	Canadian Non-Domestic Substances List (NDSL)	
None of th	e ingredients is listed.	
	Canadian Ingredient Disclosure list (limit 0.1%)	
None of th	e ingredients is listed.	
	Canadian Ingredient Disclosure list (limit 1%)	
All inaredie	nts are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)
 - HEALTH1Health = 1FIRE3Fire = 3REACTIVITY0Reactivity = 0
 - NFPA ratings (scale 0 4)



- Date of the latest revision of the safety data sheet 01/29/2024
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative
- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.