



Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 11/22/2023

1 Identification

- Product identifier
 - Trade name: Vibra-TITE® Excel Primer
 Synonyms: 625 Excel Polyolefin Primer
 - Part number: VT625
 - Application of the substance / the mixture Primer/ Subcoating
- Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- Label elements
 - GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS02 GHS07 GHS08

- Signal word Danger
- Hazard-determining components of labeling:

heptane

triphenylphosphine

- Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

- Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 11/22/2023

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 1) P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. P272 P280 Wear protective gloves/protective clothing/eye protection/face protection. P280 Wear protective gloves. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P331 Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a poison center/doctor if you feel unwell. P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 - Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:			
CAS: 142-82-5	heptane Flammable Liquids 2, H225; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Specific Target Organ Toxicity - Single Exposure 3, H336	90 – 100%	
CAS: 603-35-0	triphenylphosphine Specific Target Organ Toxicity - Repeated Exposure 2, H373; Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317	≤ 1%	

4 First-aid measures

- Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 11/22/2023

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 2)

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

PEL Long-term value: 2000 mg/m³, 500 ppm REL Long-term value: 350 mg/m³, 85 ppm

Ceiling limit value: 1800* mg/m³, 440* ppm

*15-min

TLV Short-term value: 500 ppm Long-term value: 400 ppm

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 11/22/2023

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 3)

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

* 9 Physical and chemical properties

9 Physical and chemical properties					
- Information on basic physical and chemical properties - General Information - Appearance:					
- Form:	Fluid				
- Color:					
	Clear				
- Odor:	Solvent-like				
- Odor threshold:	Not determined.				
- pH-value:	Not determined.				
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-90.5 °C (-130.9 °F) ≥ 98 °C (≥ 208.4 °F)				
- Flash point:	-4 °C (24.8 °F)				
- Flammability (solid, gaseous):	Highly flammable.				
- Auto igniting:	215 °C (419 °F)				
- Decomposition temperature:	Not determined.				
- Ignition temperature:	Product is not selfigniting.				
- Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.				
- Explosion limits: - Lower: - Upper:	1.1 Vol % 6.7 Vol %				
 Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F): 	48 hPa (36 mm Hg) 190 hPa (142.5 mm Hg)				
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	~ 0.68026 g/cm³ (~ 5.67677 lbs/gal) Not determined. Not determined. Not determined.				
- Solubility in / Miscibility with - Water at 20 °C (68 °F):	0.05 g/l				
- Partition coefficient (n-octanol/water): Not determined.					
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	0.4 mPas Not determined.				
- Solvent content:					
- Organic solvents:	99.8 %				
- VOC content:	99.80 %				
	~ 678.9 g/l / ~ 5.67 lb/gal				
- Solids content:	0.2 %				
- Other information	No further relevant information available.				

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 11/22/2023

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 4)

- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

CAS: 603-35-0 triphenylphosphine

Oral LD50 700 mg/kg (rat)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Very toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number

- **DOT, IMDG, IATA** UN1993

- UN proper shipping name

- DOT - IMDG Flammable liquids, n.o.s. (Heptanes) FLAMMABLE LIQUID, N.O.S. (HEPTANES, triphenylphosphine), MARINE POLLUTANT

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 11/22/2023

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 5)

- IATA	FLAMMABLE LIQUID, N.O.S. (HEPTANES)
- Transport hazard class(es)	
- DOT	
Annuar Can	
- Class	3 Flammable liquids
- Label	3
- IMDG	
₩ ₂	
- Class	3 Flammable liquids
- Label	3
- IATA	
- Class	3 Flammable liquids
- Label	3
- Packing group - DOT, IMDG, IATA	II
- Environmental hazards: - Marine pollutant:	Product contains environmentally hazardous substances: heptane Yes Symbol (fish and tree)
- Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category	Warning: Flammable liquids 33 F-E, <u>S-E</u> B
- Transport in bulk according to Annex II of MARPOL73/	78
and the IBC Code	Not applicable.
- Transport/Additional information:	
- DOT - Quantity limitations	On passenger aircraft/rail: 5 L
- Remarks:	On cargo aircraft only: 60 L Special marking with the symbol (fish and tree).
- IMDG - Limited quantities (LQ)	1L
- Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (HEPTANES), 3, II, ENVIRONMENTALLY HAZARDOUS
15 Regulatory information	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara	
- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
- TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
	(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 11/22/2023

Trade name: Vibra-TITE® Excel Primer

(Contd. of page 6) - Hazardous Air Pollutants None of the ingredients is listed. - Proposition 65 Chemicals known to cause cancer: None of the ingredients is listed. - Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. - Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. Chemicals known to cause developmental toxicity: None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency) CAS: 142-82-5 heptane D - TLV (Threshold Limit Value) None of the ingredients is listed. - NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



Health = 1 Fire = 3 Reactivity = 0

- Date of preparation / last revision 01/23/2024
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2 Sensitization - Skin 1: Skin sensitisation – Category 1

Seristization - Skirl 1: Skirl

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 11/22/2023

Trade name: Vibra-TITE® Excel Primer

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.

(Contd. of page 7)