



Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 09/28/2023

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Cyanoacrylate Cleaner

- Synonyms: 642 Cyanoacrylate Cleaner

- Part number: VT642

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irritation 2 H315 Causes skin irritation. H319 Causes serious eye irritation. Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS02 GHS07 GHS08

- Signal word Danger
- Hazard-determining components of labeling:

nitromethane toluene ethanol

- Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

Printing date 01/23/2024 Reviewed on 09/28/2023

Trade name: Vibra-TITE® Cyanoacrylate Cleaner

(Contd. of page 1)

H336 May cause drowsiness or dizziness	H336 May	/ cause	drowsiness	or	dizziness
--	----------	---------	------------	----	-----------

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

- Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves.

P280 Wear eye protection / face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P311 Call a poison center/doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.
- 3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerou	is components:	
CAS: 108-88-3	toluene	30 – 39%
	Flammable Liquids 2, H225; Toxic to Reproduction 2, H361; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336	
CAS: 75-52-5	nitromethane Flammable Liquids 3, H226; Carcinogenicity 1B, H350; Toxic to Reproduction 2, H361; Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332	30 – 39%
CAS: 64-17-5	ethanol Flammable Liquids 2, H225; Carcinogenicity 1A, H350	20 – 29%

4 First-aid measures

- Description of first aid measures

- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Immediately call a doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 09/28/2023

Trade name: Vibra-TITE® Cyanoacrylate Cleaner

(Contd. of page 2)

- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

- Advice for firefighters

- Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters

- Components with limit values that require monitoring at the workplace: CAS: 108-88-3 toluene PEL Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift REL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm TLV Long-term value: 20 ppm BEI, OTO, A4 CAS: 75-52-5 nitromethane PEL Long-term value: 250 mg/m³, 100 ppm TLV Long-term value: 20 ppm A3

CAS: 64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1000 ppm

A3

Printing date 01/23/2024 Reviewed on 09/28/2023

Trade name: Vibra-TITE® Cyanoacrylate Cleaner

(Contd. of page 3)

- Ingredients with biological limit values:

CAS: 108-88-3 toluene

BEI 0.02 mg/L Medium: blood

Time: prior to last shift of workweek

Parameter: Toluene

0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene 0.3 mg/g creatinine Medium: urine Time: end of shift

Parameter: o-Cresol with hydrolysis (background)

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information
 - Appearance:

- Form:
- Color:
- Odor:
- Odor:
- Odor threshold:

Liquid
- Colorless
- Solvent-like
- Not determined.

- **pH-value:** Not determined.

- Change in condition

- Melting point/Melting range: Undetermined. - Boiling point/Boiling range: ≥ 78 °C (≥ 172.4 °F)

- **Flash point:** 4 °C (39.2 °F)

- Flammability (solid, gaseous): Highly flammable.

Printing date 01/23/2024 Reviewed on 09/28/2023

Trade name: Vibra-TITE® Cyanoacrylate Cleaner

(Contd. of page 4)

	, , ,
- Auto igniting:	415 °C (779 °F)
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Heating may cause an explosion.
- Explosion limits:	
- Lower:	1.2 Vol %
- Upper:	63 Vol %
• • • • • • • • • • • • • • • • • • • •	
 Vapor pressure at 20 °C (68 °F): 	≤ 59 hPa (≤ 44.3 mm Hg)
- Vapor pressure at 50 °C (122 °F):	≤ 280 hPa (≤ 210 mm Hg)
- Density at 20 °C (68 °F):	~ 0.94654 g/cm³ (~ 7.89888 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
	11-1-1-1-1
- Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	ter): Not determined.
- Viscosity:	•
- Dynamic:	Not determined.
- Kinematic:	Not determined.
	Not determined.
- Solvent content:	
Organic solvents:	64.0 %
- VOC content:	64.00 %
	~ 605.8 g/l / ~ 5.06 lb/gal
- Solids content:	0.0 %
- Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:

- LL	- LD/LC50 values that are relevant for classification:			
ATE (Acut	ATE (Acute Toxicity Estimate)			
Oral	LD50	2,611 mg/kg (rat)		
Inhalative	LC50/4 h	30.6 mg/l		
CAS: 108-	-88-3 tolue	ene		
Oral	LD50	5,000 mg/kg (rat)		
Dermal	LD50	12,124 mg/kg (rabbit)		
Inhalative	LC50/4 h	5,320 mg/l (mouse)		
CAS: 75-5	2-5 nitron	nethane		
Oral	LD50	940 mg/kg (rat)		
Inhalative	LC50/4 h	11 mg/l (ATE)		
CAS: 64-1	7-5 ethan	ol		
Oral	LD50	7,060 mg/kg (rat)		
Inhalative	LC50/4 h	20,000 mg/l (rat)		
		14 4 . 66 4		

- Primary irritant effect:

⁻ on the skin: Irritant to skin and mucous membranes.

Printing date 01/23/2024 Reviewed on 09/28/2023

Trade name: Vibra-TITE® Cyanoacrylate Cleaner

(Contd. of page 5)

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

- Carcinogenic categories

- IAF	RC (International Agency for Research on Cancer)	
CAS: 108-88-3	toluene	3
CAS: 75-52-5	nitromethane	2B
CAS: 64-17-5	ethanol	1
- NT	P (National Toxicology Program)	
CAS: 75-52-5 r	nitromethane	R
- OS	HA-Ca (Occupational Safety & Health Administration)	
None of the ing	redients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

-	
- UN-Number - DOT, IMDG, IATA	UN1993
- UN proper shipping name - DOT - IMDG	Flammable liquids, n.o.s. (Toluene, Ethanol) FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL (ETHYL ALCOHOL))
- IATA	FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL)
- Transport hazard class(es)	
207	

- DOT



- Class- Label3 Flammable liquids3

(Contd. on page 7)

Printing date 01/23/2024 Reviewed on 09/28/2023

Trade name: Vibra-TITE® Cyanoacrylate Cleaner

(Contd. of page 6)

- Class - Label

- Packing group

- IMDG, IATA

- DOT, IMDG, IATA

Ш

No

- Environmental hazards:

- Marine pollutant:

Warning: Flammable liquids

3 Flammable liquids

- Special precautions for user - Hazard identification number (Kemler code):

F-E,S-D

- EMS Number: - Stowage Category

R

- Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code

Not applicable.

- Transport/Additional information:

- DOT

- Quantity limitations

On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

- IMDG

- Limited quantities (LQ)

5L Code: E2

- Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

- UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, ETHANOL

(ETHYL ALCOHOL)), 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

CAS: 108-88-3 toluene

CAS: 75-52-5 nitromethane

- TSCA (Toxic Substances Control Act): All components have the value ACTIVE.

- Hazardous Air Pollutants

CAS: 108-88-3 toluene

- Proposition 65

- Chemicals known to cause cancer:

CAS: 75-52-5 nitromethane

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

CAS: 108-88-3 toluene

- Carcinogenic categories

- EPA (Environmental Protection Agency)

CAS: 108-88-3 toluene

Printing date 01/23/2024 Reviewed on 09/28/2023

Trade name: Vibra-TITE® Cyanoacrylate Cleaner

(Contd. of page 7)

- TL	V (Threshold Limit Value)	
CAS: 108-88-3	toluene	A4
CAS: 75-52-5	nitromethane	A3
CAS: 64-17-5	ethanol	A3
- NI	OSH-Ca (National Institute for Occupational Safety and Health)	
None of the ing	redients is listed.	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

BEI: Biological Exposure Limit
Flammable Liquids 2: Flammable liquids – Category 2
Flammable Liquids 3: Flammable liquids – Category 3
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Carcinogenicity 1A: Carcinogenicity – Category 1A
Carcinogenicity 1B: Carcinogenicity – Category 1B
Toxic to Reproduction 2: Reproductive toxicity – Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

Aspiration Hazard 1: Aspiration hazard - Category 1

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.