



Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Urethanes

- Synonyms: 802 Polyurethane Resin - Laminating Adhesive

- Part number: VT802

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Sensitization - Respiratory 1 Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS07

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Sensitization - Skin 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms





GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

diphenylmethanediisocyanate, isomeres and homologues Surfactant

- Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

- Precautionary statements

P201 Obtain special instructions before use. P264 Wash thoroughly after handling.

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Urethanes

(Contd. of page 1) P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P280 Wear protective gloves. P280 Wear eye protection / face protection. P284 [In case of inadequate ventilation] wear respiratory protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P312 Call a poison center/doctor if you feel unwell. P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P321 Specific treatment (see on this label). P337+P313 If eye irritation persists: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

P501

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:			
CAS: 9016-87-9	diphenylmethanediisocyanate,isomeres and homologues Sensitization - Respiratory 1, H334; Carcinogenicity 2, H351; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	50 – 59%	
	Soybean Oil Skin Irritation 2, H315	5 – 9%	
	Surfactant Toxic to Reproduction 1B, H360; Specific Target Organ Toxicity - Single Exposure 2, H371; Specific Target Organ Toxicity - Repeated Exposure 2, H373	≤ 1%	

4 First-aid measures

- Description of first aid measures

- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Urethanes

Wear fully protective suit.

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from humidity and water.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Urethanes

(Contd. of page 3)

- **Eye protection:** Required use of safety glasses - **Body protection:** Protective work clothing

9 Physical and chemical properties

Information on bosis abusined and al	nomical properties
Information on basic physical and cl - General Information	nemical properties
- Appearance:	
- Appearance. - Form:	Liquid
- Color:	Liquid Green
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
- Melting point/Melting range:	Undetermined.
- Boiling point/Boiling range:	≥ 190 °C (≥ 374 °F)
- Flash point:	94 °C (201.2 °F)
- Flammability (solid, gaseous):	Not applicable.
<u> </u>	·
- Auto igniting:	400 °C (752 °F)
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure at 25 °C (77 °F):	> 0 hPa
- Density at 20 °C (68 °F):	~ 1.14755 g/cm³ (~ 9.5763 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	ater): Not determined.
- Viscosity:	
- Dynamic at 20 °C (68 °F):	2,000 mPas
- Kinematic:	Not determined.
- Solvent content:	
- VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
- Solids content:	55.4 %
Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

Safety Data Sheet

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Urethanes

(Contd. of page 4)

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 2.71 mg/l

CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative LC50/4 h 1.5 mg/l (ATE)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

3

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number

- DOT, ADN, IMDG, IATA not regulated

- UN proper shipping name

- DOT, ADN, IMDG, IATA not regulated

- Transport hazard class(es)

- DOT, ADN, IMDG, IATA

- Class not regulated

Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Urethanes

(Contd. of page 5)

- Packing group - DOT, IMDG, IATA	not regulated	
- Environmental hazards:		
- Marine pollutant:	No	
- Special precautions for user	Not applicable.	
- Transport in bulk according to Annex II of I	MARPOL73/78	
and the IBC Code	Not applicable.	
- UN "Model Regulation":	not regulated	

* 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara

ACTIVE
ACTIVE
ACTIVE

- Proposition 65
 - Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
 - EPA (Environmental Protection Agency)

CAS: 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues

CBD

- TLV (Threshold Limit Value)
- None of the ingredients is listed.
 - NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.


16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Urethanes

(Contd. of page 6)

- Date of preparation / last revision 01/23/2024

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

REL: Recommende Exposure Limit
Acute Toxicity - Inhalation 4: Acute toxicity - Category 4
Skin Irritation 2: Skin corrosion/irritation - Category 2
Eye Irritation 2: Serious eye damage/eye irritation - Category 2A
Sensitization - Respiratory 1: Respiratory sensitisation - Category 1
Sensitization - Skin 1: Skin sensitisation - Category 1

Carcinogenicity - Category 2
Toxic to Reproduction 1B: Reproductive toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.