01/29/2024 Kit Components		
Product code	Description	
VT905	Vibra-TITE® Epoxy 2 Part Quick Cure Epoxy	
Components:		
VT905A	Vibra-TITE® Epoxy	
VT905B	Vibra-TITE® Epoxy	





Page 1/6

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 06/15/2023

### 1 Identification

#### - Product identifier

- Trade name: Vibra-TITE® Epoxy

- Synonyms: 905 2 Part Quick Cure Epoxy - Part A

- Part number: VT905A

- CAS Number: 25068-38-6 - NLP Number: 500-033-5

- *Index number:* 603-074-00-8

- Application of the substance / the mixture Adhesives

### - Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

#### 2 Hazard identification

- Classification of the substance or mixture



Skin Irritation - Category 2

Eye Irritation - Category 2A

Skin Sensitizer - Category 1

Specific Target Organ Toxicity - Single Exposure - Category 3

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

### - Label elements

- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
  - Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labeling:

Bisphenol-A epoxy resin

## - Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

#### - Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

Printing date 01/29/2024 Reviewed on 06/15/2023

Trade name: Vibra-TITE® Epoxy

(Contd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Call a poison center/doctor if you feel unwell. P312

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label). P337+P313

If eye irritation persists: Get medical advice/attention. P403+P233

Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 3 Composition/Information on ingredients

#### - Chemical characterization: Substances

· CAS No. Description

CAS: 25068-38-6 Bisphenol-A epoxy resin

- Identification number(s) - NLP Number: 500-033-5 - Index number: 603-074-00-8

#### 4 First-aid measures

### - Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- Extinguishing media
  - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
  - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# 6 Accidental release measures

# - Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

#### - Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.

### - Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### - Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
  - Storage:
    - Requirements to be met by storerooms and receptacles: No special requirements.
    - Information about storage in one common storage facility: Not required.

Printing date 01/29/2024 Reviewed on 06/15/2023

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
  - Components with limit values that require monitoring at the workplace: Not required.
    - Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
  - Personal protective equipment:
    - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

- Body protection: Protective work clothing

# 9 Physical and chemical properties

- Information on basic physical and chemical properties - General Information		
- Appearance:		
- Form:	Highly viscous	
- Color:	Clear	
- Odor:	Characteristic	
- Odor threshold:	Not determined.	
- pH-value:	Not applicable.	
- Change in condition		
<ul> <li>Melting point/Melting range:</li> </ul>	Undetermined.	
<ul> <li>Boiling point/Boiling range:</li> </ul>	260 °C	
- Flash point:	251 °C	
- Flammability (solid, gaseous):	Product is not flammable.	
- Decomposition temperature:	Not determined.	
- Ignition temperature:	Not determined.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits:		
- Lower:	Not determined.	
- Upper:	Not determined.	
- Vapor pressure:	Not applicable.	
- Density at 20 °C:	1.17 g/cm³	
- Relative density	Not determined.	
- Vapor density	Not applicable.	
- Evaporation rate	Not applicable.	

Printing date 01/29/2024 Reviewed on 06/15/2023

Trade name: Vibra-TITE® Epoxy

(Contd. of page 3)

- Solubility in / Miscibility with - Water:	Insoluble.		
- Partition coefficient (n-octano	- Partition coefficient (n-octanol/water): Not determined.		
- Viscosity:			
- Dynamic:	Not applicable.		
- Kinematic:	Not applicable.		
- VOC content:	0.00 %		
- Solids content:	100.0 %		
- Other information	No further relevant information available.		

# 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
  - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

# \* 11 Toxicological information

- Information on toxicological effects
  - Acute toxicity:
    - Primary irritant effect:
      - on the skin: Irritant to skin and mucous membranes.
      - on the eye: Irritating effect.
    - Sensitization: Sensitization possible through skin contact.
  - Additional toxicological information:
    - Carcinogenic categories
      - IARC (International Agency for Research on Cancer)

Substance is not listed.

- NTP (National Toxicology Program)

Substance is not listed.

# 12 Ecological information

- Toxicity
  - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
  - Bioaccumulative potential No further relevant information available.
  - Mobility in soil No further relevant information available.
- Ecotoxical effects:
  - Remark: Toxic for fish
- Additional ecological information:
  - General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

### - Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- Waste treatment methods
  - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Printing date 01/29/2024 Reviewed on 06/15/2023

Trade name: Vibra-TITE® Epoxy

(Contd. of page 4)

# - Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

4 Transport information	
- UN-Number	
- DOT/TDG	not regulated
- ADR, IMDG, IATA	UN3082
	5110002
- UN proper shipping name	
- DOT/TDG	not regulated
- ADR	UN3082 Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A-(epichlorhydrin); epoxy resin)
- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
IMDO	N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin), MARINE
	POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin)
- Transport hazard class(es)	
- DOT/TDG (Transport dangerous goods):	
- Class	not regulated
	not regulated
- ADR, IMDG, IATA	
<b>1</b>	
- Class	9 Miscellaneous dangerous substances and articles
- Label	9
- Packing group	
- DOT/TDG	not regulated
- ADR, IMDG, IATA	III
- Environmental hazards:	Product contains environmentally hazardous substances: bisphene
	A-(epichlorhydrin); epoxy resin
- Marine pollutant:	Yes
·	Symbol (fish and tree)
- Special marking (ADR):	Symbol (fish and tree)
- Special marking (IATA):	Symbol (fish and tree)
- Special precautions for user	Warning: Miscellaneous dangerous substances and articles
- Hazard identification number (Kemler code):	90
- EMS Number:	F-A,S-F
- Stowage Category	A
Transport in bulk according to Annex II of MARPOL73	/78
and the IBC Code	Not applicable.
Transport/Additional information:	··
- ADR	
- ADR - Excepted quantities (EQ)	Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
- UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (BISPHENOL-A-(EPICHLORHYDRIN); EPOXY
	RESIN), 9, III

# 15 Regulatory information

<sup>-</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Printing date 01/29/2024 Reviewed on 06/15/2023

Trade name: Vibra-TITE® Epoxy

(Contd. of page 5) - Sara

- Section 355 (extremely hazardous substances):

Substance is not listed.

- Section 313 (Specific toxic chemical listings):

Substance is not listed.

- TSCA (Toxic Substances Control Act):

**ACTIVE** 

- Canadian substance listings:

- Canadian Domestic Substances List (DSL)

Substance is listed.

- Canadian Non-Domestic Substances List (NDSL)

Substance is not listed.

- Canadian Ingredient Disclosure list (limit 0.1%)

Substance is not listed.

- Canadian Ingredient Disclosure list (limit 1%)

Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
  - · HMIS-ratings (scale 0 4)



2 Health = 2 Fire = 0

- NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

- Date of the latest revision of the safety data sheet 01/29/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.





Page 1/7

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

#### 1 Identification

#### - Product identifier

- Trade name: Vibra-TITE® Epoxy

- Synonyms: 905 2 Part Quick Cure Epoxy - Part B

- Part number: VT905B

- Application of the substance / the mixture Adhesives

#### - Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

## 2 Hazard identification

#### - Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion - Category 1C H314 Causes severe skin burns and eye damage. Serious Eye Damage - Category 1 H318 Causes serious eye damage.



Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

#### - Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms





GHS05 GHS07

- Signal word Danger

## - Hazard-determining components of labeling:

Mercaptan-terminated polymer

Aminophenol

Bis (dimethylaminomethyl) phenol

### - Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

# - Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

(Contd. of page 1)

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Epoxy

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 3 Composition/Information on ingredients

#### - Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 72244-98-5	CAS: 72244-98-5 Mercaptan-terminated polymer	
	Skin Sensitizer - Category 1B, H317	
CAS: 90-72-2	Aminophenol	5 – 10% w/w
	Skin Corrosion - Category 1C, H314; Serious Eye Damage - Category 1, H318; Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) – Category 4, H312	
CAS: 71074-89-0	Bis (dimethylaminomethyl) phenol	0.5 – 1.5% w/w
	Skin Corrosion - Category 1B, H314; Serious Eye Damage - Category 1, H318	

#### 4 First-aid measures

### - Description of first aid measures

#### - After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
  - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
  - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# 6 Accidental release measures

## - Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

## - Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### - Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

#### - Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

## - Handling:

## - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Epoxy

(Contd. of page 2)

- Conditions for safe storage, including any incompatibilities
  - Storage:
    - Requirements to be met by storerooms and receptacles: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
  - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
  - Personal protective equipment:
    - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

## - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

- Body protection: Protective work clothing

### 9 Physical and chemical properties

- Information on basic physical and chemical properties - General Information			
- Appearance:			
- Form:	Viscous		
- Color:	Clear		
- Odor:	Characteristic		
<ul><li>Odor threshold:</li></ul>	Not determined.		
- pH-value:	Not determined.		
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. ≥ 150 °C		
- Flash point:	149 °C		
- Flammability (solid, gaseous):	Not applicable.		
- Decomposition temperature:	Not determined.		
- Ignition temperature:	Product is not selfigniting.		
- Danger of explosion:	Product does not present an explosion hazard.		
- Explosion limits: - Lower:	Not determined.		

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Epoxy

(Contd. of page 3)

- Upper:	Not determined.	
- Vapor pressure:	Not determined.	
- Density at 20 °C:	~ 1.132 g/cm³	
- Relative density	Not determined.	
- Vapor density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
- Water:	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/water): Not determined.		
- Viscosity:		
- Dynamic:	Not determined.	
- Kinematic:	Not determined.	
- Solvent content:		
<ul><li>VOC content:</li></ul>	0.00 %	
	0.0 g/l / 0.00 lb/gal	
- Solids content:	0.0 %	
- Other information	No further relevant information available.	

# 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
  - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- Information on toxicological effects
  - Acute toxicity:

- /	LD/LC50 values that are relevant for classification:		
ATE (Ac	ATE (Acute Toxicity Estimate)		
Oral	LD50   14,118 mg/kg (rat)		
Dermal	LD50 23,529 mg/kg (rat)		
CAS: 72244-98-5 Mercaptan-terminated polymer			
Oral	LD50 2,600 mg/kg (rat)		
CAS: 90-72-2 Aminophenol			
Oral	LD50   1,200 mg/kg (rat)		
Dermal	LD50 2,000 mg/kg (rat)		

- Primary irritant effect:
  - on the skin: Irritant to skin and mucous membranes.
  - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

	- IARC (International Agency for Research on Cancer)
	None of the ingredients is listed.
- NTP (National Toxicology Program)	
	None of the ingredients is listed.

# 12 Ecological information

- Toxicity
  - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.

(Contd. of page 4)

# Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Epoxy

- Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
  - Remark: Harmful to fish
- Additional ecological information:
  - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- Waste treatment methods
  - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
  - Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT/TDG, ADR, IMDG, IATA	UN1760
- UN proper shipping name - DOT/TDG - ADR - IMDG, IATA	Corrosive liquids, n.o.s. (2,4,6-tris(dimethylaminomethyl)phenol) UN1760 Corrosive liquids, n.o.s. (2,4,6-tris(dimethylaminomethyl)phenol) CORROSIVE LIQUID, N.O.S. (2,4,6-tris(dimethylaminomethyl)phenol)
- Transport hazard class(es)	,
- DOT/TDG (Transport dangerous goods):	
- Class	8 Corrosive substances
- Label	8
- ADR, IMDG, IATA	
- Class	8 Corrosive substances
- Label	8
- Packing group - DOT/TDG, ADR, IMDG, IATA	III
- Environmental hazards: - Marine pollutant:	No
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Segregation groups</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	Warning: Corrosive substances 80 F-A,S-B (SGG18) Alkalis A SW2 Clear of living quarters.
- Transport in bulk according to Annex II of MARPOL73/ and the IBC Code	

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Epoxy

(Contd. of page 5)

- Transport/Additional information:	
- DOT/TDG	
- Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
- ADR	
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (ÉQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (2,4,6- TRIS(DIMETHYLAMINOMETHYL)PHENOL), 8, III

# \*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
  - Sara

- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
- TSCA (Toxic Substances Control Act):	
Mercaptan-terminated polymer	ACTIVE
Aminophenol	ACTIVE
Bis (dimethylaminomethyl) phenol	*

- Canadian substance listings:

- Canadian Domestic Substances List (DSL)	
CAS: 72244-98-5	Mercaptan-terminated polymer
CAS: 90-72-2	Aminophenol
- Canadian Non-Domestic Substances List (NDSL)	
None of the ingredients is listed.	
- Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
- Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
Chamical safety assassment: A Chamical Safety Assassment has not been serviced out	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
  - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of the latest revision of the safety data sheet 01/29/2024
- Abbreviations and acronyms:

Printing date 01/29/2024 Reviewed on 01/29/2024

Trade name: Vibra-TITE® Epoxy

(Contd. of page 6)

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

#### - \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.