



Page 1/6

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

### 1 Identification

#### - Product identifier

- Trade name: Vibra-TITE® Gasket Maker

- Synonyms: 992 RTV Silicone Gasket Maker - Copper

- Part number: VT992

- Application of the substance / the mixture

Sealing Sealant

## - Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

## 2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Sensitization - Skin 1B

H317 May cause an allergic skin reaction.

- Label elements
  - GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
    - Hazard pictograms





GHS07 GHS08

- Signal word Warning

- Hazard statements

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## Other hazards

- Results of PBT and vPvB assessment
  - PBT: Not applicable.

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Gasket Maker

- vPvB: Not applicable.

(Contd. of page 1)

## 3 Composition/information on ingredients

#### - Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 2224-33-1	Vinyl tri (methylethylketoxime)  Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	5 – 9%
CAS: 12001-26-2	Mica	1 – 4%
CAS: 13822-56-5	3-(trimethoxysilyl)propylamine Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	1 – 4%

#### 4 First-aid measures

### - Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
  - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
  - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

#### - Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

#### - Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### - Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

#### - Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### - Handling:

#### - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.

#### - Conditions for safe storage, including any incompatibilities

- Storage:
  - Requirements to be met by storerooms and receptacles: No special requirements.
  - Information about storage in one common storage facility: Not required.
  - Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 2)

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
  - Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

PEL Long-term value: 20 mppcf ppm 
<1% crystalline silica

REL Long-term value: 3\* mg/m³ 
\*respirable dust; containing < 1% quartz

TLV Long-term value: 0.1 mg/m³ 
\*resp.fraction

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
  - Personal protective equipment:
    - General protective and hygienic measures: Wash hands before breaks and at the end of work.
    - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber. NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Body protection: Protective work clothing

### 9 Physical and chemical properties

nformation on basic physical and che	emical properties
- General Information	
- Appearance:	
- Form:	Pasty
- Color:	Bronze colored
- Odor:	Light
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
<ul> <li>Melting point/Melting range:</li> </ul>	Undetermined.
<ul> <li>Boiling point/Boiling range:</li> </ul>	> 140 °C (> 284 °F)
- Flash point:	Not applicable.
- Flammability (solid, gaseous):	Not applicable.
- Auto igniting:	400 °C (752 °F)
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
- Explosion limits:	
· - Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure at 25 °C (77 °F):	≤ 7 hPa (≤ 5.3 mm Hg)
- Density at 20 °C (68 °F):	~ 1.04 g/cm³ (~ 8.6788 lbs/gal)
- Relative density	Not determined.

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 3)

- Vapor density	Not determined.		
- Evaporation rate	Not determined.		
- Solubility in / Miscibility wit	h		
- Water:	Not miscible or difficult to mix.		
- Partition coefficient (n-octa	nol/water): Not determined.		
- Viscosity:			
- Dynamic:	Not determined.		
- Kinematic:	Not determined.		
- Solvent content:			
<ul><li>VOC content:</li></ul>	0.00 %		
	0.0 g/l / 0.00 lb/gal		
- Solids content:	13.3 %		
Other information	No further relevant information available.		

## 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
  - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- Information on toxicological effects
  - Acute toxicity:

- LE	D/LC50 v	alues that are relevant for classification:
ATE (Acut	te Toxicity	Estimate)
Oral	LD50	9,524 mg/kg
Inhalative	LC50/4 h	210 mg/l
CAS: 2224	4-33-1 Vin	yl tri (methylethylketoxime)
Oral	LD50	500 mg/kg (ATE)
Inhalative	LC50/4 h	11 mg/l (ATE)

- Primary irritant effect:
  - on the skin: No irritant effect.
  - on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
  - Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 1309-37-1 Pigment Red	3
- NTP (National Toxicology Program)	
None of the ingredients is listed.	
- OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

## 12 Ecological information

- Toxicity
  - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
  - Bioaccumulative potential No further relevant information available.
  - Mobility in soil No further relevant information available.
- Ecotoxical effects:
  - Remark: Harmful to fish

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Gasket Maker

- Additional ecological information:

- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment
  - PBT: Not applicable.
  - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- Waste treatment methods
  - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
  - Recommendation: Disposal must be made according to official regulations.

- UN-	-Number	

- DOT, ADN, IMDG, IATA

not regulated

- UN proper shipping name

- DOT, ADN, IMDG, IATA

not regulated

- Transport hazard class(es)

- DOT, ADN, IMDG, IATA

- Class

not regulated

- Packing group

- DOT, IMDG, IATA

not regulated

- Environmental hazards:

- Marine pollutant:

No

- Special precautions for user

Not applicable.

- Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code

Not applicable.

- UN "Model Regulation":

not regulated

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
  - Sara

- Section 355	(extremely	hazardous	subs	tances)	:
---------------	------------	-----------	------	---------	---

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

#### - TSCA (Toxic Substances Control Act):

All components have the value ACTIVE

- Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
  - Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/23/2024 Reviewed on 01/23/2024

Trade name: Vibra-TITE® Gasket Maker

(Contd. of page 5)

### - Carcinogenic categories

- EPA (Environmental Protection Agency) None of the ingredients is listed. - TLV (Threshold Limit Value) CAS: 1309-37-1 Pigment Red A4 - NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
  - HMIS-ratings (scale 0 4)



2 Health = 2 Fire = 1

- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/23/2024

#### - Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit
Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity - Oral 4: Acute toxicity - Category 4
Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1B: Skin sensitisation - Category 1B
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

- \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.