

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

1 Identification

- Product identifier

- **Trade name:** Vibra-TITE® Retaining Compound

- **Synonyms:** 567 Stick (High Temperature - Large Gap Retaining Compound)

- Other means of identification

- **Part number:** VTS567

- **Application of the substance / the mixture** Assembly adhesive

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc
1000 North Crooks Road
Clawson, MI 48017
USA
Telephone: +1-248-288-0000
Email: info@ndindustries.com
Website: www.ndindustries.com

- **Information department:** Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300
International: +1-703-527-3887

*** 2 Hazard(s) identification**

- Classification of the substance or mixture



GHS08 Health hazard

Sensitization - respiratory 1

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity 2

H351 Suspected of causing cancer.

Specific target organ toxicity (repeated exposure) 2

H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin irritation 2

H315 Causes skin irritation.

Eye irritation 2A

H319 Causes serious eye irritation.

Sensitization - skin 1

H317 May cause an allergic skin reaction.

- Label elements

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GHS08

- **Signal word** Danger

- Hazard-determining components of labeling:

Diacrylate
dimethylbenzyl hydroperoxide
Cumene
methacrylic acid, monoester with propane-1,2-diol
1,1'-(1,3-phenylene)bis-1H-pyrrole-2,5-dione
maleic anhydride
2'-phenylacetohydrazide

- Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 1)

H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

| | |
|----------------|--|
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray. |
| P264 | Wash thoroughly after handling. |
| P272 | Contaminated work clothing must not be allowed out of the workplace. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P280 | Wear protective gloves. |
| P280 | Wear eye protection / face protection. |
| P284 | [In case of inadequate ventilation] wear respiratory protection. |
| P302+P352 | If on skin: Wash with plenty of water. |
| P304+P340 | If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P314 | Get medical advice/attention if you feel unwell. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P321 | Specific treatment (see on this label). |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P342+P311 | If experiencing respiratory symptoms: Call a poison center/doctor |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

- Other hazards**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable
- **vPvB:** Not applicable

- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

- Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

* 3 Composition/information on ingredients

- Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

| | | |
|-----------------|--|----------|
| CAS: 42594-17-2 | Diacrylate Sensitization - skin 1, H317 | 10 – 30% |
| CAS: 27813-02-1 | methacrylic acid, monoester with propane-1,2-diol Eye irritation 2A, H319; Sensitization - skin 1, H317 | 10 – 30% |
| CAS: 3006-93-7 | 1,1'-(1,3-phenylene)bis-1H-pyrrole-2,5-dione Acute toxicity - inhalation 1, H330; Acute toxicity - oral 4, H302; Sensitization - skin 1A, H317 | 7 – 13% |
| CAS: 80-15-9 | dimethylbenzyl hydroperoxide Self-reactive substances and mixtures - Type F, H242; Organic peroxides - Type E, H242; Acute toxicity - inhalation 3, H331; Specific target organ toxicity (repeated exposure) 2, H373; Aspiration hazard 1, H304; Skin corrosion 1B, H314; Eye damage 1, H318; Acute toxicity - oral 4, H302; Acute toxicity - dermal 4, H312; Specific target organ toxicity (single exposure) 3, H335; Flammable liquids 4, H227 | 1 – 5% |
| CAS: 108-31-6 | maleic anhydride Sensitization - respiratory 1, H334; Specific target organ toxicity (repeated exposure) 1, H372; Skin corrosion 1B, H314; Eye damage 1, H318; Acute toxicity - oral 4, H302; Sensitization - skin 1, H317 | 0.1 – 1% |
| CAS: 114-83-0 | 2'-phenylacetohydrazide Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317; Specific target organ toxicity (single exposure) 3, H335 | 0.1 – 1% |
| CAS: 98-82-8 | Cumene Flammable liquids 3, H226; Carcinogenicity 2, H351; Aspiration hazard 1, H304; Acute toxicity - oral 4, H302; Specific target organ toxicity (single exposure) 3, H335 | 0.1 – 1% |

4 First-aid measures

- Description of first aid measures**- General information:**

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 2)

- **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
 - **Protective equipment:**
Mouth respiratory protective device.
Wear self-contained respiratory protective device.
Wear fully protective suit.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
 - **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
At this time, the other constituents have no known exposure limits.

| | |
|--|--|
| CAS: 80-15-9 dimethylbenzyl hydroperoxide | |
| WEEL | Long-term value: 6 mg/m ³ , 1 ppm Skin |
| CAS: 108-31-6 maleic anhydride | |
| PEL | Long-term value: 1 mg/m ³ , 0.25 ppm |
| REL | Long-term value: 1 mg/m ³ , 0.25 ppm |
| TLV | Long-term value: 0.01* mg/m ³ , 0.0025 ppm DSEN, RSEN;*inh. fraction + vapor, A4 |

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 3)

| CAS: 98-82-8 Cumene | |
|---------------------|---|
| PEL | Long-term value: 245 mg/m ³ , 50 ppm Skin |
| REL | Long-term value: 245 mg/m ³ , 50 ppm Skin |
| TLV | Long-term value: 25 mg/m ³ , 5 ppm A3 |

- **Additional information:** The lists that were valid during the creation were used as basis.

- Exposure controls

- **Appropriate engineering controls** No further data; see section 7.

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

- Breathing equipment:

Not required
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Body protection:** Protective work clothing

* 9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Physical state

Solid

- Color:

Green

- Odor:

Characteristic

- Odor threshold:

Not determined

- Melting point/Melting range:

Undetermined

- Boiling point/Boiling range:

≥ 209 °C (≥ 408.2 °F)

- Flammability:

Not determined

- Explosion limits:

- Lower:

Not determined

- Upper:

Not determined

- Flash point:

95 °C (203 °F)

- Decomposition temperature:

Not determined

- pH-value:

Not applicable

- Viscosity:

- Kinematic:

Not applicable

- Dynamic:

Not applicable

- Solubility in / Miscibility with

- Water:

Insoluble.

- Partition coefficient (n-octanol/water):

Not determined

- Vapor pressure at 20 °C (68 °F):

≤ 0.1 hPa

- Vapor pressure:

- Density:

Not determined

- Relative density

Not determined

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 4)

| | |
|--|---|
| - Vapor density | Not applicable |
| - Particle characteristics | Not determined |
| - Other information | |
| - Appearance: | |
| - Form: | Pasty |
| - Important information on protection of health and environment, and on safety. | |
| - Ignition temperature: | Product is not selfigniting. |
| - Danger of explosion: | Product does not present an explosion hazard. |
| - Solvent content: | |
| - Organic solvents: | 1.1 % |
| - Water: | 0.1 % |
| - VOC content: | 1.06 % |
| - Solids content: | 100.0 % |
| - Change in condition | |
| - Evaporation rate | Not applicable. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

*11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

| | | |
|------------|----------|--------------------|
| Oral | LD50 | 3,526 mg/kg |
| Dermal | LD50 | 25,602 mg/kg (rat) |
| Inhalative | LC50/4 h | 0.043 mg/l |

CAS: 3006-93-7 1,1'-(1,3-phenylene)bis-1H-pyrrole-2,5-dione

| | | |
|------------|----------|------------------|
| Oral | LD50 | 500 mg/kg (ATE) |
| Inhalative | LC50/4 h | 0.005 mg/l (ATE) |

CAS: 80-15-9 dimethylbenzyl hydroperoxide

| | | |
|------------|----------|-----------------|
| Oral | LD50 | 382 mg/kg (rat) |
| Dermal | LD50 | 500 mg/kg (rat) |
| Inhalative | LC50/4 h | 220 mg/l (rat) |

CAS: 108-31-6 maleic anhydride

| | | |
|--------|------|----------------------|
| Oral | LD50 | 400 mg/kg (rat) |
| Dermal | LD50 | 2,620 mg/kg (rabbit) |

CAS: 114-83-0 2'-phenylacetohydrazide

| | | |
|------|------|-------------------|
| Oral | LD50 | 270 mg/kg (mouse) |
|------|------|-------------------|

CAS: 98-82-8 Cumene

| | | |
|------------|----------|-----------------------|
| Oral | LD50 | 1,400 mg/kg (rat) |
| Dermal | LD50 | 12,300 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 24.7 mg/l (mouse) |

- Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.

- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant
Very toxic

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 5)

- **Interactive effects** No interactive effects between components are known.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

| | | |
|----------------|---------------|----|
| CAS: 79-10-7 | acrylic acid | 3 |
| CAS: 98-82-8 | Cumene | 2B |
| CAS: 91-20-3 | naphthalene | 2B |
| CAS: 1330-20-7 | Mixed Xylenes | 3 |
| CAS: 100-41-4 | ethylbenzene | 2B |

- **NTP (National Toxicology Program)**

| | | |
|---------------|--------------------|---|
| CAS: 98-82-8 | Cumene | R |
| CAS: 130-15-4 | 1,4-naphthoquinone | R |
| CAS: 91-20-3 | naphthalene | R |

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Alternative sources for toxicological information** No non-standard sources for toxicological information where used.

*12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable

- **vPvB:** Not applicable

- **Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

| | |
|--|----------------|
| - UN-Number | |
| - DOT, IMDG, IATA | not regulated |
| - UN proper shipping name | |
| - DOT, IMDG, IATA | not regulated |
| - Transport hazard class(es) | |
| - DOT, ADN, IMDG, IATA | |
| - Class | not regulated |
| - Packing group | |
| - DOT, IMDG, IATA | not regulated |
| - Environmental hazards: | Not applicable |
| - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable |
| - Special precautions for user | Not applicable |
| - UN "Model Regulation": | not regulated |

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

CAS: 80-15-9 dimethylbenzyl hydroperoxide

CAS: 79-10-7 acrylic acid

CAS: 108-31-6 maleic anhydride

CAS: 98-82-8 Cumene

CAS: 98-86-2 acetophenone

CAS: 91-20-3 naphthalene

CAS: 1330-20-7 Mixed Xylenes

CAS: 100-41-4 ethylbenzene

- TSCA (Toxic Substances Control Act):

| | |
|--|--------|
| Diacrylate | ACTIVE |
| methacrylic acid, monoester with propane-1,2-diol | ACTIVE |
| 1,1'-(1,3-phenylene)bis-1H-pyrrole-2,5-dione | ACTIVE |
| Amorphous Silica | ACTIVE |
| dimethylbenzyl hydroperoxide | ACTIVE |
| propane-1,2-diol | ACTIVE |
| Saccharin | ACTIVE |
| acrylic acid | ACTIVE |
| maleic anhydride | ACTIVE |
| 2'-phenylacetohydrazide | ACTIVE |
| Cumene | ACTIVE |
| 2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate | ACTIVE |
| Deionized water | ACTIVE |
| tetrasodium ethylenediaminetetraacetate | ACTIVE |
| acetophenone | ACTIVE |
| 2-Phenyl-2-propanol | ACTIVE |
| Distillates (petroleum), hydrotreated light naphthenic | ACTIVE |
| Colorant | ACTIVE |
| Solvent Yellow 126 | ACTIVE |
| 2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole) | ACTIVE |
| Solvent naphtha (petroleum), heavy arom. | ACTIVE |
| 1,4-naphthoquinone | ACTIVE |
| naphthalene | ACTIVE |
| Mixed Xylenes | ACTIVE |
| ethylbenzene | ACTIVE |

- Hazardous Air Pollutants

| | |
|----------------|--------------------|
| CAS: 79-10-7 | acrylic acid |
| CAS: 108-31-6 | maleic anhydride |
| CAS: 98-82-8 | Cumene |
| CAS: 98-86-2 | acetophenone |
| CAS: 130-15-4 | 1,4-naphthoquinone |
| CAS: 91-20-3 | naphthalene |
| CAS: 1330-20-7 | Mixed Xylenes |
| CAS: 100-41-4 | ethylbenzene |

- Proposition 65

- Chemicals known to cause cancer:

| | |
|---------------|--------------|
| CAS: 98-82-8 | Cumene |
| CAS: 91-20-3 | naphthalene |
| CAS: 100-41-4 | ethylbenzene |

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 7)

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)

| | | |
|----------------|---------------|--------|
| CAS: 98-82-8 | Cumene | D, CBD |
| CAS: 98-86-2 | acetophenone | D |
| CAS: 91-20-3 | naphthalene | C, CBD |
| CAS: 1330-20-7 | Mixed Xylenes | I |
| CAS: 100-41-4 | ethylbenzene | D |

- TLV (Threshold Limit Value)

| | | |
|----------------|------------------|----|
| CAS: 79-10-7 | acrylic acid | A4 |
| CAS: 108-31-6 | maleic anhydride | A4 |
| CAS: 91-20-3 | naphthalene | A4 |
| CAS: 1330-20-7 | Mixed Xylenes | A4 |
| CAS: 100-41-4 | ethylbenzene | A3 |

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: H.B. Fuller Company | ND Industries Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

- Classification System:

- HMIS-ratings (scale 0 - 4)

| | | |
|------------|---|----------------|
| HEALTH | 4 | Health = 4 |
| FIRE | 1 | Fire = 1 |
| REACTIVITY | 0 | Reactivity = 0 |

- NFPA ratings (scale 0 - 4)

| | | | |
|---|---|---|----------------|
| 4 | 1 | 0 | Health = 4 |
| | | | Fire = 1 |
| | | | Reactivity = 0 |

- Date of previous version 09/24/2025

- Version number of previous version: 2

- Date of preparation 04/06/2026

- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Flammable liquids 3: Flammable liquids – Category 3
 Flammable liquids 4: Flammable liquids – Category 4
 Self-reactive substances and mixtures - Type F: Self-reactive substances and mixtures – Type E/F
 Organic peroxides - Type E: Organic peroxides – Type E/F
 Acute toxicity - oral 4: Acute toxicity – Category 4
 Acute toxicity - inhalation 1: Acute toxicity – Category 1
 Acute toxicity - inhalation 3: Acute toxicity – Category 3
 Skin corrosion 1B: Skin corrosion/irritation – Category 1B
 Skin irritation 2: Skin corrosion/irritation – Category 2
 Eye damage 1: Serious eye damage/eye irritation – Category 1
 Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 04/06/2026

Reviewed on 04/06/2026

Trade name: Vibra-TITE® Retaining Compound

(Contd. of page 8)

Sensitization - respiratory 1: Respiratory sensitisation – Category 1
Sensitization - skin 1: Skin sensitisation – Category 1
Sensitization - skin 1A: Skin sensitisation – Category 1A
Carcinogenicity 2: Carcinogenicity – Category 2
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3
Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) – Category 1
Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2
Aspiration hazard 1: Aspiration hazard – Category 1

- * **Data compared to the previous version altered.**

- **Disclaimer**

The information set forth is based on information that the H.B. Fuller Company believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and the H. B. Fuller Company assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries are registered trademarks of the H. B. Fuller Company

®Vibra-TITE is a registered trademark of the H. B. Fuller Company