01/26/2024	Kit Components
Product code	Description
VTPB500NT	Vibra-TITE® Methacrylate Adhesives PB500 Low Surface Energy Bonding Resin
Components:	
VTPB500A	Vibra-TITE® Methacrylate Adhesives
VTPB500B	Vibra-TITE® Methacrylate Adhesives





Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/26/2024 Reviewed on 01/26/2024

1 Identification

- Product identifier
 - Trade name: Vibra-TITE® Methacrylate Adhesives
 - Synonyms: PB500 Low Surface Energy Bonding Resin Part A
 - Part number: VTPB500A
 - Application of the substance / the mixture Adhesives
- Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to the respiratory system through prolonged or repeated exposure.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

Flammable Liquids 4 H227 Combustible liquid.

- Label elements
 - GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger
- Hazard-determining components of labeling:

maleic anhydride tetrahydrofurfuryl methacrylate 2-ethylhexyl methacrylate tetrahydro-2-furylmethanol Monofunctional acid ester

Printing date 01/26/2024 Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 1)

- Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

H372 Causes damage to the respiratory system through prolonged or repeated exposure.

- Precautionary statements

orkplace.
protection.
ole for breathing.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label). P312 Call a poison center/doctor if you feel unwell.

P362+P364

Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information:

4 % of the mixture consists of component(s) of unknown toxicity.

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable. - vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 2455-24-5	tetrahydrofurfuryl methacrylate	50 – 59%
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	
CAS: 20882-04-6	Butanedioic acid	5 – 9%
	Skin Irritation 2, H315; Eye Irritation 2A, H319	
CAS: 688-84-6	2-ethylhexyl methacrylate	5 – 9%
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	
CAS: 69912-79-4	Desiccant	5 – 9%
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	
CAS: 108-31-6	maleic anhydride	1 – 4%
	Sensitization - Respiratory 1, H334; Specific Target Organ Toxicity - Repeated Exposure 1, H372; Skin Corrosion 1B, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317	
	Monofunctional acid ester	≤ 1%
	Acute Toxicity - Dermal 3, H311; Skin Corrosion 1C, H314; Eye Damage 1, H318; Sensitization - Skin 1, H317	
CAS: 97-99-4	tetrahydro-2-furylmethanol	≤ 1%
	Toxic to Reproduction 1B, H360; Acute Toxicity - Oral 4, H302; Eye Irritation 2A, H319; Flammable Liquids 4, H227	

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

Printing date 01/26/2024 Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

CAS: 108-31-6 maleic anhydride PEL Long-term value: 1 mg/m³, 0.25 ppm Long-term value: 1 mg/m³, 0.25 ppm Long-term value: 0.01* mg/m³ DSEN, RSEN;*inh. fraction + vapor, A4 CAS: 97-99-4 tetrahydro-2-furylmethanol WEEL Long-term value: 0.5 ppm

- Additional information: The lists that were valid during the creation were used as basis.

Printing date 01/26/2024 Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 3)

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Body protection: Protective work clothing

9 Physical and chemical properties

formation on basic physical and che - General Information	inical properties
- Appearance:	
- Appearance. - Form:	Pasty
- Color:	According to product specification
- Odor:	Characteristic
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
- Melting point/Melting range:	Undetermined.
- Boiling point/Boiling range:	≥ 59 - ≤ 62 °C (≥ 138.2 - ≤ 143.6 °F)
- Flash point:	≥ 92 °C (≥ 197.6 °F)
- Flammability (solid, gaseous):	Not applicable.
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Not determined.
- Explosion limits:	
- Lower:	Not determined.
- Upper:	Not determined.
- Vapor pressure:	Not determined.
- Density at 20 °C (68 °F):	~ 1.11747 g/cm³ (~ 9.32529 lbs/gal)
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wate	er): Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.

Printing date 01/26/2024 Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 4)

- Solvent content: - Organic solvents: - VOC content:	0.2 % 0.22 % ~ 2.4 g/l / ~ 0.02 lb/gal
- Solids content:	20.2 %
- Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- L	D/LC50 values that are relevant for classification:
ATE (Acu	te Toxicity Estimate)
Oral L	D50 11,429 mg/kg (rat)
Dermal L	D50 30,000 mg/kg
CAS: 108	-31-6 maleic anhydride
Oral L	D50 400 mg/kg (rat)
Dermal L	D50 2,620 mg/kg (rabbit)
Monofun	ctional acid ester
Dermal L	D50 300 mg/kg (ATE)
CAS: 97-	99-4 tetrahydro-2-furylmethanol
Oral L	D50 1,600 mg/kg (rat)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Printing date 01/26/2024 Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information		
- UN-Number - DOT, ADN, IMDG, IATA	not regulated	
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated	
- Transport hazard class(es)		
- DOT, ADN, IMDG, IATA - Class	not regulated	
- Packing group - DOT, IMDG, IATA	not regulated	
- Environmental hazards:	Not applicable.	
- Special precautions for user	Not applicable.	
- Transport in bulk according to Annex II of I and the IBC Code	MARPOL73/78 Not applicable.	
- UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara

None of the ing	redients is listed.	
- Se	ction 313 (Specific toxic chemical listings):	
CAS: 108-31-6	maleic anhydride	
	Monofunctional acid ester	
- TSCA	(Toxic Substances Control Act):	
tetrahydrofurfur	ryl methacrylate	ACTIV
Butanedioic aci	d	ACTIV
Neoprene polyc	chloroprene	ACTIV
2-ethylhexyl me	ethacrylate	ACTIV
Desiccant		ACTIV
Nipol 1472X		*
Ethoxylated Bis	sphenol A Dimethacrylate Esters	ACTIV
maleic anhydric	de	ACTIV
Amorphous Sili	ca	ACTIV
Soda-Lime Gla	SS	ACTIV
Monofunctional	acid ester	ACTIV
tetrahydro-2-fui	ylmethanol	ACTIV
tert-butyl perbe	nzoate	ACTIV
Polymerization	inhibitor	ACTIV
- Ha	zardous Air Pollutants	
CAS: 108-31-6	maleic anhydride	

(Contd. on page 7)

Printing date 01/26/2024 Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

- Proposition 65

(Contd. of page 6)

- Chen	nicals known to cause cancer:	
Neoprene polychlo	proprene	
Nipol 1472X		
- Chen	nicals known to cause reproductive toxicity for females:	
	Neoprene polychloroprene	
CAS: 41637-38-1	Ethoxylated Bisphenol A Dimethacrylate Esters	
	Monofunctional acid ester	
- Chen	nicals known to cause reproductive toxicity for males:	
Neoprene polychlo	proprene	
Monofunctional ac	id ester	
- Chen	- Chemicals known to cause developmental toxicity:	
CAS: 41637-38-1	Ethoxylated Bisphenol A Dimethacrylate Esters	
	Monofunctional acid ester	

Carcinogenic categories

- Carcinogenic categories	
- EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
- TLV (Threshold Limit Value)	
CAS: 108-31-6 maleic anhydride	A4
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/26/2024
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Oral 4: Acute toxicity - Category 4
Acute Toxicity - Dermal 3: Acute toxicity - Category 4
Acute Toxicity - Dermal 3: Acute toxicity - Category 3
Skin Corrosion 1B: Skin corrosion/irritation - Category 1B
Skin Corrosion 1C: Skin corrosion/irritation - Category 1C Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Respiratory 1: Respiratory sensitisation - Category 1
Sensitization - Skin 1: Skin sensitisation - Category 1
Toxic to Reproduction 1B: Reproductive toxicity - Category 1B

Printing date 01/26/2024 Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 7)

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.





Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 01/26/2024 Reviewed on 09/27/2022

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Methacrylate Adhesives

- Synonyms: PB500 Low Surface Energy Bonding Resin - Part B

- Part number: VTPB500B

- Application of the substance / the mixture

Raw materials for coatings Raw material for adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

Flammable Liquids 4 H227 Combustible liquid.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

2-ethylhexyl methacrylate tetrahydrofurfuryl methacrylate Triethylborane-1,3-diaminopropane tetrahydro-2-furylmethanol Rosin

- Hazard statements

H227 Combustible liquid. H315 Causes skin irritation.

Printing date 01/26/2024 Reviewed on 09/27/2022

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 1)

H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child. H335 May cause respiratory irritation.

- Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking. P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P312 Call a poison center/doctor if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

- Results of PBT and vPvB assessment

PBT: Not applicable.

- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous c	components:	
CAS: 2455-24-5	tetrahydrofurfuryl methacrylate	50 – 59%
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	
CAS: 688-84-6	2-ethylhexyl methacrylate	10 – 19%
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	
CAS: 69912-79-4	Desiccant	5 – 9%
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	
CAS: 148861-07-8	Triethylborane-1,3-diaminopropane	1 – 4%
	Skin Corrosion 1A, H314; Eye Damage 1, H318; Acute Toxicity - Dermal 4, H312	
CAS: 8050-09-7	Rosin	≤ 1%
	Sensitization - Skin 1, H317	
CAS: 97-99-4	tetrahydro-2-furylmethanol	≤ 1%
	Toxic to Reproduction 1B, H360; Acute Toxicity - Oral 4, H302; Eye Irritation 2A, H319; Flammable Liquids 4, H227	

4 First-aid measures

- Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 01/26/2024 Reviewed on 09/27/2022

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 2)

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

CAS: 8050-09-7 Rosin

TLV Long-term value: 0.001* mg/m³

*inhalable fraction, DSEN, RSEN

CAS: 97-99-4 tetrahydro-2-furylmethanol

WEEL Long-term value: 0.5 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Printing date 01/26/2024 Reviewed on 09/27/2022

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Body protection: Protective work clothing

9 Physical and chemical properties

-	• • • • • • • • • • • • • • • • • • • •		
- Information on basic physical and che	mical properties		
- General Information			
- Appearance:			
- Form:	Pasty		
- Color:	According to product specification		
- Odor:	Characteristic		
 Odor threshold: 	Not determined.		
- pH-value:	Not determined.		
- Change in condition			
 Melting point/Melting range: 	Undetermined.		
- Boiling point/Boiling range:	≥ 59 − ≤ 62 °C (≥ 138.2 − ≤ 143.6 °F)		
- Flash point:	≥ 92 °C (≥ 197.6 °F)		
- Flammability (solid, gaseous):	Not applicable.		
- Decomposition temperature:	Not determined.		
- Ignition temperature:	Product is not selfigniting.		
- Danger of explosion:	Not determined.		
- Explosion limits:			
- Lower:	Not determined.		
- Upper:	Not determined.		
- Vapor pressure:	Not determined.		
- Density:	Not determined.		
- Relative density	Not determined.		
- Vapor density	Not determined.		
- Evaporation rate	Not determined.		
- Solubility in / Miscibility with			
- Water:	Not miscible or difficult to mix.		
- Partition coefficient (n-octanol/wate	er): Not determined.		
- Viscosity:			
- Dynamic:	Not determined.		
- Kinematic:	Not determined.		
- Solvent content:			
- Organic solvents:	0.2 %		
- Water:	3.5 %		
- VOC content:	0.23 %		
	0.0 g/l / 0.00 lb/gal		
- Solids content:	9.1 %		

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.

Printing date 01/26/2024 Reviewed on 09/27/2022

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 4)

- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/L	C50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)		
Dermal LD50 28,061 mg/kg		
CAS: 148861-07-8 Triethylborane-1,3-diaminopropane		
Dermal LD50	1,100 mg/kg (ATE)	
CAS: 97-99-4 tetrahydro-2-furylmethanol		
Oral LD50	1,600 mg/kg (rat)	

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)				
CAS: 9010-98-4 Neoprene rubber	3			
CAS: 14807-96-6 Soapstone	3			
- NTP (National Toxicology Program)				
None of the ingredients is listed.				
- OSHA-Ca (Occupational Safety & Health Administration)				
None of the ingredients is listed.				

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
 - **PBT**: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN-Number

 - DOT, IMDG, IATA
 - UN proper shipping name
 - DOT
 Corrosive liquids, n.o.s. (Triethylborane-1,3-diaminopropane)

Printing date 01/26/2024 Reviewed on 09/27/2022

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 5)

	(Contd. of page 5
- IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Triethylborane-1,3-diaminopropane)
- Transport hazard class(es)	
- DOT	
Contracts:	
- Class - Label	8 Corrosive substances 8
- IMDG, IATA	
- Class - Label	8 Corrosive substances 8
- Packing group - DOT, IMDG, IATA	II
- Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Corrosive substances 80 F-A,S-B (SGG18) Alkalis B SW2 Clear of living quarters.
- Transport in bulk according to Annex II of MARPOL73/7 and the IBC Code	78 Not applicable.
- Transport/Additional information:	
- DOT - Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (TRIETHYLBORANE-1,3-DIAMINOPROPANE), 8, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara

- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
- TSCA (Toxic Substances Control Act):	
tetrahydrofurfuryl methacrylate	ACTIVE
2-ethylhexyl methacrylate	ACTIVE
Neoprene rubber	ACTIVE
Desiccant	ACTIVE
Amorphous Silica	ACTIVE
Deionized water	ACTIVE
N-isopropylhydroxylamine	ACTIVE
Rosin	ACTIVE

(Contd. on page 7)

Printing date 01/26/2024 Reviewed on 09/27/2022

Trade name: Vibra-TITE® Methacrylate Adhesives

	(Contd. of page 6)
tetrahydro-2-furylmethanol	ACTIVE
trimethylenediamine	ACTIVE
Soapstone	ACTIVE
2-Propanone, oxime	ACTIVE
Polymerization inhibitor	ACTIVE
- Hazardous Air Pollutants	
None of the ingredients is listed.	
- Proposition 65	

- Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
- TLV (Threshold Limit Value)	
CAS: 14807-96-6 Soapstone	A4
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 01/26/2024

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent Bioaccumulative and Toxic

PVPB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Sensitization - Skin 1: Skin sensitisation – Category 1

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/26/2024 Reviewed on 09/27/2022

Trade name: Vibra-TITE® Methacrylate Adhesives

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 - * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.