



according to HPR, Schedule 1

Printing date 01/29/2024

Reviewed on 01/26/2024

Page 1/7

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Methacrylate Adhesives
 - Synonyms: PB560 All Purpose Long Set Time; High Flex Part B
 - Part number: VTPB560B. VTPB5XXB
 - Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- *Emergency telephone number:* United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



Flammable Liquids - Category 2

H225 Highly flammable liquid and vapour.



Skin Irritation - Category 2H315 Causes skin irritation.Skin Sensitizer - Category 1H317 May cause an allergic skin reaction.Specific Target Organ Toxicity - Single Exposure - Category 3H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - Hazard pictograms



- Signal word Danger

- Hazard-determining components of labeling: methyl methacrylate
- Rosin

- Hazard statements

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P242 Use non-sparking tools.
- P243 Take actions to prevent static discharges.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.

according to HPR. Schedule 1

Trade name: Vibra-TITE® Methacrylate Adhesives

	(Contd. of page 1)
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear protective gloves.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a poison center/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dan	aerous	compor	onte [,]

CAS: 80-62-6	methyl methacrylate	45 – 70% w/w
	Flammable Liquids - Category 2, H225; Skin Irritation - Category 2, H315; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	
CAS: 34562-31-7	3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine	0.5 – 1.5% w/w
	Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) – Category 4, H312; Skin Irritation - Category 2, H315; Eye Irritation - Category 2B, H320	
CAS: 8050-09-7	Rosin	0.1 – 1% w/w
	Skin Sensitizer - Category 1, H317	

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.

- After swallowing: If symptoms persist consult doctor.

- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:
 - Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- Keep away from ignition sources

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

- Dispose of the collected material according to regulations.
- Reference to other sections

See Section 7 for information on safe handling.

according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

Reviewed on 01/26/2024

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.

- Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

CAS: 80-62-6	s methyl methacrylate
EL (Canada)	STEL: 100 ppm TWA: 50 ppm S(D)
EV (Canada)	STEL: 100 ppm TWA: 50 ppm
PEL (USA)	TWA: 410 mg/m³, 100 ppm
REL (USA)	TWA: 410 mg/m³, 100 ppm
TLV (USA)	STEL: 100 ppm TWA: 50 ppm DSEN, A4
CAS: 8050-09-7 Rosin	
EL (Canada)	S(D), S(R)
TLV (USA)	TWA: 0.001* mg/m³ *inhalable fraction, DSEN, RSEN
- Additional information: The lists that were valid during the creation were used as basis	

Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. of page 2)

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

(Contd. of page 3)

Reviewed on 01/26/2024

- Eye protection:

Tightly sealed goggles

- Body protection: Protective work clothing

Physical and chemical properties	
Information on basic physical and ch - General Information - Appearance:	nemical properties
- Form:	Viscous
- Color:	Black
- Odor:	Pungent
- Odor threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition - Melting point/Melting range: - Boiling point/Boiling range:	Undetermined. 101 °C
- Flash point:	10 °C
- Flammability (solid, gaseous):	Highly flammable.
- Auto igniting:	430 °C
- Decomposition temperature:	Not determined.
- Ignition temperature:	Product is not selfigniting.
- Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- Explosion limits:	
- Lower:	2.1 Vol %
- Upper:	12.5 Vol %
- Vapor pressure at 20 °C:	47 hPa
- Density at 20 °C:	0.96 g/cm ³
 Relative density 	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with - Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	
- Viscosity:	·····
- Dynamic at 20 °C:	100.000 mPas
- Kinematic:	Not determined.
- Solvent content:	
- Organic solvents:	0.2 %
- Water:	0.2 %
- VOC content:	0.22 %
	2.2 g/l / 0.02 lb/gal
- Solids content:	25.5 %
Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.

according to HPR, Schedule 1

Trade name: Vibra-TITE® Methacrylate Adhesives

Reviewed on 01/26/2024

- Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 33,333 mg/kg

Dermal LD50 73,333 mg/kg

CAS: 80-62-6 methyl methacrylate

Oral LD50 7,872 mg/kg (rat)

CAS: 34562-31-7 3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine

Oral LD50 500 mg/kg (ATE)

Dermal LD50 1,100 mg/kg (ATE)

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.

- on the eye: No irritating effect.

- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)		
CAS: 80-62-6	methyl methacrylate	3
CAS: 9010-98-4	Neoprene rubber	3
CAS: 14807-96-6	Soapstone	3
- NTP ((National Toxicology Program)	
None of the ingred	ients is listed.	
2 Ecological information		

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:

- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

14 Transport information - UN-Number - DOT/TDG, ADR, IMDG, IATA - UN proper shipping name - DOT/TDG - ADR

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

	(Contd. of page
- IMDG, IATA	ADHESIVES
- Transport hazard class(es)	
- DOT/TDG (Transport dangerous goods):	
- Class - Label	3 Flammable liquids 3
- ADR, IMDG, IATA	
- Class - Label	3 Flammable liquids 3
- Packing group - DOT/TDG, ADR, IMDG, IATA	III
- Environmental hazards: - Marine pollutant:	No
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids - F-E,S-D A
- Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/78 Not applicable.
- Transport/Additional information:	
- DOT/TDG - Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
- ADR - Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- UN "Model Regulation":	UN 1133 ADHESIVES, 3, III

^{*}15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

 - Sara

 - Section 355 (extremely hazardous substances):

 None of the ingredients is listed.

 - Section 313 (Specific toxic chemical listings):

 CAS: 80-62-6
 methyl methacrylate

 CAS: 13395-16-9
 copper(II) 4-oxopent-2-en-2-olate

 - TSCA (Toxic Substances Control Act):

 All components have the value ACTIVE.

 - Canadian substance listings:

 - Canadian Domestic Substances List (DSL)

 CAS: 80-62-6
 methyl methacrylate

 Impact modifying resin

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/29/2024

Reviewed on 01/26/2024

Trade name: Vibra-TITE® Methacrylate Adhesives

CAS: 9010-98-4	(Contd. of page 6 Neoprene rubber
CAS. 34302-31-7	3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine
	Wax
CAS: 8050-09-7	Rosin
CAS: 57-55-6	propane-1,2-diol
CAS: 7732-18-5	Deionized water
CAS: 12227-89-3	Iron Oxide
	Polymerization inhibitor
CAS: 14807-96-6	Soapstone
CAS: 67762-90-7	Amorphous Silica
CAS: 64-02-8	tetrasodium ethylenediaminetetraacetate
CAS: 13395-16-9	copper(II) 4-oxopent-2-en-2-olate
- Cana	dian Non-Domestic Substances List (NDSL)
None of the ingred	lients is listed.
- Cana	dian Ingredient Disclosure list (limit 0.1%)
None of the ingred	lients is listed.
- Cana	dian Ingredient Disclosure list (limit 1%)
CAS: 80-62-6 me	thyl methacrylate
Chemical safet	y assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



- Date of the latest revision of the safety data sheet 01/29/2024

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.