| 01/31/2024 | Kit Components | |
|--------------|---|--|
| Product code | Description | |
| PS024W | Fast Weld Underwater Epoxy Putty Stick | |
| Components: | | |
| PS024WA | Fast Weld | |
| PS024WB | Fast Weld | |





Page 1/7

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/31/2024 Reviewed on 01/31/2024

1 Identification

- Product identifier

- Trade name: Fast Weld

- Synonyms: Underwater Epoxy Putty Stick Resin - Part A

- Part number: PS024WA

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



Acute Toxicity (Oral) - Category 4

Skin Irritation - Category 2

Eye Irritation - Category 2A

Skin Sensitizer - Category 1

Specific Target Organ Toxicity - Single Exposure - Category 3

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H317 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



- Signal word Warning

- Hazard-determining components of labeling:

Bisphenol-A epoxy resin

- Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 1) P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P321 Specific treatment (see on this label). P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

| - Dangerous components: | | |
|-------------------------|---|-------------------|
| | Bisphenol-A epoxy resin Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335 | ≥ 80 - ≤ 100% w/w |
| CAS: 14807-96-6 | Soapstone Carcinogenicity - Category 1A, H350; Specific Target Organ Toxicity - Repeated Exposure - Category 1, H372 | ≥ 10 - ≤ 30% w/w |

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 2)

- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters

| - Compor | - Components with limit values that require monitoring at the workplace: | | |
|--------------|--|--|--|
| CAS: 14807-9 | CAS: 14807-96-6 Soapstone | | |
| EL (Canada) | TWA: 2 *0.1 f/cc mg/m³ resp. *if contains asbestos : ACGIH A1, IARC 1 | | |
| EV (Canada) | TWA: 2* mg/m³, 2 f/cc ppm *respirable | | |
| PEL (USA) | TWA: 20 mppcf ppm (containing <1% Quartz) | | |
| REL (USA) | TWA: 2* mg/m³ *respirable dust; and <1% Quartz | | |
| TLV (USA) | TWA: 2* mg/m³ *no asbestos fibers,resp. particulate matter,E,A4 | | |

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties - General Information - Appearance: - Form: Pasty - Color: Silver grey - Odor: Light - Odor threshold: Not determined. - pH-value: Not applicable. - Change in condition

- Melting point/Melting range: Undetermined. - Boiling point/Boiling range: ≥ 260 °C

- Flash point: > 260 °C

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 3)

| - Solvent content: - VOC content: | 0.00 % |
|--|---|
| - Viscosity: - Dynamic: - Kinematic: | Not applicable. Not applicable. |
| - Partition coefficient (n-octanol/w | ater): Not determined. |
| Solubility in / Miscibility with Water: | Insoluble. |
| Vapor density Evaporation rate | Not applicable. Not applicable. |
| - Density at 20 °C: - Relative density | ≥ 0.93889 - ≤ 1.32167 g/cm³ Not determined. |
| - Vapor pressure: | Not applicable. |
| - Explosion limits: - Lower: - Upper: | Not determined. Not determined. |
| - Danger of explosion: | Product does not present an explosion hazard. |
| - Ignition temperature: | Product is not selfigniting. |
| - Decomposition temperature: | Not determined. |
| - Flammability (solid, gaseous): | Not determined. |

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
 - Sensitization: Sensitization possible through skin contact.
 - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

| - IARC (International Agency for Research on Cancer) | |
|--|---|
| CAS: 14807-96-6 Soapstone | 3 |
| - NTP (National Toxicology Program) | |
| None of the ingredients is listed. | |

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 4)

- Ecotoxical effects:

- Remark: Toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

| - UN-Number - DOT/TDG, ADR, IMDG, IATA | UN3077 |
|---|--|
| - UN proper shipping name - DOT/TDG | Environmentally hazardous substance, solid, n.o.s. (bisphenol-A-(epichlorhydrin); epoxy resin, Aluminum powder) |
| - ADR | UN3077 Environmentally hazardous substance, solid, n.o.s. (bisphenol-A-(epichlorhydrin); epoxy resin, Aluminum powder) |
| - IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin, ALUMINIUM |
| - IATA | POWDÈR), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin, ALUMINIUM POWDER) |
| - Transport hazard class(es) | |
| - DOT/TDG, ADR, IMDG, IATA | |
| 1 1 1 1 1 1 1 1 1 1 | |
| - Class - Label | 9 Miscellaneous dangerous substances and articles9 |
| - Packing group - DOT/TDG, ADR, IMDG, IATA | III |
| - Environmental hazards: | Product contains environmentally hazardous substances: bisphenol A-(epichlorhydrin); epoxy resin |
| - Marine pollutant: | Yes (DOT) Symbol (fish and tree) |
| - Special marking (ADR): | Symbol (fish and tree) |
| - Special marking (IATA): | Symbol (fish and tree) |
| - Special precautions for user - Hazard identification number (Kemler code): | Warning: Miscellaneous dangerous substances and articles 90 |
| - EMS Number: | F-A,S-F |
| - Segregation groups | (SGG15) Powdered metals |
| - Stowage Category | Α |
| - Stowage Code | SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9. |
| | 7.0.2.12 dild 7.7.0.0. |
| - Transport in bulk according to Annex II of MARPOL73. and the IBC Code | |

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 5)

| - Transport/Additional information: | |
|--|--|
| - DOT/TDG | |
| - Quantity limitations | On passenger aircraft/rail: No limit On cargo aircraft only: No limit |
| - Remarks: | Special marking with the symbol (fish and tree). |
| - ADR | |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 g |
| | Maximum net quantity per outer packaging: 1000 g |
| - IMDG | |
| Limited quantities (LQ) | 5 kg |
| - Excepted quantities (EQ) | Code: E1 |
| , , , , , | Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g |
| - UN "Model Regulation": | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BISPHENOL-A-(EPICHLORHYDRIN); EPOXY |
| | RESIN, ALUMINIUM POWDER), 9, III |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara
 - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Canadian substance listings:
 - Canadian Domestic Substances List (DSL)

All ingredients are listed.

- Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



*2 Health = *2 Fire = 1

- NFPA ratings (scale 0 - 4)



- Date of the latest revision of the safety data sheet 01/31/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. of page 6)

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- * Data compared to the previous version altered.

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.





Page 1/6

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/31/2024 Reviewed on 01/31/2024

1 Identification

- Product identifier

- Trade name: Fast Weld

- Synonyms: Epoxy Putty Stick Hardener - Part B

- Part number: PS024WB

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



Acute Toxicity (Oral) - Category 4

Skin Irritation - Category 2

H315 Causes skin irritation.

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Skin Sensitizer - Category 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure - Category 3

H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GH507

- Signal word Warning

- Hazard-determining components of labeling:

Mercaptan-terminated polymer

Aminophenol

- Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 1) P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P321 Specific treatment (see on this label). P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

| - Dangerous | components: | |
|-----------------|---|--------------|
| CAS: 72244-98-5 | Mercaptan-terminated polymer | 60 - 80% w/w |
| | Skin Sensitizer - Category 1B, H317 | |
| CAS: 14807-96-6 | Soapstone | 5 – 10% w/w |
| | Carcinogenicity - Category 1A, H350; Specific Target Organ Toxicity - Repeated Exposure - Category 1, H372 | |
| CAS: 90-72-2 | Aminophenol | 1 – 5% w/w |
| | Skin Corrosion - Category 1C, H314; Serious Eye Damage - Category 1, H318; Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) – Category 4, H312 | |

4 First-aid measures

- Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 2)

7 Handling and storage

- Handling:
 - Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data: see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber. NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
- Body protection: Protective work clothing

9 Physical and chemical properties

| nformation on basic physical and che - General Information | micai properties | |
|---|------------------|--|
| - Appearance: | | |
| - Form: | Pasty | |
| - Color: | Dark grey | |
| - Odor: | Light | |
| - Odor threshold: | Not determined. | |
| - pH-value: | Not determined. | |
| - Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| - Flash point: | > 204.4 °C | |
| - Flammability (solid, gaseous): | Not applicable. | |
| - Decomposition temperature: | Not determined. | |

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 3)

| Product is not selfigniting. | |
|---|--|
| Product does not present an explosion hazard. | |
| | |
| Not determined. | |
| Not determined. | |
| Not determined. | |
| ~ 1.51 g/cm³ | |
| Not determined. | |
| Not determined. | |
| Not determined. | |
| | |
| Not miscible or difficult to mix. | |
| water): Not determined. | |
| | |
| Not determined. | |
| Not determined. | |
| | |
| 0.00 % | |
| 0.0 g/l / 0.00 lb/gal | |
| 18.0 % | |
| No further relevant information available. | |
| | Product does not present an explosion hazard. Not determined. Not determined. Not determined. ~ 1.51 g/cm³ Not determined. Not determined. Not determined. Not determined. Not determined. Not miscible or difficult to mix. water): Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal 18.0 % |

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:

| | 7.00 | <i>ato to</i> | nory. | |
|-------------------------------|--|---------------|--|--|
| | - | LD/L | C50 values that are relevant for classification: | |
| ATE (Acute Toxicity Estimate) | | | exicity Estimate) | |
| | Oral | LD50 | 60,000 mg/kg (rat) | |
| | Dermal | LD50 | 100,000 mg/kg (rat) | |
| | CAS: 72244-98-5 Mercaptan-terminated polymer | | | |
| | Oral | LD50 | 2,600 mg/kg (rat) | |
| | CAS: 90-72-2 Aminophenol | | | |
| | Oral | LD50 | 1,200 mg/kg (rat) | |
| | Dermal | LD50 | 2,000 mg/kg (rat) | |
| | | | | |

- Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

| - IARC (International Agency for Research on Cancer) | | |
|--|---|--|
| CAS: 14807-96-6 Soapstone | 3 | |
| | | |

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 4)

- NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Harmful to fish
- Additional ecological information:
 - General notes:

Not hazardous for water.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

| not regulated | |
|----------------------------|---|
| not regulated | |
| | |
| not regulated | |
| not regulated | |
| Not applicable. | |
| Not applicable. | |
| PPOL73/78 Not applicable. | |
| | not regulated not regulated not regulated Not applicable. Not applicable. |

not regulated

- UN "Model Regulation": 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara
 - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

(Contd. on page 6)

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

- Canadian substance listings:

(Contd. of page 5)

- Canadian Domestic Substances List (DSL)

All ingredients are listed.

- Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



*2 Health = *2 Fire = 1

REACTIVITY Reactivity = 0

- NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

- Date of the latest revision of the safety data sheet 01/31/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- * Data compared to the previous version altered.
- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.