01/31/2024	Kit Components	
Product code	Description	
PS034B	Fast Weld Steel Epoxy Putty Stick	
Components:		
PS034BKA	Fast Weld	
PS034BKB	Fast Weld	





Page 1/7

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/31/2024 Reviewed on 01/31/2024

1 Identification

- Product identifier

- Trade name: Fast Weld

- Synonyms: Steel Epoxy Putty Stick Resin - Part A

- Part number: PS034BKA

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department
- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed. Skin Irritation - Category 2 H315 Causes skin irritation. Eye Irritation - Category 2A H319 Causes serious eye irritation. Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- Signal word Warning
- Hazard-determining components of labeling:

Bisphenol-A epoxy resin

- Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Take off contaminated clothing and wash it before reuse. P362+P364 P332+P313 If skin irritation occurs: Get medical advice/attention.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. (Contd. of page 1)

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:		
	CAS: 25068-38-6 Bisphenol-A epoxy resin Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	
CAS: 14807-96-6	Soapstone Carcinogenicity - Category 1A, H350; Specific Target Organ Toxicity - Repeated Exposure - Category 1, H372	≥ 10 - ≤ 30% w/w

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 2)

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters

	- Compor	- Components with limit values that require monitoring at the workplace:		
	CAS: 14807-96-6 Soapstone			
	EL (Canada)	TWA: 2 *0.1 f/cc mg/m³ resp. *if contains asbestos : ACGIH A1, IARC 1		
EV (Canada) TWA: 2* mg/m³, 2 f/cc ppm *respirable		0 , 11		
PEL (USA) TWA: 20 mppcf ppm (containing <1% Quartz)				
REL (USA) TWA: 2* mg/m³ *respirable dust; and <1% Quartz				
	TLV (USA)	TWA: 2* mg/m³ *no asbestos fibers,resp. particulate matter,E,A4		

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
- Body protection: Protective work clothing

9 Physical and chemical properties

- Information on basic physical and che	mical properties	
- General Information - Appearance:		
- Form:	Pasty	
- Color:	Black	
- Odor:	Light	
- Odor threshold:	Not determined.	
- pH-value:	Not applicable.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. ≥ 260 °C	
- Flash point:	> 260 °C	
- Flammability (solid, gaseous):	Not determined.	
- Decomposition temperature:	Not determined.	
- Ignition temperature:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
		(Contd. on page 4)

Printing date 01/31/2024 Reviewed on 01/31/2024

Not determined.

Not determined.

Not applicable.

Trade name: Fast Weld

(Contd. of page 3)

- Density at 20 °C: - Relative density - Vapor density

- Evaporation rate

- Explosion limits: - Lower:

- Upper:

- Vapor pressure:

≥ 1.02424 – ≤ 1.20467 g/cm³ Not determined. Not applicable. Not applicable.

- Solubility in / Miscibility with

- Water: Insoluble.

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:

- **Dynamic:** Not applicable. - **Kinematic:** Not applicable.

- Solvent content:

- VOC content: 0.00 %

- **Other information** No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
 - Sensitization: Sensitization possible through skin contact.
 - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)		
	CAS: 14807-96-6 Soapstone	3
	- NTP (National Toxicology Program)	
	None of the ingredients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

(Contd. of page 4)

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

Toxic for aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT/TDG, ADR, IMDG, IATA	UN3077
- UN proper shipping name - DOT/TDG	Environmentally hazardous substance, solid, n.o.s. (bisphenol-A-(epichlorhydrin); epoxy resin)
- ADR	UN3077 Environmentally hazardous substance, solid, n.o.s. (bisphenol-A-(epichlorhydrin); epoxy resin)
- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin), MARINE POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (bisphenol-A-(epichlorhydrin); epoxy resin)
- Transport hazard class(es)	
- DOT/TDG, ADR, IMDG, IATA	
- Class - Label	9 Miscellaneous dangerous substances and articles 9
- Packing group - DOT/TDG, ADR, IMDG, IATA	III
- Environmental hazards:	Product contains environmentally hazardous substances: bisphenol-A-(epichlorhydrin); epoxy resin
- Marine pollutant:	Yes (DOT) Symbol (fish and tree)
- Special marking (ADR): - Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
- Special precautions for user - Hazard identification number (Kemler code):	Warning: Miscellaneous dangerous substances and articles 90
- EMS Number:	F-A,S-F
- Stowage Category - Stowage Code	A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
- Transport in bulk according to Annex II of MARPOL73 and the IBC Code	3/78 Not applicable.
- Transport/Additional information:	
- DOT/TDG - Quantity limitations	On passenger aircraft/rail: 400 kg
- Remarks:	On cargo aircraft only: 400 kg Special marking with the symbol (fish and tree).
- ADR	- - -
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 5)

- IMDG

- Limited quantities (LQ) - Excepted quantities (EQ)

Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

- UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BISPHENOL-A-(EPICHLORHYDRIN); EPOXY

RESIN), 9, III

5 kg

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Canadian substance listings:
 - Canadian Domestic Substances List (DSL)

All ingredients are listed.

- Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



12 Health = *2 Fire = 1

- NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

- Date of the latest revision of the safety data sheet 01/31/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

®Vibra-TITE is a registered trademark of ND Industries, Inc.

(Contd. of page 6)





Page 1/6

Safety Data Sheet according to HPR, Schedule 1

Printing date 01/31/2024 Reviewed on 01/31/2024

1 Identification

- Product identifier

- Trade name: Fast Weld

- Synonyms: Epoxy Putty Stick Hardener - Part B

- Part number: PS034BKB

- Application of the substance / the mixture Adhesives

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard identification

- Classification of the substance or mixture



Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed. Skin Irritation - Category 2 H315 Causes skin irritation. Eye Irritation - Category 2A H319 Causes serious eye irritation. Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- Signal word Warning

- Hazard-determining components of labeling:

Mercaptan-terminated polymer

Aminophenol

- Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina.

P362+P364 Take off contaminated clothing and wash it before reuse.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P321 Specific treatment (see on this label).
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 72244-98-5	Mercaptan-terminated polymer	60 – 80% w/w
	Skin Sensitizer - Category 1B, H317	
CAS: 14807-96-6	Soapstone	5 – 10% w/w
	Carcinogenicity - Category 1A, H350; Specific Target Organ Toxicity - Repeated Exposure - Category 1, H372	
CAS: 90-72-2	Aminophenol	1 – 5% w/w
	Skin Corrosion - Category 1C, H314; Serious Eye Damage - Category 1, H318; Acute Toxicity (Oral) - Category 4, H302; Acute Toxicity (Dermal) - Category 4, H312	

4 First-aid measures

- Description of first aid measures

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 2)

- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
- Body protection: Protective work clothing

9 Physical and chemical properties

or injereal and entermed properties		
- Information on basic physical and chemical properties - General Information		
- Appearance:	Desta	
- Form:	Pasty	
- Color:	Dark grey	
- Odor:	Light	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
- Change in condition		
 Melting point/Melting range: 	Undetermined.	
 Boiling point/Boiling range: 	Undetermined.	
- Flash point:	> 204.4 °C	
- Flammability (solid, gaseous):	Not applicable.	
- Decomposition temperature:	Not determined.	
- Ignition temperature:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits:		
- Lower:	Not determined.	
- Upper:	Not determined.	

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 3)

- Vapor pressure:	Not determined.
- Density at 20 °C:	~ 1.51 g/cm³
- Relative density	Not determined.
- Vapor density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- Water:	Not miscible or difficult to mix.
- Partition coefficient (n-octanol/wa	ater): Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.
- Solvent content:	
- VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
- Solids content:	18.0 %
- Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

-	LD/LC50 values that are relevant for classification:	
ATE (Ac	ute Toxicity Estimate)	
Oral	LD50 60,000 mg/kg (rat)	
Dermal	LD50 100,000 mg/kg (rat)	
CAS: 72	244-98-5 Mercaptan-terminated polymer	
Oral	LD50 2,600 mg/kg (rat)	
CAS: 90	CAS: 90-72-2 Aminophenol	
Oral	LD50 1,200 mg/kg (rat)	
Dermal	LD50 2,000 mg/kg (rat)	

- Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 14807-96-6 Soapstone	3
- NTP (National Toxicology Program)	
None of the ingredients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 4)

- Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Harmful to fish
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Trans	port info	ormation
----------	-----------	----------

- UN-Number - DOT/TDG, ADR, ADN, IMDG, IATA	not regulated	
- UN proper shipping name - DOT/TDG, ADR, ADN, IMDG, IATA	not regulated	
- Transport hazard class(es)		
- DOT/TDG, ADR, ADN, IMDG, IATA - Class	not regulated	
- Packing group - DOT/TDG, ADR, IMDG, IATA	not regulated	
- Environmental hazards:	Not applicable.	
- Special precautions for user	Not applicable.	
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
- UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Canadian substance listings:
 - Canadian Domestic Substances List (DSL)

All ingredients are listed.

- Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

- Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Printing date 01/31/2024 Reviewed on 01/31/2024

Trade name: Fast Weld

(Contd. of page 5)

- Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
- Classification System:
 - HMIS-ratings (scale 0 4)



*2 Health = *2 Fire = 1

- NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

- Date of the latest revision of the safety data sheet 01/31/2024
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.